

Healthy Start Monitoring and Evaluation Data System (HSMED)

Data Dictionary and XML Schema Implementation Guide Healthy Start Screening Tool 2: Pregnancy History

Version 2.2

Version Date: Feb 17, 2017

Submitted to:



Health Resources and Services Administration
Maternal and Child Health Bureau
5600 Fishers Lane
Rockville, MD 20857

Submitted by:



DSFederal, Inc.
11900 Parklawn Drive, Suite #406
Rockville, MD 20852

DISCLOSURE LEGEND

This document includes data that shall not be disclosed outside the government and shall not be duplicated, used, or disclosed in whole or in part for any purpose other than for which it was intended. The restriction does not limit the Government's right to use information contained in these data if they are obtained from another source without restriction. The data subject to this restriction are contained in sheets marked as restricted.

Element Index

Element name: AdminDate	3
Element name: IsPregnantId	3
Element name: WeekPregnantCount.....	3
Element name: MonthPregnantCount	4
Element name: WeekMonthCountDRId.....	4
Element name: BeenPregnantIncludingCount	4
Element name: BeenPregnantIncludingCountDRId	5
Element name: PrevPregnancyDeclined	5
Element name: HadCSectionId	5
Element name: ComplicationPregId.....	6
Element name: PregProblemsList	7
Element name: OtherPregProblem	8
Element name: BornThreeWeeksId	8
Element name: BornThreeWeeksCount.....	8
Element name: LessThanFivePoundsId	9
Element name: LessThanFivePoundsCount	9
Element name: BabyStayedInHospitalId	9
Element name: BabyStateInHospitalReason	10
Element name: ChildrenLiveWithYould	10
Previous Pregnancy.....	10
Element name: NumOfLiveBirth.....	11
Element name: DateOfLastBirth.....	11
Element name: DateOfMiscarriage	12
Element name: DateOfTubePreg.....	12
Element name: DateOfAbortion.....	12
Element name: NumOfStillBirth	12
Element name: DateOfStillBirth	13

Element name: [AdminDate](#)

Field	Description
Definition	Date on which tool was administered (F2)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<AdminDate>2/3/2016</AdminDate>

Element name: [IsPregnantId](#)

Field	Description
Definition	Client's answer to the question, "Are you pregnant now?" (F2.1)
Required field	Yes
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	1 per client
XML example	<IsPregnantId>4</IsPregnantId>

Element name: [WeekPregnantCount](#)

Field	Description
Definition	Client's answer to the question, "How many weeks or months pregnant are you now?" (F2.1.1)
Required field	No
Lookup table if available	N/A
Allowed values	An integer value between 0-45
Allow multiple values	No
Occurrence	0-1 per client
XML example	<WeekPregnantCount>1</WeekPregnantCount>

Element name: [MonthPregnantCount](#)

Field	Description
Definition	Client's answer to the question, "How many weeks or months pregnant are you now?" (F2.1.1)
Required field	No
Lookup table if available	N/A
Allowed values	An integer value between 0-11
Allow multiple values	No
Occurrence	0-1 per client
XML example	<MonthPregnantCount>1</MonthPregnantCount>

Element name: [WeekMonthCountDRId](#)

Field	Description
Definition	Client's answer to the question, "How many weeks or months pregnant are you now?" if Don't Know or Declined to Answer was the response. (F2.1.1)
Required field	No
Lookup table if available	DontknowRefused_Lkup
Allowed values	1=Don't know 2=Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<WeekMonthCountDRId>2</WeekMonthCountDRId>

Element name: [BeenPregnantIncludingCount](#)

Field	Description
Definition	Client's answer to the question, "How many times have you been pregnant in your life?" (F2.2)
Required field	No
Lookup table if available	N/A
Allowed values	An integer value between 0-20
Allow multiple values	No
Occurrence	0-1 per client
XML example	<BeenPregnantIncludingCount>0</BeenPregnantIncludingCount>

Element name: [BeenPregnantIncludingCountDRId](#)

Field	Description
Definition	Client's answer to the question, "How many times have you been pregnant in your life?" (F2.2)
Required field	No
Lookup table if available	DontknowRefused_Lkup
Allowed values	1=Don't know 2=Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<BeenPregnantIncludingCountDRId>2</BeenPregnantIncludingCountDRId>

Element name: [PrevPregnancyDeclined](#)

Field	Description
Definition	Declined to answer how previous pregnancies ended (F2.3)
Required field	No
Lookup table if available	N/A
Allowed values	true, false Or 1, 0
Allow multiple values	No
Occurrence	0-1 per client
XML example	<PrevPregnancyDeclined>>false </PrevPregnancyDeclined>

Element name: [HadCSectionId](#)

Field	Description
Definition	Answer given by client in response to the question: "Did you ever have a baby by cesarean delivery or C-section?" (F2.4)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HadCSectionId>3</HadCSectionId>

Element name: [ComplicationPregId](#)

Field	Description
Definition	Answer given by client in response to the question: "Did you have any problems or complications with any of your past pregnancies?" (F2.5)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<ComplicationPregId>4</ComplicationPregId>

Element name: [PregProblemsList](#)

Field	Description
Definition	Answer given by client in response to the question: "Which of the following problems did you have during you most recent pregnancy?" (F2.5.1)
Required field	No
Lookup table if available	PregProblemsType_Lkup
Allowed values	1 = Vaginal bleeding 2 = Kidney or bladder (urinary tract) infection (UTI) 3 = Severe nausea, vomiting, or dehydration that sent me to the doctor or hospital 4 = Cervix had to be sewn shut (cerclage for incompetent cervix) 5 = High blood pressure, hypertension (including pregnancy-induced hypertension [PIH]), preeclampsia, or toxemia 6 = Problems with the placenta (such as abruptio placentae or placenta previa) 7 = HIV, Herpes, or HPV 8 = Labor pains more than 3 weeks before my baby was due (preterm or early labor) 9 = Water broke more than 3 weeks before my baby was due (premature rupture of membranes [PROM]) 10 = I had to have a blood transfusion 11 = I was hurt in a car accident 12 = Other 13 = Declined to answer
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<pre> <PregProblemsList> <PregProblems> <PregProblemsTypeId>4</PregProblemsTypeId> </PregProblems> <PregProblems> <PregProblemsTypeId>12</PregProblemsTypeId> </PregProblems> </PregProblemsList> </pre>

Element name: [OtherPregProblem](#)

Field	Description
Definition	Answer provided by the client when "Other: Please specify" was selected in response to Question 5 on the Pregnancy History tool. (F2.5.1)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<OtherPregProblem>a</OtherPregProblem>

Element name: [BornThreeWeeksId](#)

Field	Description
Definition	Answer provided by the client in response to the question: "Were any of your babies born more than 3 weeks before his or her due date?" (F2.6)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<BornThreeWeeksId>4</BornThreeWeeksId>

Element name: [BornThreeWeeksCount](#)

Field	Description
Definition	For clients who responded "Yes" to Question 6 on the Pregnancy History Tool, the number provided for ". . . Please specify how many" [number of babies born more than three weeks before due date] (F2.6)
Required field	No
Lookup table if available	N/A
Allowed values	An integer value between 0-20
Allow multiple values	No
Occurrence	0-1 per client
XML example	<BornThreeWeeksCount>0</BornThreeWeeksCount>

Element name: [LessThanFivePoundsId](#)

Field	Description
Definition	Answer provided by the client in response to the question "Did any of your babies weigh less than 5 pounds, 8 ounces at birth? (F2.7)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<LessThanFivePoundsId>3</LessThanFivePoundsId>

Element name: [LessThanFivePoundsCount](#)

Field	Description
Definition	For clients who responded "Yes" to Question 7 on the Pregnancy History Tool, the number provided for ". . . Please specify how many" [number of babies who weighed less than 5 pounds, 8 ounces at birth] (F2.7)
Required field	No
Lookup table if available	N/A
Allowed values	An integer value between 0-20
Allow multiple values	No
Occurrence	0-1 per client
XML example	<LessThanFivePoundsCount>0</LessThanFivePoundsCount>

Element name: [BabyStayedInHospitalId](#)

Field	Description
Definition	Answer provided by the client in response to the question: "Did any of your babies stay in the hospital after you came home?"(F2.8)
Required field	No
Lookup table if available	YesNoDeclined_Lkup
Allowed values	1 = Yes 2 = No 3 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<BabyStayedInHospitalId>2</BabyStayedInHospitalId>

Element name: [BabyStateInHospitalReason](#)

Field	Description
Definition	For clients who responded "Yes" to Question 8 on the Pregnancy History Tool, the answer provided for ". . . Please specify reason." [Reason baby(ies) stayed in the hospital after you came home] (F2.8)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<BabyStateInHospitalReason>a</BabyStateInHospitalReason>

Element name: [ChildrenLiveWithYould](#)

Field	Description
Definition	Answer provided by the client in response to the question: "Are all of your children living with you?" (F2.9)
Required field	No
Lookup table if available	YesNoDeclined_Lkup
Allowed values	1 = Yes 2 = No 3 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<ChildrenLiveWithYould>3</ChildrenLiveWithYould>

[Previous Pregnancy](#)

The elements below describe multiple pregnancies (up to 5) for each client.

Note: An example of presenting multiple previous pregnancy is given in the XML sample for data element "NumOfLiveBirth."

Element name: [NumOfLiveBirth](#)

Field	Description
Definition	Answer for number of live births given by the client in response to the question, "Tell me how your previous pregnancies ended." (F2.3)
Required field	No
Lookup table if available	N/A
Allowed values	An integer value between 0-99
Allow multiple values	No
Occurrence	0-5 per client
XML example	<pre> <PrevPregnancyList> <PrevPregnancy> <NumOfLiveBirth>0</NumOfLiveBirth> <DateOfLastBirth>2/24/2016</DateOfLastBirth> <DateOfMiscarriage>2/24/2016</DateOfMiscarriage> <DateOfTubePreg>2/24/2016</DateOfTubePreg> <DateOfAbortion>2/24/2016</DateOfAbortion> <NumOfStillBirth>0</NumOfStillBirth> <DateOfStillBirth>2/24/2016</DateOfStillBirth> </PrevPregnancy> <PrevPregnancy> <NumOfLiveBirth>0</NumOfLiveBirth> <DateOfLastBirth>2/24/2016</DateOfLastBirth> <DateOfMiscarriage>2/24/2016</DateOfMiscarriage> <DateOfTubePreg>2/24/2016</DateOfTubePreg> <DateOfAbortion>2/24/2016</DateOfAbortion> <NumOfStillBirth>0</NumOfStillBirth> <DateOfStillBirth>2/24/2016</DateOfStillBirth> </PrevPregnancy> </PrevPregnancyList> </pre>

Element name: [DateOfLastBirth](#)

Field	Description
Definition	Date of last live birth (F2.3)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-5 per client
XML example	<DateOfLastBirth>5/6/2016</DateOfLastBirth>

Element name: [DateOfMiscarriage](#)

Field	Description
Definition	Date of last miscarriage (F2.3)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-5 per client
XML example	<DateOfMiscarriage>1/1/2011</DateOfMiscarriage>

Element name: [DateOfTubePreg](#)

Field	Description
Definition	Date of last tubal pregnancy (F2.3)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-5 per client
XML example	<DateOfTubePreg>1/1/2011</DateOfTubePreg>

Element name: [DateOfAbortion](#)

Field	Description
Definition	Date of last abortion (F2.3)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-5 per client
XML example	<DateOfAbortion>1/1/2011</DateOfAbortion>

Element name: [NumOfStillBirth](#)

Field	Description
Definition	Answer for number of fetal deaths or stillborns given by the client in response to the question, "Tell me how your previous pregnancies ended." (F2.3)
Required field	No
Lookup table if available	N/A
Allowed values	An integer value between 0-99
Allow multiple values	No
Occurrence	0-5 per client
XML example	<NumOfStillBirth>0</NumOfStillBirth>

Element name: [DateOfStillBirth](#)

Field	Description
Definition	Date of stillbirth (F2.3)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-5 per client
XML example	<DateOfStillBirth>1/1/2011</DateOfStillBirth>