Healthy Start Monitoring and Evaluation Data System (HSMED)

# Data Dictionary and XML Schema Implementation Guide Healthy Start Screening Tool 5: Postpartum

Version 2.3 Version Date: March 7, 2017 Submitted to:



Health Resources and Services Administration Maternal and Child Health Bureau 5600 Fishers Lane Rockville, MD 20857

Submitted by:



DSFederal, Inc. 11900 Parklawn Drive, Suite #406 Rockville, MD 20852

#### **DISCLOSURE LEGEND**

This document includes data that shall not be disclosed outside the government and shall not be duplicated, used, or disclosed in whole or in part for any purpose other than for which it was intended. The restriction does not limit the Government's right to use information contained in these data if they are obtained from another source without restriction. The data subject to this restriction are contained in sheets marked as restricted.

## Element Index

	name: AdminDate	
	name: pregnancyOutcomeId	
Element	name: pregnancyOutcomeIndicate	7
Element	name: LastPregnantGestationalDiabetesId	8
Element	name: ChildBirthWhenWeeks	8
Element	name: ChildBirthWhenDRId	8
Element	name: FUParentingInfoList	9
Element	name: FUParentingInfoDate	9
Element	name: FUParentingProvidedList	. 10
Element	name: FUParentingProvidedDate	. 10
Element	name: FUParentingReferredList	. 11
Element	name: FUParentingReferredDate	. 11
Element	name: FUParentingReferredOther	. 11
Element	name: FUSafetyInfoList	. 12
Element	name: FUSafetyInfoDate	. 12
Element	name: FUSafetyProvidedList	. 13
Element	name: FUSafetyProvidedDate	. 13
	name: FUSafetyReferredList	
	name: FUSafetyReferredOrg	
	name: FUSafetyReferredDate	
	name: FUBabyCareInfoList	
	name: FUBabyCareInfoDate	
	name: FUBabyCareProvided	
	name: FUBabyCareProvidedDate	
	name: FUBabyCareVaccineList	
	name: FUBabyCareVaccineDate	
	name: FUBabyCareReferredList	
	name: FUBabyCareReferredDate	
	name: PlanHaveChildrenId	
	name: PlanHaveChildrenCount	
	name: PlanHaveChildrenDRId	
	name: LikePregnantNextYearId	
	name: WaitTimePregnantId	
	name: UseBirthControlsId	
	name: SatisfiedBirthControlld	
	name: FUBirthControlInfo	
	name: FUBirthControlInfoDate	
	name: FUBirthControlProvidedList	
	name: FUBirthControlProvidedDate	
	name: FUBirthControlReferredId	
	name: FUOtherBirthControl	
	name: FUBirthControlReferredDate	
	name: MaritalStatusId	
	name: EmploymentStatusId	
	name: HouseholdIncomeId	
Flamont	nama: NumAdultsSunnorted	23

Element	name:	NumChildrenSupported	23
Element	name:	IncomeSupportedDRId	24
		FoodAffordabilityId	
		Zipcode	
		ZipcodeDRId	
		HousingStatusId	
		HousingStatusOther	
		IsRegularHomeId	
		Has Housing arrangement Id	
		HasHousingarrangementOther	
		HasHousingConcernId	
		ConcernHousingList	
		OtherLeaseViolation	
		OtherHousingConcern	
		ServiceChildcareVoucherId	
		ServiceElderlyDisableChildrenId	
		ServiceFoodStampsId	
		ServiceHeatingAssistanceId	
		ServiceImmigrationId	
		ServiceLegalId	
		ServicePublicHousingId	
Element	name:	ServiceSection8VoucherId	31
		ServiceSSDIId	
		ServiceSSIId	
		ServiceTAFDCId	
		ServiceTANFId	
		ServiceTribalHousingId	
		ServiceUtilityAssistanceId	
		ServiceWICId	
		ServiceOtherSpecifying (Added)	
		ServiceOtherId (Added)	
		HasOpenCaseChildProtectiveServicesId	
		FUSocialDeterminantsInfoList	
		FUSocial Determinants Info Other	
		FUSocialDeterminantsInfoDate	
		FUSocialDeterminantsReferralList	
		FUSocial Determinants Referral Other	
		FUSocial Determinants Referral Date	
		NeighborsHelpId	
		NeighborsWatchChildrenId	
		CommunityFeelSafeId	
		ParticipateCommunityActivitiesId	
		NeighborsGatheringId	
		HaveHealthProfessionalId	
		HaveSickCarePlaceId	
		SickCarePlaceId	
		HealthInsuranceTypesList	
Element	name:	HealthInsuranceTypesOther	42

Element	name:	HadPostPartumCheckupId	42
Element	name:	HadPostPartumCheckupDate	42
Element	name:	HadPostPartumCheckupScheduledId	43
		PostPartumCheckupScheduledDate	
Element	name:	FUPostPartumCareInfoList	43
Element	name:	FUPostPartumCareInfoDate	44
Element	name:	FUPostPartumCareProvided	44
Element	name:	FUPostPartumCareProvidedDate	44
Element	name:	FUPostPartumCareReferredList	45
Element	name:	FUPostPartumCareReferredDate	45
Element	name:	PhysicalHealthStatusId	46
Element	name:	MentalHealthStatusId	46
Element	name:	HeightFeetMeasure	47
Element	name:	HeightInchesMeasure	47
Element	name:	HeightFeetInchesMeasureDRId	47
Element	name:	WeightMeasure	48
Element	name:	WeightMeasureDRId	48
Element	name:	WeightMeasureNow	48
Element	name:	WeightMeasureNowDRId	49
Element	name:	VitaminPerWeekId	49
Element	name:	LastFluVaccinationId	50
Element	name:	LastTeethCleaningId	50
Element	name:	FUMaternalHealthInfoList	51
Element	name:	FUMaternalHealthInfoDate	51
Element	name:	FUMaternalHealthProvidedList	52
Element	name:	FUMaternalHealthProvidedDate	52
Element	name:	FUMaternalHealthReferredList	53
Element	name:	FUMaternalHealthReferredOther	53
Element	name:	FUMaternalHealthReferredDate	53
Element	name:	LittleInterest	54
Element	name:	Depressed	54
Element	name:	FUDepressionInfoList	54
Element	name:	FUDepressionInfoDate	55
Element	name:	FUDepressionProvidedList	55
Element	name:	FUDepressionProvidedDate	55
Element	name:	FUDepressionReferredList	56
Element	name:	FUDepressionReferredOther	56
Element	name:	FUDepressionReferredDate	56
Element	name:	SubstanceUseAlcoholId	57
Element	name:	SubstanceUseTobaccold	57
Element	name:	SubstanceUseMoodAlteringId	58
Element	name:	SubstanceUsePrescriptionDrugsForNonMedicalId	58
Element	name:	SubstanceUseIllegalDrugsId	59
		SmokeLast3MonthsPregnantId	
		SmokeLast3MonthsPregnantCountId	
		HouseholdSmokingRuleId	
Element	name:	FUSubstanceUseInfoList	60
Element	name:	FUSubstanceUseInfoDate	60

Element	name: FUSubstanceUseProvidedANPList	61
Element	name: FUSubstanceUseProvidedDate	61
	name: FUSubstanceUseReferredList	
Element	name: FUSubstanceUseReferredOther	62
	name: FUSubstanceUseReferredDate	
Element	name: PersonalSafetySpouseThreatenId	63
Element	name: PersonalSafetySpouseAngerId	63
Element	name: PersonalSafetySpouseControlld	63
Element	name: PersonalSafetySpousePhysicalAbusedId	64
Element	name: PersonalSafetySpouseForceSexId	64
Element	name: PersonalSafetySpousePhysicalAnyId	64
Element	name: HaveGunId	65
Element	name: FUPersonalSafetyInfoList	65
	name: FUPersonalSafetyInfoDate	
Element	name: FUPersonalSafetyReferred	66
Element	name: FUPersonalSafetyReferredProgram	66
Element	name: FUPersonalSafetyReferredDate	66
Element	name: StressFactorFamilySickId	67
	name: StressFactorDivorcedId	
Element	name: StressFactorRelocationId	67
Element	name: StressFactorHomelessId	68
Element	name: StressFactorSpouseLostJobId	68
	name: StressFactorLostJobId	
Element	name: StressFactorPaycutId	69
Element	name: StressFactorSpouseApartId	69
	name: StressFactorSpouseArgueId	
	name: StressFactorSpouseAgainstPregnancyId	
	name: StressFactorBillsId	
Element	name: StressFactorJailedId	70
Element	name: StressFactorRelativesDrinkingId	71
Element	name: StressFactorRelativeDield	71
Element	name: DiscriminationTreatedLessCourtesyld	72
Element	name: DiscriminationReceivedPoorServiceId	72
Element	name: DiscriminationOtherThinkNotSmartId	73
Element	name: DiscriminationOtherAfraidId	73
Element	name: DiscriminationOtherThreatenId	74
Element	name: DiscriminationReasonsForTreatmentId	74
Element	name: DiscriminationOtherReasonsForTreatment	75
Element	name: FUStressInfo	75
Element	name: FUStressInfoDate	75
Element	name: FUStressProvided	76
Element	name: FUStressProvidedDate	76
Element	name: FUStressReferredList	76
	name: FUStressReferredOther	
	name: FUStressReferredDate	
Element	name: SupportTemporaryFinancialId	77
Element	name: SupportEnjoyableActivitiesId	78
	name: SupportHelpChoresId	

	name: SupportHelpSickId	
Element	name: SupportHelpPersonalIssuesId	79
Element	name: SupportHelpWatchBabyId	79
Element	name: BabyFatherInvolvementId	79
Element	name: BabyFatherRoleList	80
Element	name: BabyFatherRoleOtherSpecifying	80
Element	name: FUSocialSupport	81
Element	name: FUSocialSupportDate	81
Element	name: FUSocialSupportReferredList	81
Element	name: FUSocialSupportReferredOther	82
Element	name: FUSocialSupportReferredDate	82
Child Ele	ments	82
Element	name: ChildBirthDate	82
Element	name: ChildBirthPlaceId	83
Element	name: ChildBirthPlaceOther	83
Element	name: ChildBirthMethodId	83
Element	name: ChildStayInHospitalId	84
Element	name: ChildBirthWeightLbs	84
Element	name: ChildBirthWeightOzs	84
Element	name: ChildBirthWeightDRId	85
Element	name: EverBreastFeedId	85
Element	name: BreastFeedCountNumbers	85
Element	name: BreastFeedCountFreqId	86
Element	name: BreastFeedCountDaysWeeksMonthsDRId	86
Element	name: CurrentlyFeedChildList	87
Element	name: CurrentlyFeedChildOther	87
Element	name: ChildConcernDRId	87
	name: ChildConcernList	
Element	name: ChildConcernOtherSpecifying	88
Element	name: ChildSleepingPositionId	89
Element	name: ChildSleepAloneId	89
Element	name: ChildSleepingCribId	90
Element	name: ChildSleepingBedId	90
Element	name: ChildSleepingCouchId	90
Element	name: ChildSleepingSwingId	91
Element	name: ChildSleepingBlanketId	91
	name: ChildSleepingToysId	
	name: ChildSleepingBumperPadsId	
Element	name: ChildSleepingSackId	92
Element	name: ChildInfantCarSeatId	92
Element	name: NumOfHoursPerDays	93
	name: ChildTimeWithSmokerId	
	name: HaveChildHealthProfessionalId	
Element	name: HaveChildSickCarePlaceId	94
Element	name: ChildSickCarePlaceId	94
Element	name: LastChildVisitDate	95
Element	name: LastChildVisitDRId	95
Element	name: lastchildvisitvaccineId	95

Element name: ChildInsuranceList	96
Element name: ChildInsuranceTypesOther	96

#### Element name: AdminDate

Field	Description
Definition	Date of Administration (F5)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<admindate>1/1/2016</admindate>

#### **Element name**: PregnancyOutcomeId

Field	Description
Definition	Client's response to the question: "Please tell me the outcome of your
	pregnancy." (F5.1)
Required field	Yes
Lookup table if available	PregnancyOutcome_Lkup
Allowed values	1 = Live birth - single baby
	2 = Live birth - multiples (twins, triplets, etc)
	3 = Miscarriage
	4 = Ectopic or tubal pregnancy
	5 = Abortion
	6 = Fetal death/stillbirth
	7 = Declined to answer
Allow multiple values	No
Occurrence	1 per client
XML example	<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>

#### **Element name**: PregnancyOutcomeIndicate

Field	Description
Definition	Client's response to "Please indicate" when multiple births were selected as the pregnancy outcome, indicating the number of births (twins,
	triplets, etc.) (F5.1)
Required field	No
Lookup table if available	N/A
Allowed values	An integer with value between 2-20
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>

## Element name: Last Pregnant Gestational Diabetes Id

Field	Description
Definition	Client's response to the question: "Were you diagnosed with gestational
	diabetes during your last pregnancy?"(F5.1.4)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes
	2 = No
	3 = Don't Know
	4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><lastpregnantgestationaldiabetesid>3</lastpregnantgestationaldiabetesid></pre>
	esld>

#### Element name: ChildBirthWhenWeeks

Field	Description
Definition	Client's response to the question: "How many weeks pregnant were you when your baby was/babies were born?" (F5.1.6)
	when your baby was/bables were born: (F3.1.0)
Required field	No
Lookup table if available	N/A
Allowed values	An integer with value between 0-45
Allow multiple values	No
Occurrence	0-1 per client
XML example	<childbirthwhenweeks>1</childbirthwhenweeks>

#### Element name: ChildBirthWhenDRId

Field	Description
Definition	Client's response to the question: "How many weeks pregnant were you when your baby was/babies were born?" when "Don't Know" or "Declined to Answer" was the response. (F5.1.6)
Required field	No
Lookup table if available	DontKnowRefused_Lkup
Allowed values	1 = Don't Know
	2 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<childbirthwhendrid>1</childbirthwhendrid>

Element name: FUParentingInfoList

Field	Description
Definition	Staff selection in the Infant Care Follow Up table indicating whether client was provided with information/education on breast feeding, baby
	nutrition, parenting, and/or infant care, and which kinds of information
	was provided. (F5.4.1)
Required field	No
Lookup table if available	ParentingInfo_Lkup
Allowed values	1 = Breastfeeding
	2 = Baby nutrition
	3 = Parenting
	4 = Infant care
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<fuparentinginfolist></fuparentinginfolist>
	<fuparentinginfo></fuparentinginfo>
	<parentinginfold>1</parentinginfold>

Element name: FUParentingInfoDate

Field	Description
Definition	Date on which the client was provided with information/education about breast feeding, baby nutrition, parenting, and/or infant care, if applicable. (F5.4.1)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fuparentinginfodate>1/1/2016</fuparentinginfodate>

## Element name : FUP arenting Provided List

Field	Description
Definition	Staff selection indicating which, if any, types of infant care support services (breast feeding support and/or counseling about parenting) was provided.(F5.4.1)
Required field	No
Lookup table if available	ParentingProvided_Lkup
Allowed values	1= Breastfeeding Support
	2 = Counseling about parenting
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<fuparentingprovidedlist> <fuparentingprovided> <parentingprovidedid>1</parentingprovidedid> </fuparentingprovided> </fuparentingprovidedlist>

## **Element name**: FUParentingProvidedDate

Field	Description
Definition	Date on which infant care support services (breast feeding support and/or counseling about parenting) were provided, if any. (F5.4.1)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><fuparentingprovideddate>1/1/2016</fuparentingprovideddate></pre>

Element name : FUP arenting Referred List

Field	Description
Definition	Staff selection indicating which, if any, referrals related to infant care
	were provided. (F5.4.1)
Required field	No
Lookup table if available	PostPartumReferred_Lkup
Allowed values	1 = Breastfeeding support
	2 = Nutritionist
	3 = Parent Information Resource Center
	4 = Parent support group
	5 = Parenting class
	6 = Other
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<fuparentingreferredlist></fuparentingreferredlist>
	<pre><fuparentingreferred></fuparentingreferred></pre>
	<postpartumreferredid>2</postpartumreferredid>

**Element name**: FUParentingReferredDate

Field	Description
Definition	Date on which client was provided with infant-care related referrals, if
	any. (F5.4.1)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><fuparentingreferreddate>1/1/2016</fuparentingreferreddate></pre> /FUParentingReferredDate>

**Element name**: FUParentingReferredOther

Field	Description
Definition	Entry provided for "Please Specify" when "Other" was checked as the
	type of referral provided. (F5.4.1)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><fuparentingreferredother>a</fuparentingreferredother></pre> /FUParentingReferredOther>

Element name: FUSafetyInfoList

Field	Description
Definition	Staff selection in the Infant Safety Follow Up table indicating categories
	of infant-safety related information/education (safe sleep, car seat
	safety, and/or tobacco exposure) that were provided to the client, if any.
	(F5.9)
Required field	No
Lookup table if available	InfantSafetyInfo_Lkup
Allowed values	1 = Safe sleep positions, safe sleep environment
	2 = Car seat safety (installation, placement in car, rear facing, checking
	weight and height limits)
	3 = Effects of tobacco exposure to infant
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<fusafetyinfolist></fusafetyinfolist>
	<fusafetyinfo></fusafetyinfo>
	<infantsafetyinfold>1</infantsafetyinfold>

Element name: FUSafetyInfoDate

Field	Description
Definition	Date on which information/education on infant safety was provided, if applicable. (F5.9)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fusafetyinfodate>1/1/2016</fusafetyinfodate>

**Element name**: FUSafetyProvidedList

Field	Description
Definition	Staff selection indicating if safety related items (car seat and/or crib)
	were provided to the client. (F5.9)
Required field	No
Lookup table if available	SafetyProvided_Lkup
Allowed values	1= Crib
	2 =Car seat
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<fusafetyprovidedlist></fusafetyprovidedlist>
	<fusafetyprovided></fusafetyprovided>
	<safetyprovidedid>2</safetyprovidedid>

Element name : FUS a fety Provided Date

Field	Description
Definition	Date on which safety related items were provided to the client, if any.
	(F5.9)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fusafetyprovideddate>1/1/2016</fusafetyprovideddate>

Element name: FUSafetyReferredList

Field	Description
Definition	Staff selections indicating if client was provided with infant-safety
	related referrals, and which types of referrals were provided, if any.
	(F5.9)
Required field	No
Lookup table if available	SafetyReferred_Lkup
Allowed values	1 = Crib
	2 = Crib assembly
	3 = Car seat
	4 = Car seat installation
	5 = Car seat installment education
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<fusafetyreferredlist></fusafetyreferredlist>
	<fusafetyreferred></fusafetyreferred>
	<safetyreferredid>1</safetyreferredid>

Element name: FUSafetyReferredOrg

Field	Description
Definition	Staff entry to specify the name of the organization the client was
	referred to for infant-safety related support, if any. (F5.9)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fusafetyreferredorg>a</fusafetyreferredorg>

**Element name**: FUSafetyReferredDate

Field	Description
Definition	Date on which the client was referred for infant safety related services, if
	applicable. (F5.9)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fusafetyreferreddate>1/1/2016</fusafetyreferreddate>

Element name: FUBabyCareInfoList

Field	Description
Definition	Staff selections in the Baby Insurance/Access to Care/Medical Home
	section indicating categories of information/education (vaccines,
	Medicaid, visits to primary care) provided to the client related to baby
	health care, if any. (F5.13)
Required field	No
Lookup table if available	BabyCareInfo_Lkup
Allowed values	1 = Importance of regular visits to primary care provider
	2 = Importance of receiving vaccines on schedule
	3 = Medicaid eligibility
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<fubabycareinfolist></fubabycareinfolist>
	<fubabycareinfo></fubabycareinfo>
	<babycareinfold>2</babycareinfold>

Element name: FUBabyCareInfoDate

Field	Description
Definition	Date on which the client was provided with information/education
	related to baby health care, if applicable. (F5.13)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fubabycareinfodate>1/1/2016</fubabycareinfodate>

**Element name**: FUBabyCareProvided

Field	Description
Definition	Staff selection indicating whether the staff enrolled the client in
	Medicaid.(F5.13)
Required field	No
Lookup table if available	N/A
Allowed values	true, false OR 1, 0
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fubabycareprovided>true</fubabycareprovided>

Element name: FUBaby Care Provided Date

Field	Description
Definition	Date on which staff enrolled the client in Medicaid, if applicable. (F5.13)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fubabycareprovideddate>1/1/2016</fubabycareprovideddate>

**Element name**: FUBabyCareVaccineList

Field	Description
Definition	Staff selection in the Baby Insurance/Access to Care/Medical Home
	Follow Up table indicating which vaccines, if any, were provided to the
	client. (F5.13)
Required field	No
Lookup table if available	BabyCareVaccine_Lkup
Allowed values	1 = Hepatitis B
	2 = Diphtheria, Tetanus, Pertussis (DTaP)
	3 = Haemophilus influenza Type B (Hib)
	4 = Pneumococcal
	5 = Inactivated Poliovirus (IPV)
	6 = Influenza (Flu)
	7 = Measles, Mumps, Rubella (MMR)
	8 = Varicella
	9 = Hepatitis A
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<fubabycarevaccinelist></fubabycarevaccinelist>
	<fubabycarevaccine></fubabycarevaccine>
	<babycarevaccineid>1</babycarevaccineid>

Element name: FUBaby Care Vaccine Date

Field	Description
Definition	Date on which client was given the vaccines, if applicable. (F5.13)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><fubabycarevaccinedate>1/1/2016</fubabycarevaccinedate></pre>

Element name: FUBabyCareReferredList

Field	Description
Definition	Staff selection in the Baby Insurance/Access to Care/Medical Home
	Follow Up table indicating referrals provided to the client, if any. (F5.13)
Required field	No
Lookup table if available	BabyCareReferred_Lkup
Allowed values	1 = Medicaid enrollment
	2 = Primary Care Provider
	3 = Pediatrician
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<fubabycarereferredlist></fubabycarereferredlist>
	<fubabycarereferred></fubabycarereferred>
	<babycarereferredid>2</babycarereferredid>

Element name: FUBaby Care Referred Date

Field	Description
Definition	Date on which the client was provided with the referrals, if applicable.
	(F5.12)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><fubabycarereferreddate>1/1/2016</fubabycarereferreddate></pre> /FUBabyCareReferredDate>

Element name: PlanHaveChildrenId

Field	Description
Definition	Client's response to the question: "Do you plan to have any more
	children?" (F5.14)
Required field	No
Lookup table if available	PlanHaveChildren_Lkup
Allowed values	1 = Yes
	2 = No
	3 = Unable to get pregnant
	4 = Don't know
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<planhavechildrenid>3</planhavechildrenid>

Element name: PlanHaveChildrenCount

Field	Description
Definition	Client's response to the question: "How many children would you like to
	have?" (F5.14.1)
Required field	No
Lookup table if available	N/A
Allowed values	An integer with value between 1-20
Allow multiple values	No
Occurrence	0-1 per client
XML example	<planhavechildrencount>1</planhavechildrencount>

Element name: PlanHaveChildrenDRId

Field	Description
Definition	Client's response to the question: "How many children would you like to
	have?" if "Don't know" or "Declined to answer" were selected as the
	response. (F5.14.1)
Required field	No
Lookup table if available	DontknowRefused_Lkup
Allowed values	1 = Don't Know
	2 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<planhavechildrendrid>2</planhavechildrendrid>

**Element name**: LikePregnantNextYearId

Field	Description
Definition	Client's response to the question: "Would you like become pregnant in
	the next 12 months?" (F5.14.2)
Required field	No
Lookup table if available	LikePregnantYesNo_Lkup
Allowed values	1 = Yes
	2 = No
	3 = I am ok either way
	4 = Don't know
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<likepregnantnextyearid>4</likepregnantnextyearid>

Element name: WaitTimePregnantId

Field	Description
Definition	Client's response to the question: "How long would you like to wait until
	you become pregnant?" (F5.14.3)
Required field	No
Lookup table if available	WaitTimePregnant_Lkup
Allowed values	1 = 1 year - 17 months
	2 = 18 months to 2 years
	3 = More than 2 years
	4 = Don't know
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<waittimepregnantid>2</waittimepregnantid>

Element name: UseBirthControlsId

Field	Description
Definition	Client's response to the question: "Are you using any form of
	contraception or birth control to either prevent pregnancy or prevent
	sexually transmitted infections?" (F5.15)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes
	2 = No
	3 = Don't Know
	4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<usebirthcontrolsid>2</usebirthcontrolsid>

Element name: SatisfiedBirthControlId

Field	Description
Definition	Client's response to the question: "Are you satisfied with your birth
	control method?" (F5.15.1)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes
	2 = No
	3 = Don't Know
	4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<satisfiedbirthcontrolid>3</satisfiedbirthcontrolid>

Element name: FUBirthControlInfo

Field	Description
Definition	Staff selection indicating whether client was provided with
	information/education about birth control or family planning/birth
	spacing. (F5.15.1)
Required field	No
Lookup table if available	N/A
Allowed values	true, false OR 1, 0
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fubirthcontrolinfo>true</fubirthcontrolinfo>

Element name: FUBirthControlInfoDate

Field	Description
Definition	Date on which information/education about birth control or family
	planning/birth spacing was provided, if any. (F5.15.1)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fubirthcontrolinfodate>1/1/2016</fubirthcontrolinfodate>

Element name: FUBirthControlProvidedList

Field	Description
Definition	Staff selection indicating the type of birth control or family
	planning/birth spacing service provided, if any. (F5.15.1)
Required field	No
Lookup table if available	BirthControlProvided_Lkup
Allowed values	1 = Provided counseling about family planning
	2 = Provided birth control
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<fubirthcontrolprovidedlist></fubirthcontrolprovidedlist>
	<fubirthcontrolprovided></fubirthcontrolprovided>
	<birthcontrolprovidedid>2</birthcontrolprovidedid>

**Element name**: FUBirthControlProvidedDate

Field	Description
Definition	Date on which the service for birth control or family planning/birth
	spacing was given, if applicable. (F5.15.1)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><fubirthcontrolprovideddate>1/1/2016</fubirthcontrolprovideddate></pre>

Element name: FUBirthControlReferredId

Field	Description
Definition	Staff selection indicating the type of referral the client was given related
	to birth control. (F5.15.1)
Required field	No
Lookup table if available	BirthControlReferred_Lkup
Allowed values	1= Primary Care Provider
	2 = Planned Parenthood
	3 = Other
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><fubirthcontrolreferredid>3</fubirthcontrolreferredid></pre>

Element name: FUOtherBirthControl

Field	Description
Definition	Staff entry to specify the type of "Other" referral if "Other" was selected as a referral type for birth control or family planning/birth spacing. (F5.15.1)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fuotherbirthcontrol>Family Planning Ohio</fuotherbirthcontrol>

**Element name**: FUBirthControlReferredDate

Field	Description
Definition	Date on which the referral for birth control was given, if any. (F5.15.1)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><fubirthcontrolreferreddate>1/1/2016</fubirthcontrolreferreddate></pre>

Element name: MaritalStatusId

Field	Description
Definition	Client's response to the question: "Are you currently married or living with a partner, separated, divorced, widowed, or were you never married?" (F5.16)
Required field	No
Lookup table if available	MaritalStatus_Lkup
Allowed values	1 = Married or living with partner
	2 = Separated
	3 = Divorced
	4 = Widowed
	5 = Never married
	6 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<maritalstatusid>4</maritalstatusid>

Element name: EmploymentStatusId

Field	Description
Definition	Client's selection to indicate employment status. (F5.17)
Required field	No
Lookup table if available	EmploymentStatus_Lkup
Allowed values	1 = Employed for wages
	2 = Self-employed
	3 = Out of work for 1 year or more
	4 = Out of work for less than 1 year
	5 = A Homemaker
	6 = A Student
	7 = Retired
	8 = Unable to work
	9 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><employmentstatusid>8</employmentstatusid></pre>

Element name: HouseholdIncomeld

Field	Description
Definition	Client's response to the question: "What is your yearly total household
	income before taxes?" (F5.18)
Required field	No
Lookup table if available	HouseholdIncome_Lkup
Allowed values	1 = Less than \$10,000
	2 = \$10,000 to less than \$15,000
	3 = \$15,000 to less than \$20,000
	4 = \$20,000 to less than \$25,000
	5 = \$25,000 to less than \$35,000
	6 = \$35,000 to less than \$50,000
	7 = \$50,000 or more
	8 = Don't know
	9 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<householdincomeid>7</householdincomeid>

Element name: NumAdultsSupported

Field	Description
Definition	Client's answer to the question: "How many people are supported by
	this income?" for adults age 18 or older. (F5.19)
Required field	No
Lookup table if available	N/A
Allowed values	An integer with value between 0-99
Allow multiple values	No
Occurrence	0-1 per client
XML example	<numadultssupported>0</numadultssupported>

Element name: NumChildrenSupported

Field	Description
Definition	Client's answer to the question: "How many people are supported by
	this income?" for children age 17 or under. (F5.19)
Required field	No
Lookup table if available	N/A
Allowed values	An integer with value between 0-99
Allow multiple values	No
Occurrence	0-1 per client
XML example	<numchildrensupported>0</numchildrensupported>

Element name: Income Supported DRId

Field	Description
Definition	Client's answer to the question "How many people are supported by this
	income?" if Don't Know or Declined to Answer were selected as the
	response. (F5.19)
Required field	No
Lookup table if available	DontknowRefused_Lkup
Allowed values	1 = Don't Know
	2 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><incomesupporteddrid>1</incomesupporteddrid></pre>

Element name: FoodAffordabilityId

Field	Description
Definition	Client's answer to the question: "Which of these statements best
	describes the food situation in your household in the past 12 months?"
	(F5.20)
Required field	No
Lookup table if available	FoodAffordability_Lkup
Allowed values	1 = We could always afford to eat good nutritious meals
	2 = We could always afford enough to eat but not always the kinds of
	food we should eat
	3 = Sometimes we could not afford enough to eat
	4 = Often we could not afford enough to eat
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<foodaffordabilityid>2</foodaffordabilityid>

Element name: Zipcode

Field	Description
Definition	Client's answer to the question: "What is the Zip Code where you live?"
	(F5.21)
Required field	No
Lookup table if available	N/A
Allowed values	A 5-digit integer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<zipcode>20000</zipcode>

Element name: ZipcodeDRId

Field	Description
Definition	Client's answer to the question: "What is the Zip Code where you live?"
	if Don't Know or Declined to Answer were selected as the response.
	(F5.21)
Required field	No
Lookup table if available	DontknowRefused_Lkup
Allowed values	1 = Don't Know
	2 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<zipcodedrid>1</zipcodedrid>

Element name: HousingStatusId

Field	Description
Definition	Client's answer to the question: "Do you own a place, rent a place, live in public housing, stay with a family member, or are you homeless?" (F5.22)
Required field	No
Lookup table if available	HousingStatus_Lkup
Allowed values	<ul> <li>1 = Owns or shares own home, condominium or apartment</li> <li>2 = Rents or shares own home or apartment</li> <li>3 = Lives in public housing (receives rental assistance, such as Section 8)</li> <li>4 = Lives with parent or family member</li> <li>5 = Homeless</li> <li>6 = Some other arrangement</li> <li>7 = Declined to answer</li> </ul>
Allow multiple values	No
Occurrence	0-1 per client
XML example	<housingstatusid>2</housingstatusid>

Element name: Housing Status Other

Field	Description
Definition	For Clients who selected "Some other arrangement in answer to the question: "Do you own a place, rent a place, live in public housing, stay with a family member, or are you homeless?", the response provided for the "Please Specify" entry field. (F5.22)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><housingstatusother>a</housingstatusother></pre>

Element name: IsRegularHomeId

Field	Description
Definition	Client's answer to the question: "Is this place a regular place to stay?"
	(F5.22.1)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes
	2 = No
	3 = Don't Know
	4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><lsregularhomeid>3</lsregularhomeid></pre>

**Element name**: HasHousingarrangementId

Field	Description
Definition	Client's response to the question: "Do you share housing with someone,
	live in an emergency or transition shelter, or have some other living
	arrangement?" (F5.22.2)
Required field	No
Lookup table if available	HasHousingarrangement_Lkup
Allowed values	1 = Homeless and shares housing with someone
	2 = Lives in an emergency or transition shelter
	3 = Some other arrangement
	4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<hashousingarrangementid>2</hashousingarrangementid>

Element name: Has Housing arrangement Other

Field	Description
Definition	For clients who selected "Some other arrangement" in answer to the question: "Do you share housing with someone, live in an emergency or transition shelter, or have some other living arrangement?", the response provided for the "Please Specify" entry fiel
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><hashousingarrangementother>a</hashousingarrangementother></pre>

## Element name: HasHousingConcernId

Field	Description
Definition	Client's answer to the question: "Do you have any housing concerns?"
	(F5.23)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes
	2 = No
	3 = Don't Know
	4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><hashousingconcernid>2</hashousingconcernid></pre>

## **Element name**: ConcernHousingList

Field	Description
Definition	Client's answer to the question: "What issues concern you about your
	housing situation?" (F5.23.1)
Required field	No
Lookup table if available	ConcernHousingSituation_Lkup
Allowed values	1 = Received an eviction notice
	2 = Non-payment of rent or past due rent
	3 = Unable to pay future rent because lost housing subsidy, job, or other
	income source
	4 = Non-payment of utilities or utility shut-off
	5 = Housekeeping concerns (failure to maintain cleanliness of the unit)
	6 = Housing is or will be condemned
	7 = Friend or family member being evicted or threatened with eviction
	8 = Threat of abuse by partner, family member, or other
	9 = Being discharged or service is being terminated
	10 = Personal conflict with others
	11 = Other health or safety concerns
	12 = Other lease violation(s)
	13 = Other
	14 = Don't know
	15 = Declined to answer
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<concernhousinglist></concernhousinglist>
	<concernhousing></concernhousing>
	<concernhousingsituationid>5</concernhousingsituationid>

Element name: OtherLeaseViolation

Field	Description
Definition	For clients who selected "Other lease violation(s)" in response to the question "What issues concern you about your housing situation?", the response provided for the "Please describe" entry field. (F5.23.1)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><otherleaseviolation>have unauthorized pet</otherleaseviolation></pre>

**Element name:** OtherHousingConcern

Field	Description
Definition	For clients who selected "Other" in response to the question ""What issues concern you about your housing situation?", the response
	provided for the "Please describe" entry field. (F5.23.1)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<otherhousingconcern>a</otherhousingconcern>

Element name: ServiceChildcareVoucherId

Field	Description
Definition	Response selected by the client in the table of services for the service
	"Childcare voucher." (F5.24)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving
	2 = Have applied for
	3 = Need
	4 = Not applicable
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><servicechildcarevoucherid>3</servicechildcarevoucherid></pre>

## **Element name:** ServiceElderlyDisableChildrenId

Field	Description
Definition	Response selected by the client in the table of services for the service
	"Emergency Aid to the Elderly, Disabled, and Children (EAEDC)." (F5.24)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving
	2 = Have applied for
	3 = Need
	4 = Not applicable
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<serviceelderlydisablechildrenid>5</serviceelderlydisablechildrenid>

#### Element name : ServiceFoodStampsId

Field	Description
Definition	Response selected by the client in the table of services for the service
	"Food stamps/SNAP." (F5.24)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving
	2 = Have applied for
	3 = Need
	4 = Not applicable
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<servicefoodstampsid>5</servicefoodstampsid>

#### **Element name**: ServiceHeatingAssistanceId

Field	Description
Definition	Response selected by the client in the table of services for the service
	"Heating assistance." (F5.24)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving
	2 = Have applied for
	3 = Need
	4 = Not applicable
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<serviceheatingassistanceid>6</serviceheatingassistanceid>

Element name: ServiceImmigrationId

Field	Description
Definition	Response selected by the client in the table of services for the service
	"Immigration services." (F5.24)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving
	2 = Have applied for
	3 = Need
	4 = Not applicable
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<serviceimmigrationid>3</serviceimmigrationid>

Element name: ServiceLegalId

С	Description
Definition	Response selected by the client in the table of services for the service
	"Legal Services." (F5.24)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving
	2 = Have applied for
	3 = Need
	4 = Not applicable
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<servicelegalid>1</servicelegalid>

Element name: ServicePublicHousingId

Field	Description
Definition	Response selected by the client in the table of services for the service
	"Public housing." (F5.24)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving
	2 = Have applied for
	3 = Need
	4 = Not applicable
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><servicepublichousingid>4</servicepublichousingid></pre>

Element name: ServiceSection8VoucherId

Field	Description
Definition	Response selected by the client in the table of services for the service
	"Section 8 voucher." (F5.24)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving
	2 = Have applied for
	3 = Need
	4 = Not applicable
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><servicesection8voucherid>2</servicesection8voucherid></pre>

Element name: ServiceSSDIId

Field	Description
Definition	Response selected by the client in the table of services for the service
	"Social Security Disability Insurance (SSDI)." (F5.24)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving
	2 = Have applied for
	3 = Need
	4 = Not applicable
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<servicessdiid>5</servicessdiid>

Element name: ServiceSSIId

Field	Description
Definition	Response selected by the client in the table of services for the service
	"Social Security Income (SSI)." (F5.24)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving
	2 = Have applied for
	3 = Need
	4 = Not applicable
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<servicessiid>1</servicessiid>

Element name: ServiceTAFDCId

Field	Description
Definition	Response selected by the client in the table of services for the service
	"Transitional Aid to Families with Dependent Children (TAFDC)." (F5.24)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving
	2 = Have applied for
	3 = Need
	4 = Not applicable
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<servicetafdcid>3</servicetafdcid>

Element name: ServiceTANFId

Field	Description
Definition	Response selected by the client in the table of services for the service
	"Temporary Aid to Needy Families (TANF)." (F5.24)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving
	2 = Have applied for
	3 = Need
	4 = Not applicable
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<servicetanfid>5</servicetanfid>

Element name: Service Tribal Housing Id

Field	Description
Definition	Response selected by the client in the table of services for the service
	"Tribal housing." (F5.24)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving
	2 = Have applied for
	3 = Need
	4 = Not applicable
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><servicetribalhousingid>2</servicetribalhousingid></pre>

Element name: Service Utility Assistance Id

Field	Description
Definition	Response selected by the client in the table of services for the service
	"Utility assistance." (F5.24)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving
	2 = Have applied for
	3 = Need
	4 = Not applicable
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<serviceutilityassistanceid>5</serviceutilityassistanceid>

Element name: ServiceWICId

Field	Description
Definition	Response selected by the client in the table of services for the service
	"Nutritional supplementation program for Women, Infants and Children
	(WIC)." (F5.24)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving
	2 = Have applied for
	3 = Need
	4 = Not applicable
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<servicewicid>1</servicewicid>

**Element name:** ServiceOtherSpecifying (Added)

Field	Description
Definition	Response indicated by the client in the table of services for "Other -
	Please specify." (F5.24)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><serviceotherspecifying>string</serviceotherspecifying></pre>

## Element name: ServiceOtherId (Added)

Field	Description
Definition	Response selected by the client in the table of services for the service
	"Other – please specify." (F5.24)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving
	2 = Have applied for
	3 = Need
	4 = Not applicable
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<serviceotherid>1</serviceotherid>

#### Element name: Has Open Case Child Protective Services Id

Field	Description
Definition	Client's response to the question: "Do you currently have an open case
	with Child Protective Services?" (F5.25)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes
	2 = No
	3 = Don't Know
	4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<hasopencasechildprotectiveservicesid>3</hasopencasechildprotectiveservicesid>
	eServicesId>

#### Element name: FUSocial Determinants InfoList

Field	Description
Definition	Staff selection in the Social Determinants of Health Follow Up table
	indicating categories of information/education related to social
	determinants of health that were provided to the client, if any.
Required field	No
Lookup table if available	ServiceType_Lkup
Allowed values	1 = Childcare voucher
	2 = Emergency Aid to the Elderly, Disabled, and Children (EAEDC)
	3 = Food stamps/SNAP
	4 = Heating assistance
	5 = Immigration services
	6 = Legal services
	7 = Public housing
	8 = Section 8 Voucher
	9 = Social Security Disability Insurance (SSDI)
	10 = Social Security Income (SSI)
	11 = Transitional Aid to Families with Dependent Children (TAFDC)
	12 = Temporary Assistance to Needy Families (TANF)
	13 = Tribal Housing
	14 = Utility Assistance
	15 = Nutrition Supplemental Program for Women Infants and Children
	(WIC)
	16 = Other
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<pre><fusocialdeterminantsinfolist></fusocialdeterminantsinfolist></pre>
	<pre><fusocialdeterminantsinfo></fusocialdeterminantsinfo></pre>
	<servicetypeid>16</servicetypeid>

#### **Element name**: FUSocialDeterminantsInfoOther

Field	Description
Definition	Entry provided for "Please Specify" when "Other" was checked in the list
	of resources about which information and/or education was provided.
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><fusocialdeterminantsinfoother>a</fusocialdeterminantsinfoother></pre> /FUSocialDeterminantsInfoOther>

#### **Element name**: FUSocialDeterminantsInfoDate

Field	Description
Definition	Date on which information and/or education was provided to the client
	for resources checked in the Social Determinants of Health Follow Up
	table.
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><fusocialdeterminantsinfodate>1/1/2016</fusocialdeterminantsinfodate></pre>
	ate>

#### Element name: FUSocial Determinants Referral List

Field	Description
	•
Definition	Staff selection in the Social Determinants of Health Follow Up table
	indicating which listed resources the client was given a referral for.
Required field	No
Lookup table if available	ServiceType_Lkup
Allowed values	1 = Childcare voucher
	2 = Emergency Aid to the Elderly, Disabled, and Children (EAEDC)
	3 = Food stamps/SNAP
	4 = Heating assistance
	5 = Immigration services
	6 = Legal services
	7 = Public housing
	8 = Section 8 Voucher
	9 = Social Security Disability Insurance (SSDI)
	10 = Social Security Income (SSI)
	11 = Transitional Aid to Families with Dependent Children (TAFDC)
	12 = Temporary Assistance to Needy Families (TANF)
	13 = Tribal Housing
	14 = Utility Assistance
	15 = Nutrition Supplemental Program for Women Infants and Children
	(WIC)
	16 = Other
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<pre><fusocialdeterminantsreferrallist></fusocialdeterminantsreferrallist></pre>
-	<fusocialdeterminantsreferral></fusocialdeterminantsreferral>
	<servicetypeid>13</servicetypeid>

Element name: FUSocial Determinants Referral Other

Field	Description
Definition	Entry provided for "Please Specify" when "Other" was checked in the list of resources for which a referral was made.
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fusocialdeterminantsreferralother>a</fusocialdeterminantsreferralother>
	Other>

**Element name**: FUSocialDeterminantsReferralDate

Field	Description
Definition	Date on which a referral was given to the client for resources indicated
	in the Social Determinants of Health Follow Up table.
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><fusocialdeterminantsreferraldate>1/1/2016</fusocialdeterminantsreferraldate></pre> /FUSocialDeterminantsR
	eferralDate>

Element name: NeighborsHelpId

Field	Description
Definition	Client's selection indicating degree of agreement with statement,
	"People in this neighborhood or community help each other out."
	(F5.26.1)
Required field	No
Lookup table if available	Consensus_Lkup
Allowed values	1 = Agree
	2 = Disagree
	3 = Don't know
	4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<neighborshelpid>2</neighborshelpid>

Element name: NeighborsWatchChildrenId

Field	Description
Definition	Client's selection indicating degree of agreement with statement "We
	watch out for each other's children in this neighborhood or community."
	(F5.26.2)
Required field	No
Lookup table if available	Consensus_Lkup
Allowed values	1 = Agree
	2 = Disagree
	3 = Don't know
	4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<neighborswatchchildrenid>1</neighborswatchchildrenid>

**Element name**: CommunityFeelSafeId

Field	Description
Definition	Client's answer to the question: "How often do you feel safe in your
	community or neighborhood?" (F5.27)
Required field	No
Lookup table if available	FrequencyNsua_Lkup
Allowed values	1 = Never
	2 = Sometimes
	3 = Usually
	4 = Always
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<communityfeelsafeid>5</communityfeelsafeid>

# **Element name:** ParticipateCommunityActivitiesId

Field	Description
Definition	Client's answer to the question: "How often do you participate in school,
	community, or neighborhood activities?"(F5.28)
Required field	No
Lookup table if available	FrequencyDwmln_Lkup
Allowed values	1 = Daily
	2 = Weekly
	3 = Monthly
	4 = A few times a year
	5 = Less than once a year
	6 = Never
	7 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><participatecommunityactivitiesid>7</participatecommunityactivitiesid></pre>
	>

## **Element name**: NeighborsGatheringId

Field	Description
Definition	Client's answer to the question: "How often do you get together or talk
	with family, friends, or neighbors?" (F5.29)
Required field	No
Lookup table if available	FrequencyDwmln_Lkup
Allowed values	1 = Daily
	2 = Weekly
	3 = Monthly
	4 = A few times a year
	5 = Less than once a year
	6 = Never
	7 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<neighborsgatheringid>7</neighborsgatheringid>

### Element name: HaveHealthProfessionalId

Field	Description
Definition	Client's answer to the question: "Do you have one or more persons you
	think of as your personal doctor or nurse?" (F5.30)
Required field	No
Lookup table if available	YesNoPerson_Lkup
Allowed values	1 = Yes, one person
	2 = Yes, more than one person
	3 = No
	4 = Don't know
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><havehealthprofessionalid>3</havehealthprofessionalid></pre>

#### Element name: HaveSickCarePlaceId

Field	Description
Definition	Client's answer to the question: "Is there a place that you usually go
	when you are sick or need advice about your health?" (F5.31)
Required field	No
Lookup table if available	YesNoPlace_Lkup
Allowed values	1 = Yes
	2 = No
	3 = There is more than one place
	4 = Don't know
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<havesickcareplaceid>5</havesickcareplaceid>

Element name: SickCarePlaceId

Field	Description
Definition	Client's answer to the question: "What kind of place do you go to most
	often when you are sick or need advice about your health?" (F5.31.1)
Required field	No
Lookup table if available	HealthCareFacility_Lkup
Allowed values	1 = Doctor's Office
	2 = Hospital Emergency Room
	3 = Hospital Outpatient Department
	4 = Clinic or Health Center
	5 = Retail Store Clinic or Minute Clinic
	6 = School (Nurse's Office, Athletic Trainer's Office)
	7 = Some other place
	8 = Don't know
	9 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<sickcareplaceid>4</sickcareplaceid>

Element name: HealthInsuranceTypesList

Field	Description
Definition	Client's answer to the question: "Please tell me what kind of health
	insurance you have." (F5.32)
Required field	No
Lookup table if available	HealthInsuranceTypes_Lkup
Allowed values	1 = Private insurance through my job, or the job of my husband, partner or parents
	2 = Insurance purchased directly from an insurance company
	3 = Medicaid, Medical Assistance, or any kind of government assistance
	plan for those with low incomes or a disability
	4 = TRICARE or other military health care
	5 = Indian Health Service
	6 = Other
	7 = No insurance
	8 = Don't know
	9 = Declined to answer
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<healthinsurancetypeslist></healthinsurancetypeslist>
	<healthinsurancetypes></healthinsurancetypes>
	<healthinsurancetypesid>3</healthinsurancetypesid>

Element name: Health Insurance Types Other

Field	Description
Definition	Detail provided by client when "Other" is selected as a type of insurance.
	(F5.32)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><healthinsurancetypesother>a</healthinsurancetypesother></pre>

Element name: HadPostPartumCheckupId

Field	Description
Definition	Client's answer to the question: "Since your child was /children were
	born, have you had a postpartum visit for yourself?" (F5.33)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes
	2 = No
	3 = Don't know
	4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><hadpostpartumcheckupid>3</hadpostpartumcheckupid></pre>

Element name: HadPostPartumCheckupDate

Field	Description
Definition	Date on which the client had the postpartum checkup, if applicable.
	(F5.33.1)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<hadpostpartumcheckupdate>1/1/2016</hadpostpartumcheckupdate>
	>

**Element name**: HadPostPartumCheckupScheduledId

Field	Description
Definition	Client's answer to the question "Do you have one scheduled?" (with
	respect to postpartum checkup) (F5.33.2)
Required field	No
Lookup table if available	YesNoDeclined_Lkup
Allowed values	1 = Yes
	2 = No
	3 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<hadpostpartumcheckupscheduledid>2</hadpostpartumcheckupscheduledid>
	uledId>

**Element name:** PostPartumCheckupScheduledDate

Field	Description
Definition	Date of scheduled postpartum checkup, if applicable. (F5.33.2)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<postpartumcheckupscheduleddate>1/1/2016</postpartumcheckupscheduleddate>
	heduledDate>

**Element name**: FUPostPartumCareInfoList

Field	Description
Definition	Staff selection in the Medical Home/Access to Care/Health Insurance
	Follow Up table indicating types of information/education that were
	provided to the client, if any. (F5.33.2)
Required field	No
Lookup table if available	PostpartumCareInfo_Lkup
Allowed values	1 = Importance of regular postpartum care
	2 = Importance of having a regular provider/medical home
	3 = Medicaid eligibility
	4 = Birth spacing
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<fupostpartumcareinfolist></fupostpartumcareinfolist>
	<fupostpartumcareinfo></fupostpartumcareinfo>
	<postpartumcareinfold>2</postpartumcareinfold>

**Element name:** FUPostPartumCareInfoDate

Field	Description
Definition	Date on which information/education related to medical home/access to
	care/health insurance was provided to the client, if applicable. (F5.33.2)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><fupostpartumcareinfodate>1/1/2016</fupostpartumcareinfodate></pre> /FUPostPartumCareInfoDate>

Element name: FUPostPartumCareProvided

Field	Description
Definition	Staff selection indicating whether the staff enrolled the client in
	Medicaid. (F5.33.2)
Required field	No
Lookup table if available	N/A
Allowed values	true, false OR 1, 0
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><fupostpartumcareprovided>true</fupostpartumcareprovided></pre> /FUPostPartumCareProvided>

**Element name**: FUPostPartumCareProvidedDate

Field	Description
Definition	Date on which the staff enrolled the client in Medicaid, if applicable.
	(F5.33.2)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><fupostpartumcareprovideddate>1/1/2016</fupostpartumcareprovideddate></pre> /FUPostPartumCareProvid
	edDate>

### **Element name**: FUPostPartumCareReferredList

Field	Description
Definition	Staff selection in the Medical Home/Access to Care/Health Insurance
	Follow Up table indicating which listed services the client was given a
	referral for (Medicaid enrollment, OB/GYN provider, Primary Care
	Provider). (F5.33.2)
Required field	No
Lookup table if available	MedicalReferred_Lkup
Allowed values	1 = Medicaid enrollment
	2 = OB/GYN provider
	3 = Primary Care Provider
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<fupostpartumcareinfolist></fupostpartumcareinfolist>
	<fupostpartumcareinfo></fupostpartumcareinfo>
	<postpartumcareinfold>2</postpartumcareinfold>

### **Element name**: FUPostPartumCareReferredDate

Field	Description
Definition	Date on which the client was provided with the referrals indicated, if applicable. (F5.33.2)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fupostpartumcarereferreddate>10/12/2016</fupostpartumcarereferreddate>
	rredDate>

# **Element name**: PhysicalHealthStatusId

Field	Description
Definition	Client's answer to the question: "In general, would you say that your
	overall health is excellent, very good, good, fair, or poor?" (F5.34)
Required field	No
Lookup table if available	HealthStatus_Lkup
Allowed values	1 = Excellent
	2 = Very good
	3 = Good
	4 = Fair
	5 = Poor
	6 = Don't know
	7 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<physicalhealthstatusid>4</physicalhealthstatusid>

### Element name: MentalHealthStatusId

Field	Description
Definition	Client's answer to the question: "In general, would you say that your mental and emotional health is excellent, very good, good, fair, or poor?" (F5.35)
Required field	No
Lookup table if available	HealthStatus_Lkup
Allowed values	1 = Excellent
	2 = Very good
	3 = Good
	4 = Fair
	5 = Poor
	6 = Don't know
	7 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<mentalhealthstatusid>5</mentalhealthstatusid>

Element name: HeightFeetMeasure

Field	Description
Definition	Client's answer to the question: "How tall are you without shoes?"
	(Value provided for feet) (F5.36.1)
Required field	No
Lookup table if available	N/A
Allowed values	An integer with value between 1-9
Allow multiple values	No
Occurrence	0-1 per client
XML example	<heightfeetmeasure>5</heightfeetmeasure>

Element name: HeightInchesMeasure

Field	Description
Definition	Client's answer to the question: "How tall are you without shoes?"
	(Value provided for inches) (F5.36.1)
Required field	No
Lookup table if available	N/A
Allowed values	An integer with value between 0-99
Allow multiple values	No
Occurrence	0-1 per client
XML example	<heightinchesmeasure>4</heightinchesmeasure>

Element name: HeightFeetInchesMeasureDRId

Field	Description
Definition	When the client selected either "Don't Know" or "Declined to Answer" in response to Question 36.1, the value in this field indicates which of those responses (Don't Know or Declined to Answer) was selected. (F5.36.1)
Required field	No
Lookup table if available	DontknowRefused_Lkup
Allowed values	1 = Don't Know
	2 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><heightfeetinchesmeasuredrid>2</heightfeetinchesmeasuredrid></pre>

Element name: WeightMeasure

Field	Description
Definition	Client's answer to the question: " Just before you got pregnant with your
	new baby, how much did you weigh? (F5.36.2)
Required field	No
Lookup table if available	N/A
Allowed values	Decimal from 0 - 999.99
Allow multiple values	No
Occurrence	0-1 per client
XML example	<weightmeasure>135</weightmeasure>

Element name: Weight Measure DRId

Field	Description
Definition	When the client selected either "Don't Know" or "Declined to Answer" in response to Question 36.2, the value in this field indicates which of those responses (Don't Know or Declined to Answer) was selected. (F5.36.2)
Required field	No
Lookup table if available	DontknowRefused_Lkup
Allowed values	1 = Don't Know
	2 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<weightmeasuredrid>2</weightmeasuredrid>

Element name: Weight Measure Now

Field	Description
Definition	Client's answer to the question: "How much do you weigh?" (F5.36.3)
Required field	No
Lookup table if available	N/A
Allowed values	Decimal from 0 - 999.99
Allow multiple values	No
Occurrence	0-1 per client
XML example	<weightmeasure>0</weightmeasure>

## Element name: Weight Measure Now DRId

Field	Description
Definition	When the client selected either "Don't Know" or "Declined to Answer" in
	response to Question 36.3, the value in this field indicates which of
	those responses (Don't Know or Declined to Answer) was selected.
	(F5.36.3)
Required field	No
Lookup table if available	DontknowRefused_Lkup
Allowed values	1 = Don't Know
	2 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<weightmeasuredrid>2</weightmeasuredrid>

#### Element name: VitaminPerWeekId

Field	Description
Definition	Client's answer to the question: "During the past month, how many times a week did you take a multivitamin, a prenatal vitamin, or a folic acid vitamin?" (F5.37)
Required field	No
Lookup table if available	VitaminPerWeek_Lkup
Allowed values	1 = I did not take a multivitamin, prenatal vitamin or folic acid vitamin at all 2 = 1 to 3 times a week 3 = 4 to 6 times a week 4 = Every day of the week 5 = Don't know 6 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<vitaminperweekid>4</vitaminperweekid>

Element name: LastFluVaccinationId

Field	Description
Definition	Client's answer to the question: "How long ago did you last have a flu
	vaccination?" (F5.38)
Required field	No
Lookup table if available	SixMonthIntrv_Lkup
Allowed values	1 = Less than 6 months ago
	2 = 6 months to 1 year ago
	3 = More than 1 year ago
	4 = Never
	5 = Don't know
	6 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<lastfluvaccinationid>4</lastfluvaccinationid>

**Element name**: LastTeethCleaningId

Field	Description
Definition	Client's answer to the question: "How long ago did you last have your
	teeth cleaned by a dentist/hygienist?" (F5.39)
Required field	No
Lookup table if available	SixMonthIntrv_Lkup
Allowed values	1 = Less than 6 months ago
	2 = 6 months to 1 year ago
	3 = More than 1 year ago
	4 = Never
	5 = Don't know
	6 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<lastteethcleaningid>2</lastteethcleaningid>

### Element name: FUMaternalHealthInfoList

Field	Description
Definition	Staff selection in the Maternal Health Follow Up table indicating types of
	maternal health information/education that were provided to the client,
	if any. (F5.39)
Required field	No
Lookup table if available	HealthyWeightInfo_Lkup
Allowed values	1 = Keeping a healthy weight such as through diet and exercise
	2 = Getting flu shot
	3 = Keeping teeth healthy
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<fumaternalhealthinfolist></fumaternalhealthinfolist>
	<fumaternalhealthinfo></fumaternalhealthinfo>
	<healthyweightinfoid>1</healthyweightinfoid>

#### Element name: FUMaternalHealthInfoDate

Field	Description
Definition	Date on which maternal health information/education was provided to
	the client, if applicable. (F5.39)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fumaternalhealthinfodate>1/1/2016 /FUMaternalHealthInfoDate&gt;</fumaternalhealthinfodate>

### **Element name**: FUMaternalHealthProvidedList

Field	Description
Definition	Staff selection in the Maternal Health Follow Up table indicating whether
	any of the following maternal health services were provided to the
	client: nutritional counseling, flu vaccines. (F5.39)
Required field	No
Lookup table if available	HealthyWeightProvided_Lkup
Allowed values	1= Nutritional counseling
	2 = Flu vaccines
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<fumaternalhealthprovidedlist></fumaternalhealthprovidedlist>
	<fumaternalhealthprovided></fumaternalhealthprovided>
	<healthyweightprovidedid>1</healthyweightprovidedid>

#### **Element name**: FUMaternalHealthProvidedDate

Field	Description
Definition	Date on which maternal health services were provided, if any. (F5.39)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fumaternalhealthprovideddate>1/1/2016</fumaternalhealthprovideddate>
	dDate>

#### Element name: FUMaternalHealthReferredList

Field	Description
Definition	Staff selection indicating which, if any, maternal health related referrals
	the client was given. (F5.39)
Required field	No
Lookup table if available	HealthStatusReferred_Lkup
Allowed values	1 = Primary Care Provider
	2 = Nutritionist
	3 = Dentist
	4 = Other: Please specify
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<fumaternalhealthreferredlist></fumaternalhealthreferredlist>
	<fumaternalhealthreferred></fumaternalhealthreferred>
	<healthstatusreferredid>1</healthstatusreferredid>

#### **Element name**: FUMaternalHealthReferredOther

Field	Description
Definition	Entry provided for "Please Specify" when "Other" was checked as a type
	of maternal health referral that was provided to the client. (F5.39)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fumaternalhealthreferredother>a</fumaternalhealthreferredother>
	>

#### **Element name**: FUMaternalHealthReferredDate

Field	Description
Definition	Date on which maternal health related referrals were provided to the
	client. (F5.39)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fumaternalhealthreferreddate>1/1/2016</fumaternalhealthreferreddate>
	dDate>

Element name: LittleInterest

Field	Description
Definition	Client's answer to the question "Over the past two weeks, how often
	have you experienced any of the following?" for the category "Little
	interest or pleasure in doing things." (F5.40.1)
Required field	No
Lookup table if available	N/A
Allowed values	An integer with value between 0-3
Allow multiple values	No
Occurrence	0-1 per client
XML example	<littleinterest>0</littleinterest>

Element name: Depressed

Field	Description
Definition	Client's answer to the question "Over the past two weeks, how often have you experienced any of the following?" for the category "Feeling down, depressed or hopeless." (F5.40.2)
Required field	No
Lookup table if available	N/A
Allowed values	An integer with value between 0-3
Allow multiple values	No
Occurrence	0-1 per client
XML example	<depressed>0</depressed>

Element name: FUDepressionInfoList

Field	Description
Definition	Staff selection in the Mental Health Follow Up table indicating types of
	mental health information/education that were provided to the client, if
	any. (F5.40)
Required field	No
Lookup table if available	DepressionInfo_Lkup
Allowed values	1 = Postpartum depression or "Baby Blues"
	2 = Local resources for depression
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<fudepressioninfolist></fudepressioninfolist>
	<fudepressioninfo></fudepressioninfo>
	<pre><depressioninfold>1</depressioninfold></pre>

**Element name:** FUDepressionInfoDate

Field	Description
Definition	Date on which the client was provided with information/education on
	mental health, if applicable. (F5.40)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fudepressioninfodate>1/1/2016</fudepressioninfodate>

Element name : FUDepression Provided List

Field	Description
Definition	Staff selection in the Mental Health Follow Up table indicating categories of mental-health related services that were provided to the client, if any (assessment, counseling). (F5.40)
Required field	No
Lookup table if available	DepressionProvided_Lkup
Allowed values	1 = Further assessment using evidence-based tool such as the Edinburgh
	Postnatal Depression Scale (EPDS)
	2 = Counseling
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<fudepressionprovidedlist></fudepressionprovidedlist>
	<fudepressionprovided></fudepressionprovided>
	<depressionprovidedid>2</depressionprovidedid>

Element name: FUDepression Provided Date

Field	Description
Definition	Date on which mental-health related services were provided to the
	client, if applicable. (F5.40)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><fudepressionprovideddate>1/1/2016</fudepressionprovideddate></pre>

Element name: FUDepressionReferredList

Field	Description
Definition	Staff selection in the Mental Health Follow Up table indicating the
	type(s) of mental health referrals that were provided to the client, if any.
	(F5.40)
Required field	No
Lookup table if available	MentalConditionReferred_Lkup
Allowed values	1 = Mental Health Center
	2 = Primary Care Provider
	3 = Other
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<pre><fudepressionreferredlist></fudepressionreferredlist></pre>
	<fudepressionreferred></fudepressionreferred>
	<mentalconditionreferredid>3</mentalconditionreferredid>

Element name: FUDepression Referred Other

Field	Description
Definition	Entry provided for "Please Specify" when "Other" was checked as a type of mental health referral that was provided to the client. (F5.40)
	of mental health referral that was provided to the cheft. (F3.40)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fudepressionreferredother>local social support</fudepressionreferredother>
	group

**Element name**: FUDepressionReferredDate

Field	Description
Definition	Date on which mental-health related referrals were provided to the
	client, if applicable. (F5.40)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><fudepressionreferreddate>1/1/2016</fudepressionreferreddate></pre> /FUDepressionReferredDate>

Element name: SubstanceUseAlcoholId

Field	Description
Definition	Client's answer to the question "In the past 12 months, how often have you used the following?" for the category of "Alcohol (4 or more drinks
	per day)." (F5.41)
Required field	No
Lookup table if available	PastYearFreq_Lkup
Allowed values	1 = Never
	2 = Once or Twice Monthly
	3 = Weekly
	4 = Daily or Almost Daily
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<substanceusealcoholid>3</substanceusealcoholid>

Element name: SubstanceUseTobaccoId

Field	Description
Definition	Client's answer to the question "In the past 12 months, how often have
	you used the following?" for the category of "Tobacco Products." (F5.41)
Required field	No
Lookup table if available	PastYearFreq_Lkup
Allowed values	1 = Never
	2 = Once or Twice Monthly
	3 = Weekly
	4 = Daily or Almost Daily
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<substanceusetobaccoid>2</substanceusetobaccoid>

**Element name:** SubstanceUseMoodAlteringId

Field	Description
Definition	Client's answer to the question "In the past 12 months, how often have you used the following?" for the category of "Mood-altering drugs." (F5.41)
Required field	No
Lookup table if available	PastYearFreq_Lkup
Allowed values	1 = Never
	2 = Once or Twice Monthly
	3 = Weekly
	4 = Daily or Almost Daily
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><substanceusemoodalteringid>5</substanceusemoodalteringid></pre>

 $\textbf{Element name:} \ Substance Use Prescription Drugs For Non Medical Id$ 

Field	Description
Definition	Client's answer to the question "In the past 12 months, how often have
	you used the following?" for the category of "Prescription drugs for non-
	medical reasons." (F5.41)
Required field	No
Lookup table if available	PastYearFreq_Lkup
Allowed values	1 = Never
	2 = Once or Twice Monthly
	3 = Weekly
	4 = Daily or Almost Daily
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<substanceuseprescriptiondrugsfornonmedicalid>2</substanceuseprescriptiondrugsfornonmedicalid>
	scriptionDrugsForNonMedicalId>

# **Element name:** SubstanceUseIllegalDrugsId

Field	Description
Definition	Client's answer to the question "In the past 12 months, how often have
	you used the following?" for the category of "Illegal drugs." (F5.41)
Required field	No
Lookup table if available	PastYearFreq_Lkup
Allowed values	1 = Never
	2 = Once or Twice Monthly
	3 = Weekly
	4 = Daily or Almost Daily
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<substanceuseillegaldrugsid>4</substanceuseillegaldrugsid>

### Element name: SmokeLast 3 Months Pregnant Id

Field	Description
Definition	Smoked last 3 months pregnancy (F5.42)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes
	2 = No
	3 = Don't Know
	4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<smokelast3monthspregnantid>2</smokelast3monthspregnantid>

### Element name: SmokeLast 3 Months Pregnant Count Id

Field	Description
Definition	Smoked last 3 months pregnancy count (F5.42.1)
Required field	No
Lookup table if available	CigaretteCount_Lkup
Allowed values	1 = 41 cigarettes or more
	2 = 21 to 40 cigarettes
	3 = 11 to 20 cigarettes
	4 = 6 to 10 cigarettes
	5 = 1 to 5 cigarettes
	6 = Less than 1 cigarette
	7 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<smokelast3monthspregnantcountid>1</smokelast3monthspregnantcountid>
	ountid>

Element name: Household Smoking Rule Id

Field	Description
Definition	Client's answer to the question "Which of the following statements best
	describes the rules about smoking inside your home now?"(F5.43)
Required field	No
Lookup table if available	HouseholdSmokingRule_Lkup
Allowed values	1 = No one is allowed to smoke anywhere inside my home
	2 = Smoking is allowed in some rooms or at some times
	3 = Smoking is permitted anywhere inside my home
	4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><householdsmokingruleid>4</householdsmokingruleid></pre>

Element name: FUSubstanceUseInfoList

Field	Description
Definition	Staff selection in the Substance Use Follow Up table indicating the
	type(s) of substance use information/education that were provided to
	the client, if any. (F5.43)
Required field	No
Lookup table if available	SubstanceUseInfo_Lkup
Allowed values	1 = Potential effects on pregnancy of tobacco
	2 = Potential effects on pregnancy of alcohol
	3 = Potential effects on Pregnancy of drug use
	4 = Tobacco cessation
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<fusubstanceuseinfolist></fusubstanceuseinfolist>
	<fusubstanceuseinfo></fusubstanceuseinfo>
	<substanceuseinfold>1</substanceuseinfold>
	<fusubstanceuseprovidedlist></fusubstanceuseprovidedlist>

Element name: FUSubstanceUseInfoDate

Field	Description
Definition	Date on which substance use information/education was provided to the
	client, if any. (F5.43)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fusubstanceuseinfodate>1/1/2016</fusubstanceuseinfodate>

### **Element name**: FUSubstanceUseProvidedANPList

Field	Description
Definition	Staff selection in the Substance Use Follow Up table indicating types of
	substance use related services (assessments, intervention) provided to
	the client, if any. (F5.43)
Required field	No
Lookup table if available	SubstanceUseProvidedANP_Lkup
Allowed values	1 = Assess, Advise an Assist for Alcohol Use Disorders (for "yes" to 1 or
	more days of heavy drinking [for women, 4 or ore drinks per day])
	2 = NIDA-Modified ASSIST (for any use of illegal or prescription drug use
	for non-medical reasons)
	3 = Provided Brief Intervention
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<fusubstanceuseprovidedanplist></fusubstanceuseprovidedanplist>
	<fusubstanceuseprovidedanp></fusubstanceuseprovidedanp>
	<substanceuseprovidedanpid>2</substanceuseprovidedanpid>

### **Element name:** FUSubstanceUseProvidedDate

Field	Description
Definition	Date on which substance use-related services were provided to the
	client, if applicable. (F5.43)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fusubstanceuseprovideddate>1/1/2016</fusubstanceuseprovideddate>
	te>

**Element name**: FUSubstanceUseReferredList

Field	Description
Definition	Staff selection in the Substance Use Follow Up table indicating the types
	of substance-use related referrals that were provided to the client, if
	any. (F5.43)
Required field	No
Lookup table if available	SubstanceUseReferred_Lkup
Allowed values	1 = Tobacco Quit Line
	2 = Behavioral Health Provider
	3 = Primary Care Provider
	4 = Substance abuse treatment program
	5 = Other
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<fusubstanceusereferredlist></fusubstanceusereferredlist>
	<fusubstanceusereferred></fusubstanceusereferred>
	<substanceusereferredid>3</substanceusereferredid>

**Element name**: FUSubstanceUseReferredOther

Field	Description
Definition	Entry provided for "Please Specify" when "Other" was checked as a type
	of substance-use related referral that was provided to the client. (F5.43)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fusubstanceusereferredother>12 step</fusubstanceusereferredother>
	program

**Element name**: FUSubstanceUseReferredDate

Field	Description
Definition	Date on which client was provided with substance-use related referrals,
	if applicable. (F5.43)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fusubstanceusereferreddate>1/1/2016</fusubstanceusereferreddate>
	te>

## Element name: Personal Safety Spouse Threaten Id

Field	Description
Definition	Client's answer to question "During the past 12 months Did your
	husband or partner threaten or make you feel unsafe in some way?"
	(F5.44.1)
Required field	No
Lookup table if available	YesNoDeclined_Lkup
Allowed values	1 = Yes
	2 = No
	3 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<personalsafetyspousethreatenid>3</personalsafetyspousethreatenid>
	>

### **Element name**: PersonalSafetySpouseAngerId

Field	Description
Definition	Client's answer to question "During the past 12 months Were you
	frightened for your safety or your family's safety because of the anger
	or threats of your husband or partner?" (F5.44.2)
Required field	No
Lookup table if available	YesNoDeclined_Lkup
Allowed values	1 = Yes
	2 = No
	3 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><personalsafetyspouseangerid>1</personalsafetyspouseangerid></pre>

## Element name: Personal Safety Spouse Controlld

Field	Description
Definition	Client's answer to question "During the past 12 months Did your
	husband or partner try to control your daily activities, for example,
	control who you could talk to or where you could go?" (F5.44.3)
Required field	No
Lookup table if available	YesNoDeclined_Lkup
Allowed values	1 = Yes
	2 = No
	3 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<personalsafetyspousecontrolid>3</personalsafetyspousecontrolid>

## Element name: Personal Safety Spouse Physical Abused Id

Field	Description
Definition	Client's answer to question "During the past 12 months Did your
	husband or partner push, hit, slap, kick, choke, or physically hurt you in
	any other way?" (F5.44.4)
Required field	No
Lookup table if available	YesNoDeclined_Lkup
Allowed values	1 = Yes
	2 = No
	3 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<personalsafetyspousephysicalabusedid>2</personalsafetyspousephysicalabusedid>
	calAbusedId>

### Element name: Personal Safety Spouse Force SexId

Field	Description
Definition	Client's answer to question "During the past 12 months Did your
	husband or partner force you to take part in touching or any sexual
	activity when you did not want to?" (F5.44.5)
Required field	No
Lookup table if available	YesNoDeclined_Lkup
Allowed values	1 = Yes
	2 = No
	3 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<personalsafetyspouseforcesexid>2</personalsafetyspouseforcesexid>

### Element name: Personal Safety Spouse Physical Anyld

Field	Description
Definition	Client's answer to question "During the past 12 months Did anyone
	else physically hurt you in any way?" (F5.44.6)
Required field	No
Lookup table if available	YesNoDeclined_Lkup
Allowed values	1 = Yes
	2 = No
	3 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<personalsafetyspousephysicalanyid>1</personalsafetyspousephysicalanyid>
	Anyld>

Element name: HaveGunId

Field	Description
Definition	Client's answer to the question "Do you keep guns in your
	home?"(F5.45)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes
	2 = No
	3 = Don't Know
	4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<havegunld>2</havegunld>

**Element name**: FUPersonalSafetyInfoList

Field	Description
Definition	Staff selection in the Personal Safety Follow Up table indicating which types of follow up information/education was provided related to personal safety categories. (F5.45)
Required field	No
Lookup table if available	GunInfo_Lkup
Allowed values	1 = What to do if you have or someone you know has a partner that
	hurts them physically
	2 = Gun safety
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<fupersonalsafetyinfolist></fupersonalsafetyinfolist>
	<fupersonalsafetyinfo></fupersonalsafetyinfo>
	<guninfold>2</guninfold>

Element name: FUPersonal Safety Info Date

Field	Description
Definition	Date on which information was provided about personal safety
	categories. (F5.45)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><fupersonalsafetyinfodate>1/1/2016</fupersonalsafetyinfodate></pre> /FUPersonalSafetyInfoDate>

**Element name**: FUPersonalSafetyReferred

Field	Description
Definition	Staff selection in the Personal Safety Follow Up table indicating whether
	client was referred to a local domestic violence program. (F5.45)
Required field	No
Lookup table if available	N/A
Allowed values	true, false OR 1, 0
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fupersonalsafetyreferred>true</fupersonalsafetyreferred>

Element name: FUPersonal Safety Referred Program

Field	Description
Definition	Name of the local domestic violence program to which the client was referred, if any. (F5.45)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fupersonalsafetyreferredprogram>Betty Ann Krahnke Center</fupersonalsafetyreferredprogram>

Element name: FUPersonal Safety Referred Date

Field	Description
Definition	Date on which the client was referred to a local domestic violence program, if applicable. (F5.45)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><fupersonalsafetyreferreddate>1/1/2016</fupersonalsafetyreferreddate></pre> /FUPersonalSafetyReferredD
	ate>

Element name: StressFactorFamilySickId

Field	Description
Definition	Client's response indicating whether the described stressor occurred in
	the last 12 months, for the category "A close family member was very
	sick and had to go into the hospital." (F5.46.1)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes
	2 = No
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><stressfactorfamilysickid>2</stressfactorfamilysickid></pre>

Element name: StressFactorDivorcedId

Field	Description
Definition	Client's response indicating whether the described stressor occurred in the last 12 months, for the category "I got separated or divorced from my husband or partner." (F5.46.2)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes
	2 = No
Allow multiple values	No
Occurrence	0-1 per client
XML example	<stressfactordivorcedid>1</stressfactordivorcedid>

**Element name:** StressFactorRelocationId

Field	Description
Definition	Client's response indicating whether the described stressor occurred in the last 12 months, for the category "I moved to a new address." (F5.46.3)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes
	2 = No
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><stressfactorrelocationid>2</stressfactorrelocationid></pre>

Element name: StressFactorHomelessId

Field	Description
Definition	Client's response indicating whether the described stressor occurred in the last 12 months, for the category "I was homeless or had to sleep
	outside, in a car, or in a shelter." (F5.46.4)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes
	2 = No
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><stressfactorhomelessid></stressfactorhomelessid></pre>

Element name: StressFactorSpouseLostJobId

Field	Description
Definition	Client's response indicating whether the described stressor occurred in the last 12 months, for the category "My husband or partner lost his job." (F5.46.5)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes
	2 = No
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><stressfactorspouselostjobid>1</stressfactorspouselostjobid></pre>

Element name: StressFactorLostJobId

Field	Description
Definition	Client's response indicating whether the described stressor occurred in
	the last 12 months, for the category "I lost my job even though I wanted
	to go on working." (F5.46.6)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes
	2 = No
Allow multiple values	No
Occurrence	0-1 per client
XML example	<stressfactorlostjobid>2</stressfactorlostjobid>

Element name: StressFactorPaycutId

Field	Description
Definition	Client's response indicating whether the described stressor occurred" in the last 12 months, for the category "My husband, partner, or I had a cut in work hours or pay." (F5.46.7)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes
	2 = No
Allow multiple values	No
Occurrence	0-1 per client
XML example	<stressfactorpaycutid>2</stressfactorpaycutid>

Element name: StressFactorSpouseApartId

Field	Description
Definition	Client's response indicating whether the described stressor occurred in the last 12 months, for the category "I was apart from my husband or partner due to military deployment or extended work-related travel." (F5.46.8)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes
	2 = No
Allow multiple values	No
Occurrence	0-1 per client
XML example	<stressfactorspouseapartid>1</stressfactorspouseapartid>

Element name: StressFactorSpouseArgueld

Field	Description
Definition	Client's response indicating whether the described stressor occurred in
	the last 12 months, for the category "I argued with my husband or
	partner more than usual." (F5.46.9)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes
	2 = No
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><stressfactorspouseargueid>1</stressfactorspouseargueid></pre>

## $\textbf{Element name:} \ StressFactorSpouseAgainstPregnancyId$

Field	Description
Definition	Client's response indicating whether the described stressor occurred in
	the last 12 months, for the category "My husband or partner said he
	didn't want me to be pregnant." (F5.46.10)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes
	2 = No
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><stressfactorspouseagainstpregnancyid>2</stressfactorspouseagainstpregnancyid></pre>
	Pregnancyld>

#### Element name: StressFactorBillsId

Field	Description
Definition	Client's response indicating whether the described stressor occurred in
	the last 12 months, for the category "I had problems paying the rent,
	mortgage, or other bills." (F5.46.11)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes
	2 = No
Allow multiple values	No
Occurrence	0-1 per client
XML example	<stressfactorbillsid>1</stressfactorbillsid>

#### Element name: StressFactorJailedId

Field	Description
Definition	Client's response indicating whether the described stressor occurred in the last 12 months, for the category "My husband, partner, or I went to jail." (F5.46.12)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes
	2 = No
Allow multiple values	No
Occurrence	0-1 per client
XML example	<stressfactorjailedid>2</stressfactorjailedid>

# $\textbf{Element name:} \ StressFactorRelativesDrinkingId$

Field	Description
Definition	Client's response indicating whether the described stressor occurred in
	the last 12 months, for the category "Someone very close to me had a
	problem with drinking or drugs." (F5.46.13)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes
	2 = No
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><stressfactorrelativesdrinkingid>2</stressfactorrelativesdrinkingid></pre>

### **Element name**: StressFactorRelativeDieId

Field	Description
Definition	Client's response indicating whether the described stressor occurred in the last 12 months, for the category "Someone very close to me died." (F5.46.14)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes
	2 = No
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><stressfactorrelativedieid>2</stressfactorrelativedieid></pre>

## $\textbf{Element name:} \ Discrimination Treated Less Courtes y Id$

Field	Description
Definition	Client's response to the question "In your day-to-day life, how often
	have any of the following things happened to you?" for the category
	"You are treated with less courtesy or respect than other people."
	(F5.47.1)
Required field	No
Lookup table if available	DailyFreq_Lkup
Allowed values	1 = Almost every day
	2 = At least once a week
	3 = A few times a month
	4 = A few times a year
	5 = Less than once a year
	6 = Never
	7 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><discriminationtreatedlesscourtesyid>1</discriminationtreatedlesscourtesyid></pre> /DiscriminationTreatedLessCo
	urtesyld>

# Element name: Discrimination Received Poor Service Id

Field	Description
Definition	Client's response to the question "In your day-to-day life, how often
	have any of the following things happened to you?" for the category
	"You receive poorer service than other people at restaurants, stores, or
	social services."(F5.47.2)
Required field	No
Lookup table if available	DailyFreq_Lkup
Allowed values	1 = Almost every day
	2 = At least once a week
	3 = A few times a month
	4 = A few times a year
	5 = Less than once a year
	6 = Never
	7 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><discriminationreceivedpoorserviceid>5</discriminationreceivedpoorserviceid></pre>
	erviceld>

## Element name: Discrimination Other Think Not SmartId

Field	Description
Definition	Client's response to the question "In your day-to-day life, how often
	have any of the following things happened to you?" for the category
	"People act as if they think you are not smart." (F5.47.3)
Required field	No
Lookup table if available	DailyFreq_Lkup
Allowed values	1 = Almost every day
	2 = At least once a week
	3 = A few times a month
	4 = A few times a year
	5 = Less than once a year
	6 = Never
	7 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><discriminationotherthinknotsmartid>4</discriminationotherthinknotsmartid></pre>
	SmartId>

### Element name: DiscriminationOtherAfraidId

Field	Description
Definition	Client's response to the question "In your day-to-day life, how often
	have any of the following things happened to you?" for the category
	"People act as if they are afraid of you." (F5.47.4)
Required field	No
Lookup table if available	DailyFreq_Lkup
Allowed values	1 = Almost every day
	2 = At least once a week
	3 = A few times a month
	4 = A few times a year
	5 = Less than once a year
	6 = Never
	7 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><discriminationotherafraidid>6</discriminationotherafraidid></pre>

### **Element name**: DiscriminationOtherThreatenId

Field	Description
Definition	Client's response to the question "In your day-to-day life, how often
	have any of the following things happened to you?" for the category
	"You are threatened or harassed." (F5.47.5)
Required field	No
Lookup table if available	DailyFreq_Lkup
Allowed values	1 = Almost every day
	2 = At least once a week
	3 = A few times a month
	4 = A few times a year
	5 = Less than once a year
	6 = Never
	7 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><discriminationotherthreatenid>6</discriminationotherthreatenid></pre>

#### **Element name:** DiscriminationReasonsForTreatmentId

Field	Description
Definition	Client's answer to the question "What do you think is the main reason
	for these experiences?" (In reference to experiences of discrimination
	reported in response to question 38.) (F5.48)
Required field	No
Lookup table if available	OtherReasonForTreatment_Lkup
Allowed values	1 = Your ancestry or national origins
	2 = Your gender
	3 = Your race
	4 = Your age
	5 = Your religion
	6 = Your height
	7 = Your weight
	8 = Some other aspect of your physical appearance
	9 = Your sexual orientation
	10 = Your education or income level
	11 = Your shade of skin color
	12 = Physical Disability
	13 = Other
	14 = Don't know
	15 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><discriminationreasonsfortreatmentid>14</discriminationreasonsfortreatmentid></pre>
	reatmentId>

**Element name:** DiscriminationOtherReasonsForTreatment

Field	Description
Definition	Client's response for "Other" to specify the type of "Other" reasons in
	she believes she has experienced discrimination. (F5.48)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<discriminationotherreasonsfortreatment>My</discriminationotherreasonsfortreatment>
	profession

Element name: FUStressInfo

Field	Description
Definition	Staff selection in the Stress and Discrimination Follow Up table indicating whether information/education was provided to the client on stress management. (F5.48)
Required field	No
Lookup table if available	N/A
Allowed values	true, false OR 1, 0
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fustressinfo>true</fustressinfo>

Element name: FUStressInfoDate

Field	Description
Definition	Date on which stress management information was provided to the
	client, if applicable. (F5.48)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fustressinfodate>1/1/2016</fustressinfodate>

Element name: FUStressProvided

Field	Description
Definition	Staff selection in the Stress and Discrimination Follow Up table indicating whether stress management counseling was provided to the client. (F5.48)
Required field	No
Lookup table if available	N/A
Allowed values	true, false OR 1, 0
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fustressprovided>true</fustressprovided>

**Element name:** FUStressProvidedDate

Field	Description
Definition	Date on which stress management counseling was provided, if
	applicable. (F5.48)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><fustressprovideddate>1/1/2016</fustressprovideddate></pre>

**Element name**: FUStressReferredList

Field	Description
Definition	Staff selection in the Stress and Discrimination Follow Up table indicating
	referrals given to the client (mental health, primary care, other). (F5.48)
Required field	No
Lookup table if available	MentalConditionReferred_Lkup
Allowed values	1 = Mental Health Center
	2 = Primary Care Provider
	3 = Other
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<fustressreferredlist></fustressreferredlist>
	<fustressreferred></fustressreferred>
	<mentalconditionreferredid>2</mentalconditionreferredid>

**Element name**: FUStressReferredOther

Field	Description
Definition	Entry provided for "Please Specify" when "Other" was checked in the list
	of referrals provided to the client. (F5.48)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fustressreferredother>a</fustressreferredother>

Element name: FUStressReferredDate

Field	Description
Definition	Date on which client was provided with referrals, if any. (F5.48)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fustressreferreddate>1/1/2016</fustressreferreddate>

**Element name:** SupportTemporaryFinancialId

Field	Description
Definition	Client's answer to the question: "If you needed it, how often is someone
	available to Provide temporary financial support?" (F5.49.2).
Required field	No
Lookup table if available	DecreaseFreq_Lkup
Allowed values	1 = All of the time
	2 = Most of the time
	3 = Some of the time
	4 = A little of the time
	5 = None of the time
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><supporttemporaryfinancialid></supporttemporaryfinancialid></pre>

**Element name**: SupportEnjoyableActivitiesId

Field	Description
Definition	Client's answer to the question: "If you needed it, how often is someone
	available to Do something enjoyable with you?" (F5.49.2)
Required field	No
Lookup table if available	DecreaseFreq_Lkup
Allowed values	1 = All of the time
	2 = Most of the time
	3 = Some of the time
	4 = A little of the time
	5 = None of the time
Allow multiple values	No
Occurrence	0-1 per client
XML example	<supportenjoyableactivitiesid>4</supportenjoyableactivitiesid>

**Element name**: SupportHelpChoresId

Field	Description
Definition	Client's answer to the question: "If you needed it, how often is someone
	available to Help with daily chores?" (F5.49.3)
Required field	No
Lookup table if available	DecreaseFreq_Lkup
Allowed values	1 = All of the time
	2 = Most of the time
	3 = Some of the time
	4 = A little of the time
	5 = None of the time
Allow multiple values	No
Occurrence	0-1 per client
XML example	<supporthelpchoresid>4</supporthelpchoresid>

Element name: SupportHelpSickId

Field	Description
Definition	Client's answer to the question: "If you needed it, how often is someone
	available to Help you if you were sick?" (F5.49.4)
Required field	No
Lookup table if available	DecreaseFreq_Lkup
Allowed values	1 = All of the time
	2 = Most of the time
	3 = Some of the time
	4 = A little of the time
	5 = None of the time
Allow multiple values	No
Occurrence	0-1 per client
XML example	<supporthelpsickid>1</supporthelpsickid>

Element name: Support Help Personal Issues Id

Field	Description
Definition	Client's answer to the question: "If you needed it, how often is someone
	available to Turn to for suggestions about how to deal with a
	personal problem?" (F5.49.5)
Required field	No
Lookup table if available	DecreaseFreq_Lkup
Allowed values	1 = All of the time
	2 = Most of the time
	3 = Some of the time
	4 = A little of the time
	5 = None of the time
Allow multiple values	No
Occurrence	0-1 per client
XML example	<supporthelppersonalissuesid>1</supporthelppersonalissuesid>

Element name: SupportHelpWatchBabyId

Field	Description
Definition	Client's answer to the question: "If you needed it, how often is someone
	available to Watch your baby for you?" (F5.49.6)
Required field	No
Lookup table if available	DecreaseFreq_Lkup
Allowed values	1 = All of the time
	2 = Most of the time
	3 = Some of the time
	4 = A little of the time
	5 = None of the time
Allow multiple values	No
Occurrence	0-1 per client
XML example	<supporthelpwatchbabyid>3</supporthelpwatchbabyid>

Element name: BabyFatherInvolvementId

Field	Description
Definition	Client's selection in response to the question: "Would you describe your
	partner or the father of your baby/babies as " (F5.50)
Required field	No
Lookup table if available	BabyFatherInvolvement_Lkup
Allowed values	1 = Involved and supportive of me and my baby/babies
	2 = Involved but not supportive of me or my baby/babies
	3 = Not involved
	4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<babyfatherinvolvementid>3</babyfatherinvolvementid>

# **Element name**: BabyFatherRoleList

Field	Description
Definition	Client's answer to the question: "What is your partner's or the father of
	your baby's /babies' role in your life?" (F5.50.1)
Required field	No
Lookup table if available	BabyFatherRole_Lkup
Allowed values	1 = Partner or father of baby/babies is deceased
	2 = Partner or father of baby/babies is incarcerated
	3 = Cares for baby/babies (feeding, bathing, etc.)
	4 = Assists with housework and/or runs errands (ex: grocery shopping)
	5 = Attends medical appointments
	6 = Provides emotional support
	7 = Provides financial support
	8 = Partner or father of baby/babies plays no role/is not involved
	9 = Other
	10 = Declined to answer
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<babyfatherrolelist></babyfatherrolelist>
	<babyfatherrole></babyfatherrole>
	<babyfatherroleid>1</babyfatherroleid>

# $\textbf{Element name:} \ Baby Father Role Other Specifying$

Field	Description
Definition	Client' answered "other" to the question "What is your partner's or the
	father of your baby's role in your life?" (F5.50.1)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><babyfatherroleotherspecifying>Deployed</babyfatherroleotherspecifying></pre>
	fying>

Element name: FUSocialSupport

Field	Description
Definition	Staff selection in the Social Support/Father or Partner Involvement
	Follow Up table indicating whether information/education was provided
	to the client on the importance of social support. (F5.50.1)
Required field	No
Lookup table if available	N/A
Allowed values	true, false OR 1, 0
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fusocialsupport>true</fusocialsupport>

Element name: FUSocialSupportDate

Field	Description
Definition	Date on which information/education about the importance of social
	support was provided to the client, if applicable. (F5.50.1)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<fusocialsupportdate>1/1/2016</fusocialsupportdate>

Element name: FUSocial Support Referred List

Field	Description
Definition	Staff selection in the Social Support/Father or Partner Involvement
	Follow Up table indicating the types of social support-related referrals
	that were provided to the client, if any. (F5.50.1)
Required field	No
Lookup table if available	SocialSupportReferred_Lkup
Allowed values	1 = Social Worker
	2 = Parent help line
	3 = Parent support group
	4 = Other
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<fusocialsupportreferredlist></fusocialsupportreferredlist>
	<fusocialsupportreferred></fusocialsupportreferred>
	<socialsupportreferredid>4</socialsupportreferredid>

**Element name:** FUSocialSupportReferredOther

Field	Description
Definition	Entry provided for "Please Specify" when "Other" was checked in the list
	of referrals provided to the client.
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><fusocialsupportreferredother>a</fusocialsupportreferredother></pre>

**Element name**: FUSocialSupportReferredDate

Field	Description
Definition	Date on which social support-related referrals were given to the client, if
	applicable.
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><fusocialsupportreferreddate>1/1/2016</fusocialsupportreferreddate></pre>
	e>

#### **Child Elements**

The elements below describe multiple children (up to 4) for each client.

Element name: ChildBirthDate

Field	Description
Definition	Client's response to the question: "1.1 When was your baby/were your
	babies born?" (One response per baby.) (F5.1.1)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-4 per client
XML example	<childbirthdate>4/5/2013</childbirthdate>

Element name: ChildBirthPlaceId

Field	Description
Definition	Client's response to the question: "Where was your baby/were your
	babies born?" (One response per baby.) (F5.1.2)
Required field	No
Lookup table if available	ChildBirthPlace_Lkup
Allowed values	1 = Hospital
	2 = Birthing center
	3 = Home
	4 = Other Place
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-4 per client
XML example	<childbirthplaceid>4</childbirthplaceid>

**Element name**: ChildBirthPlaceOther

Field	Description
Definition	Client's response for "Please specify" when "Other" was selected as the
	baby's location of birth. (One response per baby.) (F5.1.2)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-4 per client
XML example	<childbirthplaceother>a</childbirthplaceother>

Element name: ChildBirthMethodId

Field	Description
Definition	Client's response to the question: "Was your baby/were your babies
	born vaginally or by C-section?" (Vaginal, C-Section, Declined to Answer.)
	(One response per baby.) (F5.1.3)
Required field	No
Lookup table if available	ChildBirthMethod_Lkup
Allowed values	1 = Vaginally
	2 = C-section
	3 = Declined To Answer
Allow multiple values	No
Occurrence	0-4 per client
XML example	<childbirthmethodid>3</childbirthmethodid>

Element name: Child Stay In Hospital Id

Field	Description
Definition	Client's response to the question: "Did your baby/babies stay in the
	hospital after you came home?" (One response per baby). (F5.1.5)
Required field	No
Lookup table if available	YesNoDeclined_Lkup
Allowed values	1 = Yes
	2 = No
	3 = Declined to answer
Allow multiple values	No
Occurrence	0-4 per client
XML example	<childstayinhospitalid>2</childstayinhospitalid>

 $\textbf{Element name}: ChildBirthWeightLbs}$ 

Field	Description
Definition	Client's response to the question: "How much did your baby/babies weigh at birth?" for pounds. (One response per baby.) (F5.1.7)
Dogwing d field	
Required field	No
Lookup table if available	N/A
Allowed values	An integer with value between 0-99
Allow multiple values	No
Occurrence	0-4 per client
XML example	<childbirthweightlbs>45</childbirthweightlbs>

Element name: ChildBirthWeightOzs

Field	Description
Definition	Client's response to the question: "How much did your baby/babies
	weigh at birth?" for ounces. (One response per baby.) (F5.1.7)
Required field	No
Lookup table if available	N/A
Allowed values	An integer with value between 0-99
Allow multiple values	No
Occurrence	0-4 per client
XML example	<childbirthweightozs>2</childbirthweightozs>

**Element name**: ChildBirthWeightDRId

Field	Description
Definition	Client's response to the question: "How much did your baby/babies
	weigh at birth?" when either Don't Know or Declined to Answer was the
	response. (F5.1.7)
Required field	No
Lookup table if available	DontKnowRefused_Lkup
Allowed values	1 = Don't Know
	2 = Declined to answer
Allow multiple values	No
Occurrence	0-4 per client
XML example	<childbirthweightdrid>2</childbirthweightdrid>

Element name: EverBreastFeedId

Field	Description
Definition	Client's response to the question: "Did you ever breast feed or pump
	breast milk to feed your baby/babies after delivery, even for a short
	period of time?" (One response per baby.) (F5.2)
Required field	No
Lookup table if available	YesNoDeclined_Lkup
Allowed values	1 = Yes
	2 = No
	3 = Declined to answer
Allow multiple values	No
Occurrence	0-4 per client
XML example	<everbreastfeedid>3</everbreastfeedid>

**Element name:** BreastFeedCountNumbers

Field	Description
Definition	The number (count) provided by the client in response to the question:
	"How many days, weeks or months did you breastfeed or pump breast milk for your baby/babies?" (One response per baby.) (F5.2.1)
Required field	No
Lookup table if available	N/A
Allowed values	An integer with value between 0-999
Allow multiple values	No
Occurrence	0-4 per client
XML example	<breastfeedcountnumbers>0</breastfeedcountnumbers>

# **Element name**: BreastFeedCountFreqId

Field	Description
Definition	The unit of measurement provided by the client for the time period of
	breast feeding (days, weeks, months). (One response per baby.) (F5.2.1)
Required field	No
Lookup table if available	DaysWeeksMonths_Lkup
Allowed values	1= Days
	2 = Weeks
	3 = Months
Allow multiple values	No
Occurrence	0-4 per client
XML example	<pre><breastfeedcountfreqid>2</breastfeedcountfreqid></pre>

## Element name: BreastFeedCountDaysWeeksMonthsDRId

	•
Field	Description
Definition	Client's response to the question "How many days, weeks or months did
	you breastfeed or pump breast milk for your baby/babies?" if Don't
	Know or Declined to Answer were selected. (F5.2.1)
Required field	No
Lookup table if available	BreastFeedDR_Lkup
Allowed values	1 = Still/Currently breastfeeding
	2 = Don't know
	3 = Declined to answer
Allow multiple values	No
Occurrence	0-4 per client
XML example	<pre><breastfeedcountdaysweeksmonthsdrid>3</breastfeedcountdaysweeksmonthsdrid></pre>

Element name: Currently Feed Child List

Field	Description
Definition	Client's response to the question "What are you currently feeding your
	baby/babies?" (One response per baby.) (F5.3)
Required field	No
Lookup table if available	CurrentlyFeedChild_Lkup
Allowed values	1 = Breastmilk
	2 = Formula
	3 = Cereal
	4 = Other solids
	5 = Declined to answer
Allow multiple values	Yes
Occurrence	0-4 per client
XML example	<currentlyfeedchildlist></currentlyfeedchildlist>
	<currentlyfeedchild></currentlyfeedchild>
	<currentlyfeedchildid>4</currentlyfeedchildid>

Element name: Currently Feed Child Other

Field	Description
Definition	Client's response for "Please specify" when "Other" was indicated in response to the question: "What are you currently feeding your baby/babies?" (One response per baby.) (F5.3)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-4 per client
XML example	<currentlyfeedchildother>a</currentlyfeedchildother>

Element name: ChildConcernDRId

Field	Description
Definition	Client's response to the question: "Do you have any concerns about your
	baby's/babies' feeding?" (One response per baby.) (F5.4)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes
	2 = No
	3 = Don't Know
	4 = Declined to answer
Allow multiple values	No
Occurrence	0-4 per client
XML example	<childconcerndrid>2</childconcerndrid>

## Element name: ChildConcernList

Field	Description
Definition	Client's response to the question: "What is your concern?" (when client
	indicated concerns about baby's/babies feeding). (F5.4.1)
Required field	No
Lookup table if available	ChildConcern_Lkup
Allowed values	1 = Baby is having trouble latching
	2 = Baby is distracted
	3 = Baby is constipated
	4 = Baby is too sleepy to eat
	5 = Baby refuses to feed
	6 = I worry that I may not have enough milk
	7 = Baby is not gaining weight
	8 = Baby is spitting up a lot after feeding
	9 = Other
	10 = Don't know
	11 = Declined to answer
Allow multiple values	Yes
Occurrence	0-4 per client
XML example	<childconcernlist></childconcernlist>
	<childconcern></childconcern>
	<childconcernid>5</childconcernid>
	<childconcernlist></childconcernlist>

## **Element name:** ChildConcernOtherSpecifying

	1 7 8
Field	Description
Definition	Response indicated by the client in the child concern list (F5.4.1) for
	"Other - Please specify." (F5.4.1)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<childotherspecifying>string</childotherspecifying>

# **Element name:** ChildSleepingPositionId

Field	Description
Definition	Client's response to question: "In which one position do you most often
	lie your baby/babies down to sleep now?" (One response per baby.)
	(F5.5)
Required field	No
Lookup table if available	ChildSleepingPos_Lkup
Allowed values	1 = On his or her side
	2 = On his or her back
	3 = On his or her stomach
	4 = Declined to answer
Allow multiple values	No
Occurrence	0-4 per client
XML example	<childsleepingpositionid>3</childsleepingpositionid>

# Element name: ChildSleepAloneId

Field	Description
Definition	Client's response to the question: "In the past 2 weeks, how often has
	your new baby/have your new babies slept alone in his or her/their own
	crib or bed?" (One response per baby.) (F5.6)
Required field	No
Lookup table if available	FrequencyAosrn_Lkup
Allowed values	1 = Always
	2 = Often
	3 = Sometimes
	4 = Rarely
	5 = Never
	6 = Don't know
	7 = Declined to answer
Allow multiple values	No
Occurrence	0-4 per client
XML example	<childsleepaloneid>7</childsleepaloneid>

Element name: ChildSleepingCribId

Field	Description
Definition	Client's response to the question: "Please tell us how your new baby/
	babies most often slept in the past 2 weeks" for the category of Crib,
	Bassinet, or Pack and Play. (One response per baby.) (F5.7)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes
	2 = No
Allow multiple values	No
Occurrence	0-4 per client
XML example	<childsleepingcribid>1</childsleepingcribid>

Element name: ChildSleepingBedId

Field	Description
Definition	Client's response to the question: "Please tell us how your new baby/ babies most often slept in the past 2 weeks" for the category of bed. (One response per baby.) (F5.7)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes
	2 = No
Allow multiple values	No
Occurrence	0-4 per client
XML example	<childsleepingbedid>2</childsleepingbedid>

Element name: Child Sleeping Couch Id

Field	Description
Definition	Client's response to the question: "Please tell us how your new baby/
	babies most often slept in the past 2 weeks" for the category of couch,
	sofa, or armchair. (One response per baby.) (F5.7)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes
	2 = No
Allow multiple values	No
Occurrence	0-4 per client
XML example	<childsleepingcouchid>2</childsleepingcouchid>

Element name: Child Sleeping Swing Id

Field	Description
Definition	Client's response to the question: "Please tell us how your new baby/
	babies most often slept in the past 2 weeks" for the category of infant
	care seat or swing. (One response per baby.)(F5.7)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes
	2 = No
Allow multiple values	No
Occurrence	0-4 per client
XML example	<childsleepingswingid>2</childsleepingswingid>

Element name: Child Sleeping Blanket Id

Field	Description
Definition	Client's response to the question: "Please tell us how your new baby/ babies most often slept in the past 2 weeks" for the category of "With a blanket." (One response per baby.) (F5.7)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes
	2 = No
Allow multiple values	No
Occurrence	0-4 per client
XML example	<childsleepingblanketid>2</childsleepingblanketid>

Element name: ChildSleepingToysId

Field	Description
Definition	Client's response to the question: "Please tell us how your new baby/
	babies most often slept in the past 2 weeks" for the category of "With
	toys, cushions, or pillows (F5.7)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes
	2 = No
Allow multiple values	No
Occurrence	0-4 per client
XML example	<childsleepingtoysid>2</childsleepingtoysid>

Element name: ChildSleepingBumperPadsId

Field	Description
Definition	Client's response to the question: "Please tell us how your new baby/
	babies most often slept in the past 2 weeks" for the category of "With
	crib bumper pads." (One response per baby.) (F5.7)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes
	2 = No
Allow multiple values	No
Occurrence	0-4 per client
XML example	<childsleepingbumperpadsid>2</childsleepingbumperpadsid>

Element name: ChildSleepingSackId

Field	Description
Definition	Client's response to the question: "Please tell us how your new baby/ babies most often slept in the past 2 weeks" for the category of "In a sleeping sack or wearable blanket." (One response per baby.) (F5.7)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes
	2 = No
Allow multiple values	No
Occurrence	0-4 per client
XML example	<childsleepingsackid>1</childsleepingsackid>

Element name: ChildInfantCarSeatId

Field	Description
Definition	Client's response to the question: "When your baby/babies rides in a car,
	truck, or van, how often does he or she ride in an infant car seat?" (One
	response per baby.)(F5.8)
Required field	No
Lookup table if available	FrequencyAosrn_Lkup
Allowed values	1 = Always
	2 = Often
	3 = Sometimes
	4 = Rarely
	5 = Never
	6 = Don't know
	7 = Declined to answer
Allow multiple values	No
Occurrence	0-4 per client
XML example	<childinfantcarseatid>6</childinfantcarseatid>

**Element name**: NumOfHoursPerDays

Field	Description
Definition	Client's response to the question: "On average, how many hours per day is your baby/are your babies in the same room or vehicle with another person who is smoking?" (Number provided for number of hours per day.) (F5.9)
Required field	No
Lookup table if available	N/A
Allowed values	An integer with value between 0-24
Allow multiple values	No
Occurrence	0-4 per client
XML example	<numofhoursperdays>0</numofhoursperdays>

Element name: ChildTimeWithSmokerId

Field	Description
Definition	Client's response to the question: "On average, how many hours per day is your baby/are your babies in the same room or vehicle with another person who is smoking?" when a response other than a number of hours per day is provided. (F5.9)
Required field	No
Lookup table if available	ChildHourWithSmokingPerson_Lkup
Allowed values	<ul> <li>1 = Baby spends less than one hour per day in a room or vehicle with somebody who is smoking</li> <li>2 = Baby is never in a room or vehicle with someone who is smoking</li> <li>3 = Declined to answer</li> </ul>
Allow multiple values	No
Occurrence	0-4 per client
XML example	<childtimewithsmokerid>3</childtimewithsmokerid>

Element name: HaveChildHealthProfessionalId

Field	Description
Definition	Client's response to the question: "Do you have one or more persons
	you think of as your baby's/babies' personal doctor or nurse?" (One
	response per baby.) (F5.10)
Required field	No
Lookup table if available	YesNoPerson_Lkup
Allowed values	1 = Yes, one person
	2 = Yes, more than one person
	3 = No
	4 = Don't know
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-4 per client
XML example	<pre><havechildhealthprofessionalid>2</havechildhealthprofessionalid></pre>

Element name: HaveChildSickCarePlaceId

Field	Description
Definition	Client's response to the question: "Is there a place that your baby/babies
	USUALLY goes/go for care when he or she is sick or when you or another
	caregiver need advice about your baby's health?" (One response per
	baby.) (F5.11)
Required field	No
Lookup table if available	YesNoPlace_Lkup
Allowed values	1 = Yes
	2 = No
	3 = There is more than one place
	4 = Don't know
	5 = Declined to answer
Allow multiple values	No
Occurrence	0-4 per client
XML example	<pre><havechildsickcareplaceid>4</havechildsickcareplaceid></pre>

Element name: ChildSickCarePlaceId

Field	Description
Definition	Client's response to the question: "What kind of place does your baby/
	do your babies go to most often when he/she is sick or you need advice
	about his/her health?" (One response per baby.) (F5.11.1)
Required field	No
Lookup table if available	HealthCareFacility_Lkup
Allowed values	1 = Doctor's Office
	2 = Hospital Emergency Room
	3 = Hospital Outpatient Department
	4 = Clinic or Health Center
	5 = Retail Store Clinic or Minute Clinic
	6 = School(Nurse's Office, Athletic Trainer's Office)
	7 = Some other place
	8 = Don't know
	9 = Declined to answer
Allow multiple values	No
Occurrence	0-4 per client
XML example	<childsickcareplaceid>2</childsickcareplaceid>

Element name: LastChildVisitDate

Field	Description
Definition	Date(s) provided by the client in response to the question: "When was your baby's/babies' last visit to a doctor, nurse, or other health provider for a well-child check-up?" (One response per baby.) (F5.12)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-4 per client
XML example	<lastchildvisitdate>1/1/2016</lastchildvisitdate>

Element name: LastChildVisitDRId

Field	Description
Definition	Response provided by the client for the question: "When was your baby's/babies' last visit to a doctor, nurse, or other health provider for a well-child check-up?" when either Don't Know or Decline to Answer were selected. (F5.12)
Required field	No
Lookup table if available	DontKnowRefused_Lkup
Allowed values	1 = Don't Know
	2 = Declined to answer
Allow multiple values	No
Occurrence	0-4 per client
XML example	<pre><lastchildvisitdrid>1</lastchildvisitdrid></pre>

Element name: lastchildvisitvaccineId

Field	Description
Definition	Client's response to the question: "Did your baby/babies receive
	vaccines during this visit?" (One response per baby.) (F5.12.1)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes
	2 = No
	3 = Don't Know
	4 = Declined to answer
Allow multiple values	No
Occurrence	0-4 per client
XML example	<lastchildvisitvaccineid>3</lastchildvisitvaccineid>

### Element name: ChildInsuranceList

Field	Description
Definition	Client's response to the question: "Please tell me what kind of health
	insurance your baby has/babies have." (One set of responses per baby.)
	(F5.13)
Required field	No
Lookup table if available	HealthInsuranceTypes_Lkup
Allowed values	1 = Private insurance through my job, or the job of my husband, partner
	or parents
	2 = Insurance purchased directly from an insurance company
	3 = Medicaid, Medical Assistance, or any kind of government assistance
	plan for those with low incomes or a disability
	4 = TRICARE or other military health care
	5 = Indian Health Service
	6 = Other
	7 = No insurance
	8 = Don't know
	9 = Declined to answer
Allow multiple values	Yes
Occurrence	0-4 per client
XML example	<childinsurancelist></childinsurancelist>
	<childinsurance></childinsurance>
	<healthinsurancetypesid>1</healthinsurancetypesid>
	<childinsurance></childinsurance>
	<healthinsurancetypesid>2</healthinsurancetypesid>

# Element name: ChildInsurance Types Other

Field	Description
Definition	Entry provided for "Other, specify" when "Other, specify" is selected as a response to the question: "Please tell me what kind of health insurance your baby has/babies have." (F5.13)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-4 per client
XML example	<pre><childinsurancetypesother>a</childinsurancetypesother></pre>