

City of Redding Construction Standards Index

	Page No.
A. Purpose and Reference Documents	A1
B. Modifications to the Standard Specifications for Public Works Construction (Greenbook)	B1
I. Streets	
Materials	100.00
Basic Street Design Standards	110.00
Typical Street Cross Section, Width and Thickness	111.00
Street Standard - Local Street	112.00
Street Standard - Minor Collector	112.30
Street Standard - Major Collector	112.50
Street Standard - Minor Arterial	112.70
Street Standard - Principal Arterial	112.80
Street Standard - Expressway	112.90
Typical Cul-de-sac Design	113.00
Standard Intersection Elbow	113.50
Bus Turnout Detail	120.00
Bus Turnout Detail - Curved Street	121.00
Standard Alley Entrance	125.00
Alley and Valley Gutter Details	125.50
Standard and Slotted Cross Gutter	126.00
Asphalt Concrete Curb Return (for use at curb returns without concrete curbs)	126.20
Sidewalk Standard	131.00
Separated Sidewalk Alternative	131.10
Meandering Sidewalk	131.50
Concrete Curb	134.00
Curb and Gutter (8-inch)	135.00
Curb and Gutter (6-Inch)	136.00
Curb and Gutter (5-Inch)	137.00
Roll Curb and Gutter	138.00

Driveway Modification for Obsolete 30" or Standard Roll Curb	138.50
Curb Ramp Location	141.00
Curb Ramp - Type "A"	141.10
Curb Ramp - Type "B"	141.20
Curb Ramp - Type "C"	141.30
Driveway Standards and Criteria	147.00
Standard Driveway Locations	147.20
Standard Residential Driveway	148.00
Standard Commercial-Industrial Driveway	148.10
Modified Commercial-Industrial Driveway	148.20
Residential Driveway Culvert	149.00
Residential Driveway Dip	149.10
Street Name Sign Installation	152.00
Stop Sign Installation	152.01
"No Parking" Sign Installation	152.02
"Fire Lane" Sign Installation	152.03
Street Sign Base Details	152.20
Typical Internally Illuminated Street Name Sign	154.00
Tree Well and Cover	166.20
Pavement Delineation - Traffic Lines and Markers	171.00
Pavement Delineation - Fire Hydrant Marker Placement	171.01
Pavement Delineation - Left Turn Lane Channelization	171.10
Pavement Delineation - Bicycle Detector Placement	173.10
Pavement Delineation - Bike Lane Symbol with Arrow	173.20
Pavement Delineation - High Visibility Crosswalk	175.00
Traffic Calming - Speed Table	180.00
Standard Street Timber Barricade	183.00
Monument Cover Assembly and Installation	184.00
Under Sidewalk Drain - Steel Conduit	190.00

II. Storm Drains

Drainage Criteria	200.00
Hydraulic Criteria	200.10
Access Criteria	201.00
Basin Marker	202.00
Area Drain	210.00
Storm Drain Grate Assembly Detail	210.10
Storm Drain Grate Assembly For Unimproved Areas	210.20
Catch Basin No. 3	230.00
Modified Catch Basin No. 3, Centrally Located Box	231.00
Modified Catch Basin No. 3, Offset Box	231.50
Local Depression for Side Opening Catch Basin	231.60
Catch Basin Face Angle Detail	232.00
Detail of Bolt Support for Catch Basin	232.50
Detail of Removable Protection Bar for Catch Basin	232.60
Typical Deflector Inlet, For Use with Standard or Modified Catch Basin No. 3	232.80
Catch Basin No. 4	240.00
Catch Basin No. 5, Sweeper Type	250.00
Type 1 Storm Drain Manhole	260.00
Type 2 Storm Drain Manhole	260.10
24-inch Storm Drain Manhole Cover Assembly - Street Type	264.00
24-inch Storm Drain Manhole Cover Assembly - Sidewalk Type	264.10
Standard Outlet Headwall Structure	270.00
Standard Inlet Headwall Structure	271.00
Concrete Flared End	272.00
Private Drainage System Dry Well	280.00

III. Sanitary Sewers

Sanitary Sewer Construction Criteria	300.00
Specifications for Vacuum Testing of Manholes	300.10
Sanitary Sewer Design Criteria	300.20
Polyvinyl Chloride (PVC) Sewer Pipe	300.50
Bedding for Plastic Sewer Pipe	300.80

Typical Sanitary Sewer Lateral	301.00
One-Way Lateral Cleanout	302.00
Sewer Main Termination	350.00
Type 1: 4-Foot Sewer Manhole	360.00
Type 2: 4-Foot Sewer Manhole	360.10
Standard 6-Foot Sewer Manhole	361.00
4-Foot Inside Drop Manhole, Existing Manhole Only	362.00
Manhole Base Detail	363.00
24-Inch Sewer Manhole Cover Assembly - Street Type	364.20
Sewer Manhole Cover Assembly - Bolt Down	364.30
Sewer Manhole Adjustment Details - Unimproved Areas	365.00
Sand and Oil Interceptors (SOI)	380.00
Oil and Grease Interceptors (OGI)	380.10
Sand and Oil and Oil and Grease Interceptor (SOI and OGI)	380.40
Interceptor Monitor Station	380.60
Above Grade Wastewater Monitoring Station	390.00

IV. Water

Water System Materials	400.00
Chlorination - Disinfection	400.40
Water Pressure Test	400.50
Valve Operation	400.60
Water System Hot Taps	400.70
Water Service Connection, Single/Double	401.00
Water Service Connection, 3 or More Services	401.10
Water Service Connection, Meter and Bypass Detail, 3" Services and Larger	401.20
Non-Residential Irrigation Sub-meter	401.30
Thrust Blocks and Anchor Details	403.00
Water Valve Details, Paved and Unpaved Surfaces	404.00
Temporary Connection to New Water Main	405.00
Fire Hydrant Installation	421.00
Fire Services (Typical), Case I	422.01
Fire Services (Typical), Case II	422.02
Fire Services (Non-Typical), Case III	422.03

Fire Services (Non-Typical), 1", 1-1/2", and 2"	422.30
Residential Fire Service	422.31
Reduced Pressure Principle Backflow Assembly, Internal - Alternate Location	422.32
Reduced Pressure Principle Device (RPP), 4" and Larger	431.00
Reduced Pressure Principle Device (RPP), 3/4" through 2"	431.10
Backflow Prevention Assembly - "N" Pattern (3" through 10")	431.20
Backflow Enclosure, Horizontal Assembly (3" and Larger)	432.20
Backflow Device Enclosure, 3/4" through 2"	432.25
Backflow Prevention "N" Pattern-VUVD Assembly Enclosure (3" through 10")	432.30
Air Gap Separation Detail	441.40
Typical Blow-Off Installation	450.00
Combination Air Valve (CAV) Air and Vacuum - Air Release	451.00
Combination Air Valve (CAV) Enclosure Detail	451.10
Bacteriological Sample Station Installation	480.00

V. Electric

Electric Service Information and Criteria (CS103)	500.00 - 500.06
Electric Service Construction Requirements (CS102)	501.00
Temporary Overhead Electric Service (CS2005)	502.00
Permanent Overhead Electric Service Customer-owned Service Pole (CS2006)	503.00 - 503.02
Overhead Single Family Residential Service (CS2007)	504.00
Building Division Bracing Service Masts Standard (CS2009)	505.00
Meter Panels Space Requirements (CS106)	505.50 - 505.51
Temporary Underground Electric Service (CS100)	506.00 - 506.01
Underground Single Family Residential Service (CS101)	507.00 - 507.04
Service Panel Water Intrusion Mitigation (CS120)	507.10 - 507.11
Permanent Commercial Underground Service Distribution Pedestals (CS105)	507.20 - 207.21
Emergency Standby Generators (CS110)	508.00 - 508.01
Residential and Small Commercial Overhead to Underground Electric Service Conversion (CS104)	509.00 - 509.03

600 Volt Secondary and Service Conductors (CS200)	510.00
Connectors for 600V Insulated Cables (CS920)	510.30
Underground Primary Service 12,000 Volts (CS160)	511.00 - 511.07
Indoor Primary Metering Instrument Transformers (CS5070)	511.20 - 511.22
Equipment Clearances (CS010)	512.00 - 512.02
Bollard Placement for Electric Equipment Protection (CS011)	513.00 - 513.01
1 Phase Transformer Pad Installation 25-167 KVA (CS330)	514.00 - 514.01
3 Phase Transformer Pad Installation 45-1500 KVA (CS331)	515.00 - 515.01
Pad and Conduit Arrangements for Pad Mounted Transformers in Open Delta Configuration (CS333)	516.00
Installation of Three-phase Pad-mounted Transformer, Ground Level or Dry Vaults (CS1125)	517.00 - 517.01
200/600 Amp Padmounted Switch Gear Installation (CS430)	518.00 - 518.01
600 Amp Padmount Switchgear Switch Vault Detail (CS0428)	519.20 - 519.23
Pad Mounted Capacitor Bank Installation (CS500)	520.00 - 520.02
Sand Requirement for Backfill in Electric Utility Trenching (CS1008)	520.80
Underground Conduit Without Concrete Encasement (CS1010)	521.00 - 521.06
Minimum Allowable Conduit Deviations (CS1011)	522.00
Secondary Splice Box Installation in Sidewalk (CS1107)	523.00
Non Concrete Electric Pull Boxes 2E, 3E, 4E (CS1109)	524.00 - 524.02
Concrete Electric Pull Boxes 2E, 3E, 4E (CS1110)	525.00 - 525.01
Conduit Placement - Secondary Box 2E, 3E, OR 4E at Property Line (CS1112)	526.00
Sump Pump Details (CS1113)	527.00
Typical Electrical Splice Box And Vault Details (CS1114)	530.00
Primary Splice Box and Electric Vault Grounding Details (CS1115)	531.00
3'-0" x 5'-0" Primary Splice Box (CS1116)	532.00
Frame and Cover Assembly - Full Traffic, 3'-0" x 5'-0" Primary Splice Box (CS1117)	533.00
4'-0" x 6'-6" Primary Electrical Vault (CS1118)	534.00
Frame & Cover Assembly 4' x 6'-6" Primary Electrical Vault (CS1119)	535.00
4'-6" x 8'-6" Primary Electric Vault (CS1120)	536.00
Frame & Cover Assembly - Full Traffic, 4'-6" x 8'-6" and 6'-0" x 12'-0" Electrical Vaults (CS1121)	537.00
6'-0" x 12'-0" Primary Electrical Vault (CS1122)	538.00 - 538.01

Manhole Frame and Cover - Full Traffic, 4'-6" x 8'-6" and 6' x 12'
 Electric Vaults (CS1123) [539.00](#)

Aluminum Quick Release Cover Assembly - Incidental Traffic
 3' x 5' Primary Splice Box (CS1126) [540.00 - 540.01](#)

Aluminum Quick Release Cover Assembly - Incidental Traffic
 4'-6" x 8'-6" Primary Electrical Vault (CS1129) [541.00 - 541.01](#)

200 Amp Padmount Sectionalizing Enclosure Details (CS1132) [542.00 - 542.02](#)

Requirements for Conduits Entering/Exiting Vaults (CS1133) [543.00](#)

Pole Riser Detail (CS1210) [547.00](#)

Earth Retaining Structures Types CMW, CGW, and SRW (CS0020) .. [548.00 - 548.06](#)

Self-contained Meter Requirements (CS5010) [550.00](#)

Meter Requirements When Main Switch Is Located
 in an Equipment Room (CS5075) [551.00](#)

Residential and Commercial Remote Metering Guide (CS5080) [552.00 - 552.02](#)

Aluminum Street Light Standard (CS5110) [554.00 - 554.01](#)

Luminaires / Photocells (CS5111) [555.00 - 555.02](#)

Typical Street Light Standard Base Detail (CS5112) [556.00 - 556.01](#)

Retrofit Decorative Standards and Luminaires (CS5127) [557.00 - 557.02](#)

Decorative Roadway Lighting Standard (CS5128) [560.00 - 560.09](#)

Decorative Street Light Banner Spec (CS5161) [561.00 - 561.06](#)

Wiring Diagram for Decorative Roadway Lighting,
 Options 1, 2, 4, 5, 6, & 7 (CS5157) [574.00](#)

Transformer Rated Meters Diagram of Connections (CS5036) [575.00](#)

Primary Service Requirements 12000 Volts (DS160) [576.00 - 576.02](#)

Overhead 12KV Primary Service Metering Installation (CS2060) [577.00 - 577.06](#)

New Construction Drawings (DS742) [578.00 - 578.02](#)

Street Banner Specifications (CS5420) [579.00](#)

Typical Anchor Bolt Detail (ES2499) [580.00](#)

Grounding of Pole Mounted Equipment (CS2900) [581.00](#)

VI. Miscellaneous

Standard Drafting Symbols [600.00](#)

Density Reference Guidelines	601.00
Locating Wire and Warning Tape for Non-Metallic Pipe	608.00
Trench Bedding	609.00
Trench Backfill	610.00
Trench Resurfacing Details	611.00
Manhole Adjustment Detail	612.00
Joint Utility Trench Details	620.00
Utility Locations	622.00
Utility Service Box Location	623.00
Trench Location for Meandering Sidewalk	624.00
Trench Location for Non-meandering Sidewalk	624.10
Trench Location	624.20
Green Belt Access Details	630.00
Access Control Gate	631.00
Paved Path	635.00
Right-of-Way Fence Detail Pier Foundation	640.00
Postal Pad, NDCBU "Cluster Box," Concrete Pad without J-Bolts	650.00
Pipe Support Across Trenches	660.00
Separation Requirements for Water Mains & Non-Potable Pipelines	661.00
VII. Grading and Landscaping	
Grading Design Standards	700.00
Declaration Regarding Embankments or Unclassified Fills	705.10
Landscape Construction Criteria	760.00
Landscape Irrigation Trenching Detail	761.00
Sprinkler Detail (Type 1)	765.10
Sprinkler Detail (Type 2)	765.20
Sprinkler Detail (Type 3)	765.30
Quick Coupling Valve Detail	768.00
Remote Control Valve (RCV)	768.10
Ball Valve Detail	768.20
Irrigation Control Enclosure	770.00
Irrigation Controller Detail (Type 1)	771.00
Concrete Divider	775.00

Tree Root Barrier Detail	776.00
Planting Detail	780.00
Tree Staking Detail	780.10
Slope Planting Detail	781.00
Sod Planting Detail	782.00

VIII. Stormwater Management

Water Pollution Control Criteria	800.00
Erosion Control Criteria	810.00