



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

February 20, 2017

FOR: Attn: Fuss & O'Neill EnviroScience, LLC
 145 Hartford Road
 Manchester, CT 06040

Sample Information

Matrix: SOIL
 Location Code: F&OENVPCBDAS
 Rush Request: 72 Hour
 P.O.#: 20161049A3E

Custody Information

Collected by: BH
 Received by: SW
 Analyzed by: see "By" below

Date Time
 02/14/17
 02/15/17 14:39

Laboratory Data

SDG ID: GBX63251
 Phoenix ID: BX63251

Project ID: RECLAMATION YARD
 Client ID: 20170214BH-J1-H3

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Percent Solid	90		%		02/15/17	Q	SW846-%Solid
Extraction for PCB	Completed				02/15/17	X/R	SW3540C

PCB (Soxhlet SW3540C)

PCB-1016	ND	0.37	mg/kg	10	02/20/17	AW	SW8082A
PCB-1221	ND	0.37	mg/kg	10	02/20/17	AW	SW8082A
PCB-1232	ND	0.37	mg/kg	10	02/20/17	AW	SW8082A
PCB-1242	ND	0.37	mg/kg	10	02/20/17	AW	SW8082A
PCB-1248	ND	0.37	mg/kg	10	02/20/17	AW	SW8082A
PCB-1254	2.5	0.37	mg/kg	10	02/20/17	AW	SW8082A
PCB-1260	ND	0.37	mg/kg	10	02/20/17	AW	SW8082A
PCB-1262	ND	0.37	mg/kg	10	02/20/17	AW	SW8082A
PCB-1268	ND	0.37	mg/kg	10	02/20/17	AW	SW8082A

QA/QC Surrogates

% DCBP	110		%	10	02/20/17	AW	30 - 150 %
% TCMX	43		%	10	02/20/17	AW	30 - 150 %

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
-----------	--------	------------	-------	----------	-----------	----	-----------


RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level
QA/QC Surrogates: Surrogates are compounds (preceeded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

February 20, 2017

Official Report Release To Follow



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

February 20, 2017

FOR: Attn: Fuss & O'Neill EnviroScience, LLC
 145 Hartford Road
 Manchester, CT 06040

Sample Information

Matrix: SOIL
 Location Code: F&OENVPCBDAS
 Rush Request: 72 Hour
 P.O.#: 20161049A3E

Custody Information

Collected by: BH
 Received by: SW
 Analyzed by: see "By" below

Date Time

02/14/17
 02/15/17 14:39

Laboratory Data

SDG ID: GBX63251
 Phoenix ID: BX63252

Project ID: RECLAMATION YARD
 Client ID: 20170214BH-J1-H2

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
TCLP Lead	0.16	0.10	mg/L	1	02/16/17	LK	SW6010C
TCLP Metals Digestion	Completed				02/16/17	Q/Q	SW3005A
Percent Solid	87		%		02/15/17	Q	SW846-%Solid
Extraction for PCB	Completed				02/15/17	X/R	SW3540C
TCLP Extraction for Metals	Completed				02/15/17	Q	SW1311

PCB (Soxhlet SW3540C)

PCB-1016	ND	1.9	mg/kg	50	02/16/17	AW	SW8082A
PCB-1221	ND	1.9	mg/kg	50	02/16/17	AW	SW8082A
PCB-1232	ND	1.9	mg/kg	50	02/16/17	AW	SW8082A
PCB-1242	ND	1.9	mg/kg	50	02/16/17	AW	SW8082A
PCB-1248	ND	1.9	mg/kg	50	02/16/17	AW	SW8082A
PCB-1254	7.4	1.9	mg/kg	50	02/16/17	AW	SW8082A
PCB-1260	ND	1.9	mg/kg	50	02/16/17	AW	SW8082A
PCB-1262	ND	1.9	mg/kg	50	02/16/17	AW	SW8082A
PCB-1268	ND	1.9	mg/kg	50	02/16/17	AW	SW8082A

QA/QC Surrogates

% DCBP	Diluted Out		%	50	02/16/17	AW	30 - 150 %
% TCMX	Diluted Out		%	50	02/16/17	AW	30 - 150 %

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
-----------	--------	------------	-------	----------	-----------	----	-----------


RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level
QA/QC Surrogates: Surrogates are compounds (preceeded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

February 20, 2017

Official Report Release To Follow



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

February 20, 2017

FOR: Attn: Fuss & O'Neill EnviroScience, LLC
 145 Hartford Road
 Manchester, CT 06040

Sample Information

Matrix: SOIL
 Location Code: F&OENVPCBDAS
 Rush Request: 72 Hour
 P.O.#: 20161049A3E

Custody Information

Collected by: BH
 Received by: SW
 Analyzed by: see "By" below

Date Time

02/14/17
 02/15/17 14:39

Laboratory Data

SDG ID: GBX63251
 Phoenix ID: BX63253

Project ID: RECLAMATION YARD
 Client ID: 20170214BH-J1-H1

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Percent Solid	89		%		02/15/17	Q	SW846-%Solid
Extraction for PCB	Completed				02/15/17	X/R	SW3540C

PCB (Soxhlet SW3540C)

PCB-1016	ND	0.36	mg/kg	10	02/17/17	AW	SW8082A
PCB-1221	ND	0.36	mg/kg	10	02/17/17	AW	SW8082A
PCB-1232	ND	0.36	mg/kg	10	02/17/17	AW	SW8082A
PCB-1242	ND	0.36	mg/kg	10	02/17/17	AW	SW8082A
PCB-1248	ND	0.36	mg/kg	10	02/17/17	AW	SW8082A
PCB-1254	ND	0.36	mg/kg	10	02/17/17	AW	SW8082A
PCB-1260	ND	0.36	mg/kg	10	02/17/17	AW	SW8082A
PCB-1262	ND	0.36	mg/kg	10	02/17/17	AW	SW8082A
PCB-1268	ND	0.36	mg/kg	10	02/17/17	AW	SW8082A

QA/QC Surrogates

% DCBP	68		%	10	02/17/17	AW	30 - 150 %
% TCMX	80		%	10	02/17/17	AW	30 - 150 %


Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
-----------	--------	------------	-------	----------	-----------	----	-----------

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level
QA/QC Surrogates: Surrogates are compounds (preceeded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

February 20, 2017

Official Report Release To Follow



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

February 20, 2017

FOR: Attn: Fuss & O'Neill EnviroScience, LLC
 145 Hartford Road
 Manchester, CT 06040

Sample Information

Matrix: SOIL
 Location Code: F&OENVPCBDAS
 Rush Request: 72 Hour
 P.O.#: 20161049A3E

Custody Information

Collected by: BH
 Received by: SW
 Analyzed by: see "By" below

Date Time

02/14/17
 02/15/17 14:39

Laboratory Data

SDG ID: GBX63251
 Phoenix ID: BX63254

Project ID: RECLAMATION YARD
 Client ID: 20170214BH-E1-H3

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Percent Solid	86		%		02/15/17	Q	SW846-%Solid
Extraction for PCB	Completed				02/15/17	X/R	SW3540C

PCB (Soxhlet SW3540C)

PCB-1016	ND	0.56	mg/kg	10	02/17/17	AW	SW8082A
PCB-1221	ND	0.56	mg/kg	10	02/17/17	AW	SW8082A
PCB-1232	ND	0.56	mg/kg	10	02/17/17	AW	SW8082A
PCB-1242	ND	0.56	mg/kg	10	02/17/17	AW	SW8082A
PCB-1248	*	* 0.56	mg/kg	10	02/17/17	AW	SW8082A
PCB-1254	ND	0.56	mg/kg	10	02/17/17	AW	SW8082A
PCB-1260	4	* 0.56	mg/kg	10	02/17/17	AW	SW8082A
PCB-1262	ND	0.56	mg/kg	10	02/17/17	AW	SW8082A
PCB-1268	ND	0.56	mg/kg	10	02/17/17	AW	SW8082A

QA/QC Surrogates

% DCBP	98		%	10	02/17/17	AW	30 - 150 %
% TCMX	105		%	10	02/17/17	AW	30 - 150 %

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
-----------	--------	------------	-------	----------	-----------	----	-----------

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

QA/QC Surrogates: Surrogates are compounds (preceeded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:


PCB Comment:

* For PCBs, as per section 11.9.3 of SW846 method 8082, when multiple Aroclor's of PCBs are present and the aroclor is no longer recognizable, quantitation may be performed by comparing the total area of the PCB pattern to that of the aroclor it mostly resembles. The PCB pattern did not resemble any of the standards, but most closely resembles a mixture of the Aroclors 1248 and 1260. The PCB is quantitated as a timed group and is reported as the Aroclor 1260.

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

February 20, 2017

Official Report Release To Follow



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

February 20, 2017

FOR: Attn: Fuss & O'Neill EnviroScience, LLC
 145 Hartford Road
 Manchester, CT 06040

Sample Information

Matrix: SOIL
 Location Code: F&OENVPCBDAS
 Rush Request: 72 Hour
 P.O.#: 20161049A3E

Custody Information

Collected by: BH
 Received by: SW
 Analyzed by: see "By" below

Date Time

02/14/17
 02/15/17 14:39

Laboratory Data

SDG ID: GBX63251
 Phoenix ID: BX63255

Project ID: RECLAMATION YARD
 Client ID: 20170214BH-E1-H3-D

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Percent Solid	87		%		02/15/17	Q	SW846-%Solid
Extraction for PCB	Completed				02/15/17	X/R	SW3540C

PCB (Soxhlet SW3540C)

PCB-1016	ND	0.37	mg/kg	10	02/17/17	AW	SW8082A
PCB-1221	ND	0.37	mg/kg	10	02/17/17	AW	SW8082A
PCB-1232	ND	0.37	mg/kg	10	02/17/17	AW	SW8082A
PCB-1242	ND	0.37	mg/kg	10	02/17/17	AW	SW8082A
PCB-1248	*	* 0.37	mg/kg	10	02/17/17	AW	SW8082A
PCB-1254	ND	0.37	mg/kg	10	02/17/17	AW	SW8082A
PCB-1260	1.7	* 0.37	mg/kg	10	02/17/17	AW	SW8082A
PCB-1262	ND	0.37	mg/kg	10	02/17/17	AW	SW8082A
PCB-1268	ND	0.37	mg/kg	10	02/17/17	AW	SW8082A

QA/QC Surrogates

% DCBP	102		%	10	02/17/17	AW	30 - 150 %
% TCMX	103		%	10	02/17/17	AW	30 - 150 %

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
-----------	--------	------------	-------	----------	-----------	----	-----------

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

QA/QC Surrogates: Surrogates are compounds (preceeded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:


PCB Comment:

* For PCBs, as per section 11.9.3 of SW846 method 8082, when multiple Aroclor's of PCBs are present and the aroclor is no longer recognizable, quantitation may be performed by comparing the total area of the PCB pattern to that of the aroclor it mostly resembles. The PCB pattern did not resemble any of the standards, but most closely resembles a mixture of the Aroclors 1248 and 1260. The PCB is quantitated as a timed group and is reported as the Aroclor 1260.

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

February 20, 2017

Official Report Release To Follow



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

February 20, 2017

FOR: Attn: Fuss & O'Neill EnviroScience, LLC
 145 Hartford Road
 Manchester, CT 06040

Sample Information

Matrix: SOIL
 Location Code: F&OENVPCBDAS
 Rush Request: 72 Hour
 P.O.#: 20161049A3E

Custody Information

Collected by: BH
 Received by: SW
 Analyzed by: see "By" below

Date: 02/14/17
 Time: 14:39

Laboratory Data

SDG ID: GBX63251
 Phoenix ID: BX63256

Project ID: RECLAMATION YARD
 Client ID: 20170214BH-E1-H2

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
TCLP Lead	0.32	0.10	mg/L	1	02/17/17	LK	SW6010C
TCLP Metals Digestion	Completed				02/16/17	Q/Q	SW3005A
Percent Solid	86		%		02/15/17	Q	SW846-%Solid
Extraction for PCB	Completed				02/15/17	X/R	SW3540C
TCLP Extraction for Metals	Completed				02/15/17	Q	SW1311

PCB (Soxhlet SW3540C)

PCB-1016	ND	0.38	mg/kg	10	02/17/17	AW	SW8082A
PCB-1221	ND	0.38	mg/kg	10	02/17/17	AW	SW8082A
PCB-1232	ND	0.38	mg/kg	10	02/17/17	AW	SW8082A
PCB-1242	ND	0.38	mg/kg	10	02/17/17	AW	SW8082A
PCB-1248	*	* 0.38	mg/kg	10	02/17/17	AW	SW8082A
PCB-1254	ND	0.38	mg/kg	10	02/17/17	AW	SW8082A
PCB-1260	0.81	* 0.38	mg/kg	10	02/17/17	AW	SW8082A
PCB-1262	ND	0.38	mg/kg	10	02/17/17	AW	SW8082A
PCB-1268	ND	0.38	mg/kg	10	02/17/17	AW	SW8082A

QA/QC Surrogates

% DCBP	81		%	10	02/17/17	AW	30 - 150 %
% TCMX	81		%	10	02/17/17	AW	30 - 150 %

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
-----------	--------	------------	-------	----------	-----------	----	-----------

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

QA/QC Surrogates: Surrogates are compounds (preceeded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:


PCB Comment:

* For PCBs, as per section 11.9.3 of SW846 method 8082, when multiple Aroclor's of PCBs are present and the aroclor is no longer recognizable, quantitation may be performed by comparing the total area of the PCB pattern to that of the aroclor it mostly resembles. The PCB pattern did not resemble any of the standards, but most closely resembles a mixture of the Aroclors 1248 and 1260. The PCB is quantitated as a timed group and is reported as the Aroclor 1260.

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

February 20, 2017

Official Report Release To Follow



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

February 20, 2017

FOR: Attn: Fuss & O'Neill EnviroScience, LLC
 145 Hartford Road
 Manchester, CT 06040

Sample Information

Matrix: SOIL
 Location Code: F&OENVPCBDAS
 Rush Request: 72 Hour
 P.O.#: 20161049A3E

Custody Information

Collected by: BH
 Received by: SW
 Analyzed by: see "By" below

Date Time

02/14/17
 02/15/17 14:39

Laboratory Data

SDG ID: GBX63251
 Phoenix ID: BX63257

Project ID: RECLAMATION YARD
 Client ID: 20170214BH-E1-H1

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Percent Solid	87		%		02/15/17	Q	SW846-%Solid
Extraction for PCB	Completed				02/15/17	X/R	SW3540C

PCB (Soxhlet SW3540C)

PCB-1016	ND	0.38	mg/kg	10	02/17/17	AW	SW8082A
PCB-1221	ND	0.38	mg/kg	10	02/17/17	AW	SW8082A
PCB-1232	ND	0.38	mg/kg	10	02/17/17	AW	SW8082A
PCB-1242	ND	0.38	mg/kg	10	02/17/17	AW	SW8082A
PCB-1248	*	* 0.38	mg/kg	10	02/17/17	AW	SW8082A
PCB-1254	ND	0.38	mg/kg	10	02/17/17	AW	SW8082A
PCB-1260	2.6	* 0.38	mg/kg	10	02/17/17	AW	SW8082A
PCB-1262	ND	0.38	mg/kg	10	02/17/17	AW	SW8082A
PCB-1268	ND	0.38	mg/kg	10	02/17/17	AW	SW8082A

QA/QC Surrogates

% DCBP	105		%	10	02/17/17	AW	30 - 150 %
% TCMX	106		%	10	02/17/17	AW	30 - 150 %

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
-----------	--------	------------	-------	----------	-----------	----	-----------

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level
QA/QC Surrogates: Surrogates are compounds (preceeded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.


Comments:

PCB Comment:

* For PCBs, as per section 11.9.3 of SW846 method 8082, when multiple Aroclor's of PCBs are present and the aroclor is no longer recognizable, quantitation may be performed by comparing the total area of the PCB pattern to that of the aroclor it mostly resembles. The PCB pattern did not resemble any of the standards, but most closely resembles a mixture of the Aroclors 1248 and 1260. The PCB is quantitated as a timed group and is reported as the Aroclor 1260.

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

February 20, 2017

Official Report Release To Follow



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

February 20, 2017

FOR: Attn: Fuss & O'Neill EnviroScience, LLC
 145 Hartford Road
 Manchester, CT 06040

Sample Information

Matrix: SOIL
 Location Code: F&OENVPCBDAS
 Rush Request: 72 Hour
 P.O.#: 20161049A3E

Custody Information

Collected by: BH
 Received by: SW
 Analyzed by: see "By" below

Date

02/14/17
 02/15/17

Time

14:39

Laboratory Data

SDG ID: GBX63251
 Phoenix ID: BX63258

Project ID: RECLAMATION YARD
 Client ID: 20170214BH-K1

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
TCLP Lead	< 0.10	0.10	mg/L	1	02/17/17	LK	SW6010C
TCLP Metals Digestion	Completed				02/16/17	Q/Q	SW3005A
Percent Solid	88		%		02/15/17	Q	SW846-%Solid
Extraction for PCB	Completed				02/15/17	X/R	SW3540C
TCLP Extraction for Metals	Completed				02/15/17	Q	SW1311

PCB (Soxhlet SW3540C)

PCB-1016	ND	0.38	mg/kg	10	02/16/17	AW	SW8082A
PCB-1221	ND	0.38	mg/kg	10	02/16/17	AW	SW8082A
PCB-1232	ND	0.38	mg/kg	10	02/16/17	AW	SW8082A
PCB-1242	ND	0.38	mg/kg	10	02/16/17	AW	SW8082A
PCB-1248	ND	0.38	mg/kg	10	02/16/17	AW	SW8082A
PCB-1254	ND	0.38	mg/kg	10	02/16/17	AW	SW8082A
PCB-1260	ND	0.38	mg/kg	10	02/16/17	AW	SW8082A
PCB-1262	ND	0.38	mg/kg	10	02/16/17	AW	SW8082A
PCB-1268	ND	0.38	mg/kg	10	02/16/17	AW	SW8082A

QA/QC Surrogates

% DCBP	96		%	10	02/16/17	AW	30 - 150 %
% TCMX	103		%	10	02/16/17	AW	30 - 150 %


Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
-----------	--------	------------	-------	----------	-----------	----	-----------

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level
QA/QC Surrogates: Surrogates are compounds (preceeded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

February 20, 2017

Official Report Release To Follow



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

February 20, 2017

FOR: Attn: Fuss & O'Neill EnviroScience, LLC
 145 Hartford Road
 Manchester, CT 06040

Sample Information

Matrix: SOIL
 Location Code: F&OENVPCBDAS
 Rush Request: 72 Hour
 P.O.#: 20161049A3E

Custody Information

Collected by: BH
 Received by: SW
 Analyzed by: see "By" below

Date: 02/14/17
 Time: 14:39

Laboratory Data

SDG ID: GBX63251
 Phoenix ID: BX63259

Project ID: RECLAMATION YARD
 Client ID: 20170214BH-K2

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
TCLP Lead	< 0.10	0.10	mg/L	1	02/17/17	LK	SW6010C
TCLP Metals Digestion	Completed				02/16/17	Q/Q	SW3005A
Percent Solid	90		%		02/15/17	Q	SW846-%Solid
Extraction for PCB	Completed				02/17/17	BX/IR	SW3540C
TCLP Extraction for Metals	Completed				02/15/17	Q	SW1311

PCB (Soxhlet SW3540C)

PCB-1016	ND	0.37	mg/kg	10	02/20/17	AW	SW8082A
PCB-1221	ND	0.37	mg/kg	10	02/20/17	AW	SW8082A
PCB-1232	ND	0.37	mg/kg	10	02/20/17	AW	SW8082A
PCB-1242	ND	0.37	mg/kg	10	02/20/17	AW	SW8082A
PCB-1248	ND	0.37	mg/kg	10	02/20/17	AW	SW8082A
PCB-1254	ND	0.37	mg/kg	10	02/20/17	AW	SW8082A
PCB-1260	ND	0.37	mg/kg	10	02/20/17	AW	SW8082A
PCB-1262	ND	0.37	mg/kg	10	02/20/17	AW	SW8082A
PCB-1268	ND	0.37	mg/kg	10	02/20/17	AW	SW8082A

QA/QC Surrogates

% DCBP	107		%	10	02/20/17	AW	30 - 150 %
% TCMX	104		%	10	02/20/17	AW	30 - 150 %

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
-----------	--------	------------	-------	----------	-----------	----	-----------


RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level
QA/QC Surrogates: Surrogates are compounds (preceeded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

February 20, 2017

Official Report Release To Follow



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

February 20, 2017

FOR: Attn: Fuss & O'Neill EnviroScience, LLC
 145 Hartford Road
 Manchester, CT 06040

Sample Information

Matrix: SOIL
 Location Code: F&OENVPCBDAS
 Rush Request: 72 Hour
 P.O.#: 20161049A3E

Custody Information

Collected by: BH
 Received by: SW
 Analyzed by: see "By" below

Date Time

02/14/17
 02/15/17 14:39

Laboratory Data

SDG ID: GBX63251
 Phoenix ID: BX63260

Project ID: RECLAMATION YARD
 Client ID: 20170214BH-K3

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
TCLP Lead	< 0.10	0.10	mg/L	1	02/17/17	LK	SW6010C
TCLP Metals Digestion	Completed				02/16/17	Q/Q	SW3005A
Percent Solid	82		%		02/15/17	Q	SW846-%Solid
Extraction for PCB	Completed				02/15/17	X/R	SW3540C
TCLP Extraction for Metals	Completed				02/15/17	Q	SW1311

PCB (Soxhlet SW3540C)

PCB-1016	ND	0.4	mg/kg	0	02/16/17	AW	SW8082A
PCB-1221	ND	0.4	mg/kg	0	02/16/17	AW	SW8082A
PCB-1232	ND	0.4	mg/kg	0	02/16/17	AW	SW8082A
PCB-1242	ND	0.4	mg/kg	0	02/16/17	AW	SW8082A
PCB-1248	ND	0.4	mg/kg	0	02/16/17	AW	SW8082A
PCB-1254	ND	0.4	mg/kg	0	02/16/17	AW	SW8082A
PCB-1260	ND	0.4	mg/kg	0	02/16/17	AW	SW8082A
PCB-1262	ND	0.4	mg/kg	0	02/16/17	AW	SW8082A
PCB-1268	ND	0.4	mg/kg	0	02/16/17	AW	SW8082A

QA/QC Surrogates

% DCBP	105		%	0	02/16/17	AW	30 - 150 %
% TCMX	113		%	0	02/16/17	AW	30 - 150 %

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
-----------	--------	------------	-------	----------	-----------	----	-----------


RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level
QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

February 20, 2017

Official Report Release To Follow

Monday, February 20, 2017

Criteria: None

State: CT

Sample Criteria Exceedances Report

GBX63251 - FOENVPCBDAS

Page 1 of 1

SampNo	Acode	Phoenix Analyte	Criteria	Result	RL	Criteria	RL Criteria	Analysis Units
--------	-------	-----------------	----------	--------	----	----------	----------------	-------------------

*** No Data to Display ***

Phoenix Laboratories does not assume responsibility for the data contained in this report. It is provided as an additional tool to identify requested criteria exceedances. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedance information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.



FUSS & O'NEILL
 (860) 646-5400 • www.fussandoneill.com

L 44 Flatland Road, Meriden, CT 06046
 L 36 Quarry Road, Thomblol, CT 06611
 L 419 Richland Street, Columbia, SC 29201

L 48 Interstate Drive, West Springfield, MA 01081
 L 37 Iron Horse Way, Suite 204, Passaic, NJ 07055
 L 60 Warrington Street, Suite 301, Rutherford, NJ 07070

Lucid

CHAIN-OF-CUSTODY RECORD 36590

PROJECT NAME

Declamation Yard

PROJECT LOCATION

Richard White Way, Fairfield, CT

PROJECT NUMBER

20161049 ABE

LABORATORY

Phoenix

REPORT TO: *M. Marques / R. Beutfield*

Analysis

Request

INVOICE TO: *S. Owens*

P.O. No.: *20161049 ABE (*DAS RATES)*

Sampler's Signature: *S. Hobbin* Date: *2-14-17*

Source Codes:

MW=Monitoring Well T=Treatment Facility B=Bottom
 SW=Surface Water ST=Stormwater W=Waste A=Air
 S=Soil V=Volatiles

V=Other

Item No.	Transfer Check	Sample Number	Source Code	Date Sampled	Time Sampled
1	✓	J1 - H3	S	2-14-17	
2	✓	J1 - H2			
3	✓	J1 - H1			
4	✓	E1 - H3			
5	✓	E1 - H3-D			
6	✓	E1 - H2			
7	✓	E1 - H1			
8	✓	K1			
9	✓	K2			
10	✓	K3			

Transfer Number	Requisitioned By	Accepted By	Date	Time	Comments
1	<i>S. Hobbin</i>	<i>F. J. Owens</i>	2-14-17	1700	
2	<i>S. Owens</i>	<i>M. Marques</i>	2-15-17	1100	
3	<i>S. Owens</i>	<i>R. Beutfield</i>	2-15-17	1100	
4	<i>S. Owens</i>	<i>S. Owens</i>	2-15-17	1100	

Chain of Custody: CT Test Receipt UQA/QP Other
 Duplicate Blanks Jars/Nox

Reporting and Detection Limit Request: MCP Detectable MCP GMA Cart

2:15 PM

Additional Comments

20161049 ABE

Item No.	Transfer Check	Sample Number	Source Code	Date Sampled	Time Sampled	Comments
1	✓	J1 - H3	S	2-14-17		0-4 ft
2	✓	J1 - H2				4-7 ft
3	✓	J1 - H1				7-10 ft
4	✓	E1 - H3				0-4 ft
5	✓	E1 - H3-D				0-4 ft
6	✓	E1 - H2				4-7 ft
7	✓	E1 - H1				7-10 ft
8	✓	K1				
9	✓	K2				
10	✓	K3				

20161049 ABE
20161049 ABE
20161049 ABE