



OSPREY ENVIRONMENTAL ENGINEERING, LLC.

146 EAST MAIN STREET . CLINTON, CT 06413

PHONE: 860.669.8651

Mr. Scott Bartlett, Superintendent, Director of Public Works Operations
Fairfield Department of Public Works
725 Old Post Road
Fairfield, CT 06824

30 April 2018

Re: Soils Sampling, Grids A1-F1, L1, M1, Topsoil
Aggregate Recycling Yard Berm Project, Fairfield, CT
Collection date: 25 & 27 April 2018

Per your request, samples of soils from the above delineated site grids were collected to determine concentrations of constituents of concern (COCs) related to available environmental and health & safety standards and guidelines. Samples were composited from each grid and from the topsoil stockpile and were collected in new glassware supplied by the laboratory and stored in compliance with standard sample preservation procedures. The composite samples were submitted to Complete Environmental Testing, Inc., a Connecticut Certified Laboratory. Samples were compared to the DEEP Remediation Standards Regulations (RSRs) Direct Exposure Criteria (DEC) for environmental consideration. Samples were analyzed for PCBs, ETPH, arsenic, and lead. The following is a comparison of the results of the analyses to their respective evaluation criteria.

Sample Summary Table

| COMPOUND | ETPH | Arsenic | Lead | PCBs |
|---|-------------|---------|----------|---------|
| (Residential/Industrial & Commercial) mg/kg | 500/2500 | 10/10 | 400/1000 | 1/10 |
| Grid A1 | <i>3900</i> | ND<1.1 | 7 | ND<0.11 |
| Grid B1 | <i>1700</i> | 3.1 | 25 | ND<0.11 |
| Grid B1 | <i>4100</i> | 2.2 | 55 | ND<0.11 |
| Grid D1 | <i>1500</i> | 6.3 | 18 | ND<0.11 |
| Grid E1 | <i>870</i> | 1.5 | 23 | ND<0.11 |
| Grid F1 | <i>900</i> | 2.6 | 29 | 0.29 |
| Grid L1 | <i>1300</i> | 2.2 | 25 | ND<0.11 |
| Grid M1 | <i>940</i> | 2.0 | 53 | ND<0.11 |
| Topsoil stockpile | <i>280</i> | 4.0 | 38 | ND<0.11 |

Green is above the Residential DEC *Blue* is above the Residential & Industrial/Commercial DEC

The samples all had ETPH above the Residential DEC most likely due to the presence of asphalt fragments. Some samples had ETPH above the Industrial/Commercial DEC as well, which was expected as they had higher concentrations of asphalt. PCBs, arsenic and lead were all below the Residential and the Industrial/Commercial DEC.

Should you have any questions regarding the above, please contact me.

Sincerely,

Osprey Environmental Engineering, LLC.

Robert Grabarek, P.E., L.S., LEP
President

Client: Mr. Robert Grabarek
Osprey Enviromental
146 East Main St
Clinton, CT 06413

Analytical Report

CET# 8040951



Report Date: April 30, 2018
Project: Fairfield

Connecticut Laboratory Certificate: PH 0116
Massachusetts laboratory Certificate: M-CT903



New York NELAP Accreditation: 11982
Rhode Island Certification: 199

CET # : 8040951

Project: Fairfield

SAMPLE SUMMARY

The sample(s) were received at 14.6°C.

This report contains analytical data associated with following samples only.

| Sample ID | Laboratory ID | Matrix | Collection Date/Time | Receipt Date |
|-----------|---------------|--------|----------------------|--------------|
| F-1 | 8040951-01 | Soil | 4/27/2018 10:55 | 04/27/2018 |
| E-1 | 8040951-02 | Soil | 4/27/2018 11:00 | 04/27/2018 |
| D-1 | 8040951-03 | Soil | 4/27/2018 11:05 | 04/27/2018 |
| B-1 | 8040951-04 | Soil | 4/27/2018 11:10 | 04/27/2018 |
| Top Soil | 8040951-05 | Soil | 4/27/2018 11:20 | 04/27/2018 |

CET #: 8040951

Project: Fairfield

Analyte: Percent Solids [SM 2540 G]

Analyst: PJB

Matrix: Soil

| Laboratory ID | Client Sample ID | Result | RL | Units | Dilution | Batch | Prepared | Date/Time Analyzed | Notes |
|---------------|------------------|--------|-----|-------|----------|---------|------------|--------------------|-------|
| 8040951-01 | F-1 | 88 | 1.0 | % | 1 | B8D2741 | 04/27/2018 | 04/27/2018 16:00 | |
| 8040951-02 | E-1 | 87 | 1.0 | % | 1 | B8D2741 | 04/27/2018 | 04/27/2018 16:00 | |
| 8040951-03 | D-1 | 89 | 1.0 | % | 1 | B8D2741 | 04/27/2018 | 04/27/2018 16:00 | |
| 8040951-04 | B-1 | 89 | 1.0 | % | 1 | B8D2741 | 04/27/2018 | 04/27/2018 16:00 | |
| 8040951-05 | Top Soil | 85 | 1.0 | % | 1 | B8D2741 | 04/27/2018 | 04/27/2018 16:00 | |

Analyte: Total Lead [EPA 6010C]

Analyst: SS

Prep: EPA 3051A

Matrix: Soil

| Laboratory ID | Client Sample ID | Result | RL | Units | Dilution | Batch | Prepared | Date/Time Analyzed | Notes |
|---------------|------------------|--------|-----|-----------|----------|---------|------------|--------------------|-------|
| 8040951-01 | F-1 | 29 | 2.1 | mg/kg dry | 1 | B8D2740 | 04/27/2018 | 04/27/2018 23:06 | |
| 8040951-02 | E-1 | 23 | 2.2 | mg/kg dry | 1 | B8D2740 | 04/27/2018 | 04/27/2018 23:11 | |
| 8040951-03 | D-1 | 18 | 2.2 | mg/kg dry | 1 | B8D3039 | 04/30/2018 | 04/30/2018 15:26 | |
| 8040951-04 | B-1 | 55 | 2.2 | mg/kg dry | 1 | B8D3039 | 04/30/2018 | 04/30/2018 15:30 | |
| 8040951-05 | Top Soil | 38 | 2.2 | mg/kg dry | 1 | B8D3039 | 04/30/2018 | 04/30/2018 15:35 | |

Analyte: Total Arsenic [EPA 6010C]

Analyst: SS

Prep: EPA 3051A

Matrix: Soil

| Laboratory ID | Client Sample ID | Result | RL | Units | Dilution | Batch | Prepared | Date/Time Analyzed | Notes |
|---------------|------------------|--------|-----|-----------|----------|---------|------------|--------------------|-------|
| 8040951-01 | F-1 | 2.6 | 1.1 | mg/kg dry | 1 | B8D2740 | 04/27/2018 | 04/27/2018 23:06 | |
| 8040951-02 | E-1 | 1.5 | 1.1 | mg/kg dry | 1 | B8D2740 | 04/27/2018 | 04/27/2018 23:11 | |
| 8040951-03 | D-1 | 6.3 | 1.1 | mg/kg dry | 1 | B8D3039 | 04/30/2018 | 04/30/2018 15:26 | |
| 8040951-04 | B-1 | 2.2 | 1.1 | mg/kg dry | 1 | B8D3039 | 04/30/2018 | 04/30/2018 15:30 | |
| 8040951-05 | Top Soil | 4.0 | 1.1 | mg/kg dry | 1 | B8D3039 | 04/30/2018 | 04/30/2018 15:35 | |

CET #: 8040951

Project: Fairfield

Client Sample ID F-1

Lab ID: 8040951-01

Conn. Extractable TPH

Analyst: MJH

Method: CT-ETPH

Matrix: Soil

| Analyte | Result (mg/kg dry) | RL (mg/kg dry) | Dilution | Prep Method | Batch | Prepared | Date/Time Analyzed | Notes |
|------------------------------|-----------------------|-------------------|----------|-------------|---------|------------|-------------------------|-------|
| ETPH | 900 | 57 | 1 | EPA 3550C | B8D2812 | 04/28/2018 | 04/30/2018 03:31 | R |
| <i>Surrogate: Octacosane</i> | <i>101 %</i> | <i>50 - 150</i> | | | B8D2812 | 04/28/2018 | <i>04/30/2018 03:31</i> | |
| R C18-C36 unknown | | | | | | | | |

PCBs by ASE

Analyst: MPC

Method: EPA 8082A

Matrix: Soil

| Analyte | Result (mg/kg dry) | RL (mg/kg dry) | Dilution | Prep Method | Batch | Prepared | Date/Time Analyzed | Notes |
|-----------------------------|-----------------------|-------------------|----------|-------------|---------|------------|-------------------------|-------|
| PCB-1016 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 15:43 | |
| PCB-1221 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 15:43 | |
| PCB-1232 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 15:43 | |
| PCB-1242 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 15:43 | |
| PCB-1248 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 15:43 | |
| PCB-1254 | 0.29 | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 15:43 | |
| PCB-1260 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 15:43 | |
| PCB-1268 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 15:43 | |
| PCB-1262 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 15:43 | |
| <i>Surrogate: TCMX [1C]</i> | <i>120 %</i> | <i>30 - 150</i> | | | B8D2738 | 04/27/2018 | <i>04/27/2018 15:43</i> | |
| <i>Surrogate: TCMX [2C]</i> | <i>132 %</i> | <i>30 - 150</i> | | | B8D2738 | 04/27/2018 | <i>04/27/2018 15:43</i> | |
| <i>Surrogate: DCB [1C]</i> | <i>119 %</i> | <i>30 - 150</i> | | | B8D2738 | 04/27/2018 | <i>04/27/2018 15:43</i> | |
| <i>Surrogate: DCB [2C]</i> | <i>117 %</i> | <i>30 - 150</i> | | | B8D2738 | 04/27/2018 | <i>04/27/2018 15:43</i> | |

CET #: 8040951

Project: Fairfield

Client Sample ID E-1

Lab ID: 8040951-02

Conn. Extractable TPH

Analyst: MJH

Method: CT-ETPH

Matrix: Soil

| Analyte | Result (mg/kg dry) | RL (mg/kg dry) | Dilution | Prep Method | Batch | Prepared | Date/Time Analyzed | Notes |
|------------------------------|-----------------------|-------------------|----------|-------------|---------|------------|-------------------------|-------|
| ETPH | 870 | 57 | 1 | EPA 3550C | B8D2812 | 04/28/2018 | 04/30/2018 03:54 | R |
| <i>Surrogate: Octacosane</i> | <i>105 %</i> | <i>50 - 150</i> | | | B8D2812 | 04/28/2018 | <i>04/30/2018 03:54</i> | |
| R C18-C36 unknown | | | | | | | | |

PCBs by ASE

Analyst: MPC

Method: EPA 8082A

Matrix: Soil

| Analyte | Result (mg/kg dry) | RL (mg/kg dry) | Dilution | Prep Method | Batch | Prepared | Date/Time Analyzed | Notes |
|-----------------------------|-----------------------|-------------------|----------|-------------|---------|------------|-------------------------|-------|
| PCB-1016 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:01 | |
| PCB-1221 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:01 | |
| PCB-1232 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:01 | |
| PCB-1242 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:01 | |
| PCB-1248 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:01 | |
| PCB-1254 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:01 | |
| PCB-1260 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:01 | |
| PCB-1268 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:01 | |
| PCB-1262 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:01 | |
| <i>Surrogate: TCMX [1C]</i> | <i>99.0 %</i> | <i>30 - 150</i> | | | B8D2738 | 04/27/2018 | <i>04/27/2018 16:01</i> | |
| <i>Surrogate: TCMX [2C]</i> | <i>111 %</i> | <i>30 - 150</i> | | | B8D2738 | 04/27/2018 | <i>04/27/2018 16:01</i> | |
| <i>Surrogate: DCB [1C]</i> | <i>99.7 %</i> | <i>30 - 150</i> | | | B8D2738 | 04/27/2018 | <i>04/27/2018 16:01</i> | |
| <i>Surrogate: DCB [2C]</i> | <i>95.2 %</i> | <i>30 - 150</i> | | | B8D2738 | 04/27/2018 | <i>04/27/2018 16:01</i> | |

CET #: 8040951

Project: Fairfield

Client Sample ID D-1

Lab ID: 8040951-03

Conn. Extractable TPH

Analyst: MJH

Method: CT-ETPH

Matrix: Soil

| Analyte | Result (mg/kg dry) | RL (mg/kg dry) | Dilution | Prep Method | Batch | Prepared | Date/Time Analyzed | Notes |
|------------------------------|-----------------------|-------------------|----------|-------------|---------|------------|-----------------------|-------|
| ETPH | 1500 | 56 | 1 | EPA 3550C | B8D2812 | 04/28/2018 | 04/30/2018 04:16 | R |
| <i>Surrogate: Octacosane</i> | 75.9 % | 50 - 150 | | | B8D2812 | 04/28/2018 | 04/30/2018 04:16 | |
| R C18-C36 unknown | | | | | | | | |

PCBs by ASE

Analyst: MPC

Method: EPA 8082A

Matrix: Soil

| Analyte | Result (mg/kg dry) | RL (mg/kg dry) | Dilution | Prep Method | Batch | Prepared | Date/Time Analyzed | Notes |
|-----------------------------|-----------------------|-------------------|----------|-------------|---------|------------|-----------------------|-------|
| PCB-1016 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:20 | |
| PCB-1221 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:20 | |
| PCB-1232 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:20 | |
| PCB-1242 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:20 | |
| PCB-1248 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:20 | |
| PCB-1254 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:20 | |
| PCB-1260 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:20 | |
| PCB-1268 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:20 | |
| PCB-1262 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:20 | |
| <i>Surrogate: TCMX [1C]</i> | 110 % | 30 - 150 | | | B8D2738 | 04/27/2018 | 04/27/2018 16:20 | |
| <i>Surrogate: TCMX [2C]</i> | 124 % | 30 - 150 | | | B8D2738 | 04/27/2018 | 04/27/2018 16:20 | |
| <i>Surrogate: DCB [1C]</i> | 102 % | 30 - 150 | | | B8D2738 | 04/27/2018 | 04/27/2018 16:20 | |
| <i>Surrogate: DCB [2C]</i> | 106 % | 30 - 150 | | | B8D2738 | 04/27/2018 | 04/27/2018 16:20 | |

CET #: 8040951

Project: Fairfield

Client Sample ID B-1

Lab ID: 8040951-04

Conn. Extractable TPH

Analyst: MJH

Method: CT-ETPH

Matrix: Soil

| Analyte | Result (mg/kg dry) | RL (mg/kg dry) | Dilution | Prep Method | Batch | Prepared | Date/Time Analyzed | Notes |
|------------------------------|----------------------------|-------------------|----------|-------------|---------|------------|-------------------------|-------|
| ETPH | 4100 | 56 | 1 | EPA 3550C | B8D2816 | 04/28/2018 | 04/30/2018 13:23 | 1 |
| <i>Surrogate: Octacosane</i> | <i>120 %</i> | <i>50 - 150</i> | | | B8D2816 | 04/28/2018 | <i>04/30/2018 13:23</i> | |
| 1 | C18-C36 may be PNA Related | | | | | | | |

PCBs by ASE

Analyst: MPC

Method: EPA 8082A

Matrix: Soil

| Analyte | Result (mg/kg dry) | RL (mg/kg dry) | Dilution | Prep Method | Batch | Prepared | Date/Time Analyzed | Notes |
|-----------------------------|-----------------------|-------------------|----------|-------------|---------|------------|-------------------------|-------|
| PCB-1016 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:38 | |
| PCB-1221 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:38 | |
| PCB-1232 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:38 | |
| PCB-1242 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:38 | |
| PCB-1248 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:38 | |
| PCB-1254 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:38 | |
| PCB-1260 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:38 | |
| PCB-1268 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:38 | |
| PCB-1262 | ND | 0.11 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:38 | |
| <i>Surrogate: TCMX [1C]</i> | <i>148 %</i> | <i>30 - 150</i> | | | B8D2738 | 04/27/2018 | <i>04/27/2018 16:38</i> | |
| <i>Surrogate: TCMX [2C]</i> | <i>147 %</i> | <i>30 - 150</i> | | | B8D2738 | 04/27/2018 | <i>04/27/2018 16:38</i> | |
| <i>Surrogate: DCB [1C]</i> | <i>150 %</i> | <i>30 - 150</i> | | | B8D2738 | 04/27/2018 | <i>04/27/2018 16:38</i> | |
| <i>Surrogate: DCB [2C]</i> | <i>149 %</i> | <i>30 - 150</i> | | | B8D2738 | 04/27/2018 | <i>04/27/2018 16:38</i> | |

CET #: 8040951

Project: Fairfield

Client Sample ID Top Soil

Lab ID: 8040951-05

Conn. Extractable TPH

Analyst: MJH

Method: CT-ETPH

Matrix: Soil

| Analyte | Result (mg/kg dry) | RL (mg/kg dry) | Dilution | Prep Method | Batch | Prepared | Date/Time Analyzed | Notes |
|------------------------------|-----------------------|-------------------|----------|-------------|---------|------------|-------------------------|-------|
| ETPH | 280 | 59 | 1 | EPA 3550C | B8D2816 | 04/28/2018 | 04/28/2018 15:56 | R |
| <i>Surrogate: Octacosane</i> | <i>102 %</i> | <i>50 - 150</i> | | | B8D2816 | 04/28/2018 | <i>04/28/2018 15:56</i> | |
| R C18-C36 unknown | | | | | | | | |

PCBs by ASE

Analyst: MPC

Method: EPA 8082A

Matrix: Soil

| Analyte | Result (mg/kg dry) | RL (mg/kg dry) | Dilution | Prep Method | Batch | Prepared | Date/Time Analyzed | Notes |
|-----------------------------|-----------------------|-------------------|----------|-------------|---------|------------|-------------------------|-------|
| PCB-1016 | ND | 0.12 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:56 | |
| PCB-1221 | ND | 0.12 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:56 | |
| PCB-1232 | ND | 0.12 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:56 | |
| PCB-1242 | ND | 0.12 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:56 | |
| PCB-1248 | ND | 0.12 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:56 | |
| PCB-1254 | ND | 0.12 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:56 | |
| PCB-1260 | ND | 0.12 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:56 | |
| PCB-1268 | ND | 0.12 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:56 | |
| PCB-1262 | ND | 0.12 | 1 | EPA 3545A | B8D2738 | 04/27/2018 | 04/27/2018 16:56 | |
| <i>Surrogate: TCMX [1C]</i> | <i>94.0 %</i> | <i>30 - 150</i> | | | B8D2738 | 04/27/2018 | <i>04/27/2018 16:56</i> | |
| <i>Surrogate: TCMX [2C]</i> | <i>105 %</i> | <i>30 - 150</i> | | | B8D2738 | 04/27/2018 | <i>04/27/2018 16:56</i> | |
| <i>Surrogate: DCB [1C]</i> | <i>103 %</i> | <i>30 - 150</i> | | | B8D2738 | 04/27/2018 | <i>04/27/2018 16:56</i> | |
| <i>Surrogate: DCB [2C]</i> | <i>98.9 %</i> | <i>30 - 150</i> | | | B8D2738 | 04/27/2018 | <i>04/27/2018 16:56</i> | |

All questions related to this report should be directed to David Ditta, Timothy Fusco, or Robert Blake at 203-377-9984.

Sincerely,

This technical report was reviewed by Timothy Fusco



David Ditta
Laboratory Director



Project Manager

Report Comments:

Sample Result Flags:

- E- The result is estimated, above the calibration range.
- H- The surrogate recovery is above the control limits.
- L- The surrogate recovery is below the control limits.
- B- The compound was detected in the laboratory blank.
- P- The Relative Percent Difference (RPD) of dual column analyses exceeds 40%.
- D- The RPD between the sample and the sample duplicate is high. Sample Homogeneity may be a problem.
- + - The Surrogate was diluted out.
- *C1- The Continuing Calibration did not meet method specifications and was biased low for this analyte. Increased uncertainty is associated with the reported value which is likely to be biased low.
- *C2- The Continuing Calibration did not meet method specifications and was biased high for this analyte. Increased uncertainty is associated with the reported value which is likely to be biased high.
- *F1- The Laboratory Control Sample recovery is outside of control limits. Reported value for this analyte is likely to be biased on the low side.
- *F2- The Laboratory Control Sample recovery is outside of control limits. Reported value for this analyte is likely to be biased on the high side.
- I- The Analyte exceeds %RSD limits for the Initial Calibration. This is a non-directional bias.

All results met standard operating procedures unless indicated by a data qualifier next to a sample result, or a narration in the QC report.

For Percent Solids, if any of the following prep methods (3050B, 3540C, 3545A, 3550C, 5035 and 9013A) were used for samples pertaining to this report, the percent solids procedure is within that prep method.

Complete Environmental Testing is only responsible for the certified testing and is not directly responsible for the integrity of the sample before laboratory receipt.

ND is None Detected at or above the specified reporting limit

RL is the Reporting Limit.

All analyses were performed in house unless a Reference Laboratory is listed.

Samples will be disposed of 30 days after the report date.

CERTIFICATIONS

Certified Analyses included in this Report

| Analyte | Certifications |
|-----------------------------------|----------------|
| <i>ASTM D4059-0 in Oil</i> | |
| PCB-1016 | CT,RI,MA,NY |
| PCB-1221 | CT,RI,MA,NY |
| PCB-1232 | CT,RI,MA,NY |
| PCB-1242 | CT,RI,MA,NY |
| PCB-1248 | CT,RI,MA,NY |
| PCB-1254 | CT,RI,MA,NY |
| PCB-1260 | CT,RI,MA,NY |
| PCB-1268 | CT,RI,MA,NY |
| PCB-1262 | NY |
| <i>CT-ETPH in Soil</i> | |
| ETPH | CT |
| <i>EPA 6010C in Soil</i> | |
| Lead | CT,NY |
| Arsenic | CT,NY |
| <i>EPA 8082A in Soil</i> | |
| PCB-1016 | CT,NY |
| PCB-1221 | CT,NY |
| PCB-1232 | CT,NY |
| PCB-1242 | CT,NY |
| PCB-1248 | CT,NY |
| PCB-1254 | CT,NY |
| PCB-1260 | CT,NY |
| PCB-1268 | CT,NY |
| PCB-1262 | NY |
| <i>SM 2540 G in Soil</i> | |
| Percent Solids | CT |

Complete Environmental Testing operates under the following certifications and accreditations:

| Code | Description | Number | Expires |
|------|--|-----------|------------|
| CT | Connecticut Public Health | PH0116 | 09/30/2018 |
| MA | Massachusetts Laboratory Certification | M-CT903 | 06/30/2018 |
| NY | New York Certification (NELAC) | 11982 | 04/01/2019 |
| RI | Rhode Island Certification | LAO 00227 | 09/30/2018 |

Client: Mr. Robert Grabarek
Osprey Enviromental
146 East Main St
Clinton, CT 06413

Analytical Report

CET# 8040866



Report Date: April 30, 2018
Project: Fairfield

Connecticut Laboratory Certificate: PH 0116
Massachusetts laboratory Certificate: M-CT903



New York NELAP Accreditation: 11982
Rhode Island Certification: 199

CET # : 8040866

Project: Fairfield

SAMPLE SUMMARY

The sample(s) were received at 16.2°C.

This report contains analytical data associated with following samples only.

| Sample ID | Laboratory ID | Matrix | Collection Date/Time | Receipt Date |
|-----------|---------------|--------|----------------------|--------------|
| A1 | 8040866-01 | Soil | 4/25/2018 13:40 | 04/25/2018 |
| B1 | 8040866-02 | Soil | 4/25/2018 13:40 | 04/25/2018 |
| L1 | 8040866-03 | Soil | 4/25/2018 13:40 | 04/25/2018 |
| M1 | 8040866-04 | Soil | 4/25/2018 13:40 | 04/25/2018 |

CET # : 8040866

Project: Fairfield

Analyte: Percent Solids [SM 2540 G]

Analyst: PJB

Matrix: Soil

| Laboratory ID | Client Sample ID | Result | RL | Units | Dilution | Batch | Prepared | Date/Time Analyzed | Notes |
|---------------|------------------|--------|-----|-------|----------|---------|------------|--------------------|-------|
| 8040866-01 | A1 | 93 | 1.0 | % | 1 | B8D2741 | 04/27/2018 | 04/27/2018 16:00 | |
| 8040866-02 | B1 | 90 | 1.0 | % | 1 | B8D2741 | 04/27/2018 | 04/27/2018 16:00 | |
| 8040866-03 | L1 | 86 | 1.0 | % | 1 | B8D2741 | 04/27/2018 | 04/27/2018 16:00 | |
| 8040866-04 | M1 | 89 | 1.0 | % | 1 | B8D2741 | 04/27/2018 | 04/27/2018 16:00 | |

Analyte: Total Lead [EPA 6010C]

Analyst: SS

Prep: EPA 3051A

Matrix: Soil

| Laboratory ID | Client Sample ID | Result | RL | Units | Dilution | Batch | Prepared | Date/Time Analyzed | Notes |
|---------------|------------------|--------|-----|-----------|----------|---------|------------|--------------------|-------|
| 8040866-01 | A1 | 7.0 | 2.1 | mg/kg dry | 1 | B8D2740 | 04/27/2018 | 04/27/2018 22:50 | |
| 8040866-02 | B1 | 25 | 2.2 | mg/kg dry | 1 | B8D2740 | 04/27/2018 | 04/27/2018 22:54 | |
| 8040866-03 | L1 | 25 | 2.2 | mg/kg dry | 1 | B8D2740 | 04/27/2018 | 04/27/2018 22:58 | |
| 8040866-04 | M1 | 53 | 2.1 | mg/kg dry | 1 | B8D2740 | 04/27/2018 | 04/27/2018 23:02 | |

Analyte: Total Arsenic [EPA 6010C]

Analyst: SS

Prep: EPA 3051A

Matrix: Soil

| Laboratory ID | Client Sample ID | Result | RL | Units | Dilution | Batch | Prepared | Date/Time Analyzed | Notes |
|---------------|------------------|--------|-----|-----------|----------|---------|------------|--------------------|-------|
| 8040866-01 | A1 | ND | 1.1 | mg/kg dry | 1 | B8D2740 | 04/27/2018 | 04/27/2018 22:50 | |
| 8040866-02 | B1 | 3.1 | 1.1 | mg/kg dry | 1 | B8D2740 | 04/27/2018 | 04/27/2018 22:54 | |
| 8040866-03 | L1 | 2.2 | 1.1 | mg/kg dry | 1 | B8D2740 | 04/27/2018 | 04/27/2018 22:58 | |
| 8040866-04 | M1 | 2.0 | 1.1 | mg/kg dry | 1 | B8D2740 | 04/27/2018 | 04/27/2018 23:02 | |

CET #: 8040866

Project: Fairfield

Client Sample ID A1

Lab ID: 8040866-01

Conn. Extractable TPH

Analyst: MJH

Method: CT-ETPH

Matrix: Soil

| Analyte | Result (mg/kg dry) | RL (mg/kg dry) | Dilution | Prep Method | Batch | Prepared | Date/Time Analyzed | Notes |
|------------------------------|-----------------------|-------------------|----------|-------------|---------|------------|-----------------------|-------|
| ETPH | 3900 | 52 | 1 | EPA 3550C | B8D2631 | 04/26/2018 | 04/30/2018 10:14 | R |
| <i>Surrogate: Octacosane</i> | 99.9 % | 50 - 150 | | | B8D2631 | 04/26/2018 | 04/30/2018 10:14 | |
| R C18-C36 unknown | | | | | | | | |

PCBs by ASE

Analyst: MPC

Method: EPA 8082A

Matrix: Soil

| Analyte | Result (mg/kg dry) | RL (mg/kg dry) | Dilution | Prep Method | Batch | Prepared | Date/Time Analyzed | Notes |
|-----------------------------|-----------------------|-------------------|----------|-------------|---------|------------|-----------------------|-------|
| PCB-1016 | ND | 0.11 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 13:17 | |
| PCB-1221 | ND | 0.11 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 13:17 | |
| PCB-1232 | ND | 0.11 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 13:17 | |
| PCB-1242 | ND | 0.11 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 13:17 | |
| PCB-1248 | ND | 0.11 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 13:17 | |
| PCB-1254 | ND | 0.11 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 13:17 | |
| PCB-1260 | ND | 0.11 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 13:17 | |
| PCB-1268 | ND | 0.11 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 13:17 | |
| PCB-1262 | ND | 0.11 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 13:17 | |
| <i>Surrogate: TCMX [1C]</i> | 92.6 % | 30 - 150 | | | B8D2625 | 04/26/2018 | 04/27/2018 13:17 | |
| <i>Surrogate: TCMX [2C]</i> | 104 % | 30 - 150 | | | B8D2625 | 04/26/2018 | 04/27/2018 13:17 | |
| <i>Surrogate: DCB [1C]</i> | 79.2 % | 30 - 150 | | | B8D2625 | 04/26/2018 | 04/27/2018 13:17 | |
| <i>Surrogate: DCB [2C]</i> | 75.9 % | 30 - 150 | | | B8D2625 | 04/26/2018 | 04/27/2018 13:17 | |

CET #: 8040866

Project: Fairfield

Client Sample ID B1

Lab ID: 8040866-02

Conn. Extractable TPH

Method: CT-ETPH

Analyst: MJH

Matrix: Soil

| Analyte | Result (mg/kg dry) | RL (mg/kg dry) | Dilution | Prep Method | Batch | Prepared | Date/Time Analyzed | Notes |
|------------------------------|-----------------------|-------------------|----------|-------------|---------|------------|-------------------------|-------|
| ETPH | 1700 | 55 | 1 | EPA 3550C | B8D2631 | 04/26/2018 | 04/30/2018 10:37 | R |
| <i>Surrogate: Octacosane</i> | <i>103 %</i> | <i>50 - 150</i> | | | B8D2631 | 04/26/2018 | <i>04/30/2018 10:37</i> | |
| R C18-C36 unknown | | | | | | | | |

PCBs by ASE

Method: EPA 8082A

Analyst: MPC

Matrix: Soil

| Analyte | Result (mg/kg dry) | RL (mg/kg dry) | Dilution | Prep Method | Batch | Prepared | Date/Time Analyzed | Notes |
|-----------------------------|-----------------------|-------------------|----------|-------------|---------|------------|-------------------------|-------|
| PCB-1016 | ND | 0.11 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 13:35 | |
| PCB-1221 | ND | 0.11 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 13:35 | |
| PCB-1232 | ND | 0.11 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 13:35 | |
| PCB-1242 | ND | 0.11 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 13:35 | |
| PCB-1248 | ND | 0.11 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 13:35 | |
| PCB-1254 | ND | 0.11 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 13:35 | |
| PCB-1260 | ND | 0.11 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 13:35 | |
| PCB-1268 | ND | 0.11 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 13:35 | |
| PCB-1262 | ND | 0.11 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 13:35 | |
| <i>Surrogate: TCMX [1C]</i> | <i>93.6 %</i> | <i>30 - 150</i> | | | B8D2625 | 04/26/2018 | <i>04/27/2018 13:35</i> | |
| <i>Surrogate: TCMX [2C]</i> | <i>106 %</i> | <i>30 - 150</i> | | | B8D2625 | 04/26/2018 | <i>04/27/2018 13:35</i> | |
| <i>Surrogate: DCB [1C]</i> | <i>89.3 %</i> | <i>30 - 150</i> | | | B8D2625 | 04/26/2018 | <i>04/27/2018 13:35</i> | |
| <i>Surrogate: DCB [2C]</i> | <i>86.9 %</i> | <i>30 - 150</i> | | | B8D2625 | 04/26/2018 | <i>04/27/2018 13:35</i> | |

CET #: 8040866

Project: Fairfield

Client Sample ID L1

Lab ID: 8040866-03

Conn. Extractable TPH

Method: CT-ETPH

Analyst: MJH

Matrix: Soil

| Analyte | Result (mg/kg dry) | RL (mg/kg dry) | Dilution | Prep Method | Batch | Prepared | Date/Time Analyzed | Notes |
|------------------------------|-----------------------|-------------------|----------|-------------|---------|------------|-------------------------|-------|
| ETPH | 1300 | 58 | 1 | EPA 3550C | B8D2631 | 04/26/2018 | 04/30/2018 11:00 | R |
| <i>Surrogate: Octacosane</i> | <i>100 %</i> | <i>50 - 150</i> | | | B8D2631 | 04/26/2018 | <i>04/30/2018 11:00</i> | |
| R C18-C36 unknown | | | | | | | | |

PCBs by ASE

Method: EPA 8082A

Analyst: MPC

Matrix: Soil

| Analyte | Result (mg/kg dry) | RL (mg/kg dry) | Dilution | Prep Method | Batch | Prepared | Date/Time Analyzed | Notes |
|-----------------------------|-----------------------|-------------------|----------|-------------|---------|------------|-------------------------|-------|
| PCB-1016 | ND | 0.12 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 13:54 | |
| PCB-1221 | ND | 0.12 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 13:54 | |
| PCB-1232 | ND | 0.12 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 13:54 | |
| PCB-1242 | ND | 0.12 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 13:54 | |
| PCB-1248 | ND | 0.12 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 13:54 | |
| PCB-1254 | ND | 0.12 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 13:54 | |
| PCB-1260 | ND | 0.12 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 13:54 | |
| PCB-1268 | ND | 0.12 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 13:54 | |
| PCB-1262 | ND | 0.12 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 13:54 | |
| <i>Surrogate: TCMX [1C]</i> | <i>80.0 %</i> | <i>30 - 150</i> | | | B8D2625 | 04/26/2018 | <i>04/27/2018 13:54</i> | |
| <i>Surrogate: TCMX [2C]</i> | <i>90.6 %</i> | <i>30 - 150</i> | | | B8D2625 | 04/26/2018 | <i>04/27/2018 13:54</i> | |
| <i>Surrogate: DCB [1C]</i> | <i>82.9 %</i> | <i>30 - 150</i> | | | B8D2625 | 04/26/2018 | <i>04/27/2018 13:54</i> | |
| <i>Surrogate: DCB [2C]</i> | <i>80.0 %</i> | <i>30 - 150</i> | | | B8D2625 | 04/26/2018 | <i>04/27/2018 13:54</i> | |

CET #: 8040866

Project: Fairfield

Client Sample ID M1

Lab ID: 8040866-04

Conn. Extractable TPH

Method: CT-ETPH

Analyst: MJH

Matrix: Soil

| Analyte | Result (mg/kg dry) | RL (mg/kg dry) | Dilution | Prep Method | Batch | Prepared | Date/Time Analyzed | Notes |
|------------------------------|-----------------------|-------------------|----------|-------------|---------|------------|-------------------------|-------|
| ETPH | 940 | 56 | 1 | EPA 3550C | B8D2631 | 04/26/2018 | 04/30/2018 11:22 | R |
| <i>Surrogate: Octacosane</i> | <i>101 %</i> | <i>50 - 150</i> | | | B8D2631 | 04/26/2018 | <i>04/30/2018 11:22</i> | |
| R C18-C36 unknown | | | | | | | | |

PCBs by ASE

Method: EPA 8082A

Analyst: MPC

Matrix: Soil

| Analyte | Result (mg/kg dry) | RL (mg/kg dry) | Dilution | Prep Method | Batch | Prepared | Date/Time Analyzed | Notes |
|-----------------------------|-----------------------|-------------------|----------|-------------|---------|------------|-------------------------|-------|
| PCB-1016 | ND | 0.11 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 14:12 | |
| PCB-1221 | ND | 0.11 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 14:12 | |
| PCB-1232 | ND | 0.11 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 14:12 | |
| PCB-1242 | ND | 0.11 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 14:12 | |
| PCB-1248 | ND | 0.11 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 14:12 | |
| PCB-1254 | ND | 0.11 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 14:12 | |
| PCB-1260 | ND | 0.11 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 14:12 | |
| PCB-1268 | ND | 0.11 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 14:12 | |
| PCB-1262 | ND | 0.11 | 1 | EPA 3545A | B8D2625 | 04/26/2018 | 04/27/2018 14:12 | |
| <i>Surrogate: TCMX [1C]</i> | <i>89.4 %</i> | <i>30 - 150</i> | | | B8D2625 | 04/26/2018 | <i>04/27/2018 14:12</i> | |
| <i>Surrogate: TCMX [2C]</i> | <i>100 %</i> | <i>30 - 150</i> | | | B8D2625 | 04/26/2018 | <i>04/27/2018 14:12</i> | |
| <i>Surrogate: DCB [1C]</i> | <i>96.5 %</i> | <i>30 - 150</i> | | | B8D2625 | 04/26/2018 | <i>04/27/2018 14:12</i> | |
| <i>Surrogate: DCB [2C]</i> | <i>93.5 %</i> | <i>30 - 150</i> | | | B8D2625 | 04/26/2018 | <i>04/27/2018 14:12</i> | |


All questions related to this report should be directed to David Ditta, Timothy Fusco, or Robert Blake at 203-377-9984.

Sincerely,

This technical report was reviewed by Jeffrey Smith



David Ditta
Laboratory Director



Project Manager

Report Comments:

Sample Result Flags:

- E- The result is estimated, above the calibration range.
- H- The surrogate recovery is above the control limits.
- L- The surrogate recovery is below the control limits.
- B- The compound was detected in the laboratory blank.
- P- The Relative Percent Difference (RPD) of dual column analyses exceeds 40%.
- D- The RPD between the sample and the sample duplicate is high. Sample Homogeneity may be a problem.
- + - The Surrogate was diluted out.
- *C1- The Continuing Calibration did not meet method specifications and was biased low for this analyte. Increased uncertainty is associated with the reported value which is likely to be biased low.
- *C2- The Continuing Calibration did not meet method specifications and was biased high for this analyte. Increased uncertainty is associated with the reported value which is likely to be biased high.
- *F1- The Laboratory Control Sample recovery is outside of control limits. Reported value for this analyte is likely to be biased on the low side.
- *F2- The Laboratory Control Sample recovery is outside of control limits. Reported value for this analyte is likely to be biased on the high side.
- I- The Analyte exceeds %RSD limits for the Initial Calibration. This is a non-directional bias.

All results met standard operating procedures unless indicated by a data qualifier next to a sample result, or a narration in the QC report.

For Percent Solids, if any of the following prep methods (3050B, 3540C, 3545A, 3550C, 5035 and 9013A) were used for samples pertaining to this report, the percent solids procedure is within that prep method.

Complete Environmental Testing is only responsible for the certified testing and is not directly responsible for the integrity of the sample before laboratory receipt.

ND is None Detected at or above the specified reporting limit

RL is the Reporting Limit.

All analyses were performed in house unless a Reference Laboratory is listed.

Samples will be disposed of 30 days after the report date.

CERTIFICATIONS

Certified Analyses included in this Report


| Analyte | Certifications |
|-----------------------------------|----------------|
| <i>ASTM D4059-0 in Oil</i> | |
| PCB-1016 | CT,RI,MA,NY |
| PCB-1221 | CT,RI,MA,NY |
| PCB-1232 | CT,RI,MA,NY |
| PCB-1242 | CT,RI,MA,NY |
| PCB-1248 | CT,RI,MA,NY |
| PCB-1254 | CT,RI,MA,NY |
| PCB-1260 | CT,RI,MA,NY |
| PCB-1268 | CT,RI,MA,NY |
| PCB-1262 | NY |
| <i>CT-ETPH in Soil</i> | |
| ETPH | CT |
| <i>EPA 6010C in Soil</i> | |
| Lead | CT,NY |
| Arsenic | CT,NY |
| <i>EPA 8082A in Soil</i> | |
| PCB-1016 | CT,NY |
| PCB-1221 | CT,NY |
| PCB-1232 | CT,NY |
| PCB-1242 | CT,NY |
| PCB-1248 | CT,NY |
| PCB-1254 | CT,NY |
| PCB-1260 | CT,NY |
| PCB-1268 | CT,NY |
| PCB-1262 | NY |
| <i>SM 2540 G in Soil</i> | |
| Percent Solids | CT |

Complete Environmental Testing operates under the following certifications and accreditations:

| Code | Description | Number | Expires |
|------|--|-----------|------------|
| CT | Connecticut Public Health | PH0116 | 09/30/2018 |
| MA | Massachusetts Laboratory Certification | M-CT903 | 06/30/2018 |
| NY | New York Certification (NELAC) | 11982 | 04/01/2019 |
| RI | Rhode Island Certification | LAO 00227 | 09/30/2018 |



8040866



COMPLETE ENVIRONMENTAL TESTING, INC.

CHAIN OF CUSTODY

Volatile Soils Only:

Date and Time in Freezer

Client:

CET:

Additional Analysis

80 Lupes Drive
Stratford, CT 06615
Bottle Request e-mail: bottleorders@cetlabs.com

Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet1@cetlabs.com

Sample ID/Sample Depths
(include Units for any sample depths provided)

Collection Date/Time

Matrix
A=Air S=Soil W=Water
DW=Drinking Water
C=Cassette
Solid Wipe Other (Specify)

Turnaround Time **
(check one)
Same Day *
Next Day *
Two Day *
Three Day *
Std (5-7 Days)

- 8260 CT List
- 8260 Aromatics
- 8260 Halogens
- CT ETPH
- 8270 CT List
- 8270 PNAs
- PCBs SOX ASE
- Pesticides
- 8 RCRA
- 13 Priority Poll
- 15 CT DEP
- Total
- SPLP
- TCLP
- Dissolved
- Field Filtered
- Lab to Filter

Metals

TOTAL # OF CONT.
NOTE #

A1
B1
L1
M1
7/25/18 1:40pm S

X

X PCBs Acc
X Pb As

PRESERVATIVE (Cl-HCl, N-HNO₃, S-H₂SO₄, Na-NaOH, C-Cool, O-Other)
CONTAINER TYPE (P-Plastic, G-Glass, V-Vial, O-Other)

Soil VOCs Only (M=MeOH B=Sulfate Sodium W=Water F=Vial Empty E=Envelope)

RELINQUISHED BY: DATE/TIME RECEIVED BY: DATE/TIME
7/25/18 2:10p 04/25/18 Mearney 14:15

RELINQUISHED BY: DATE/TIME RECEIVED BY: DATE/TIME

Client / Reporting Information

Company Name: CSPREY

Address: _____ City: _____ State: _____ Zip: _____

Report To: _____ E-mail: _____

Phone # _____ Fax # _____

NOTES:

Project: FARFIELD PO #: _____

Location: AY Project #: _____

CET Quote # _____ Collector(s): _____

QA/QC Std Site Specific (MS/MSD) * RCP Pkg * DOAW *

Data Report PDF EDD - Specify Format _____ Other _____

RSR Reporting Limits (check one) GA GB SWP Other _____

Laboratory Certification Needed (check one) CT NY RI MA

Temp Upon Receipt: 16.2 °C Evidence of Cooling: N PAGE 1 OF 1

* Additional charge may apply. ** TAT begins when the samples are received at the Lab and all issues are resolved. TAT for samples received after 3 p.m. will start on the next business day. All samples picked up by courier service will be considered next business day receipt for TAT purposes. REV 10/16