

DECK DETAILS

FOR A ONE OR TWO-FAMILY
RESIDENTIAL STRUCTURE

APPLICANT _____

ADDRESS _____

NOTE: ANY TRUSSES OR MANUFACTURED LUMBER MEMBERS MUST HAVE A COMPUTER-GENERATED LOAD CALCULATION PRINTOUT, WHICH IS NORMALLY AVAILABLE THROUGH THE SUPPLIER

BEAM

MATERIAL: _____
 SIZE: _____
 SPAN: _____

JOISTS

MATERIAL: _____
 SIZE: _____
 SPACING: _____

BOLTS (AT HOUSE)

MATERIAL: _____
 SIZE: _____
 SPACING: _____

DECKING

MATERIAL: _____
 THICKNESS: _____

COLUMN

MATERIAL: _____
 SIZE: _____

FOUNDATION


MATERIAL: _____
 SIZE: _____

JOIST HANGERS

BRAND: _____
 MODEL #: _____

COLUMN CONNECTOR

BRAND: _____
 MODEL #: _____



OTHER REQUIREMENTS:

ITEM	IRC CODE REFERENCE	REQUIREMENT
STAIR RISERS	R314.2	7 3/4" MAXIMUM
STAIR TREADS	R314.2	10" MINIMUM
STAIR WIDTH	R314.1	36"
STAIR HEADROOM	R314.3	6'-8" MINIMUM
HANDRAIL HEIGHT	R315.1	34"-38" ABOVE STAIR NOSINGS
HANDRAIL DETAILS	R315.1	ONE SIDE, WITH RETURNS