Ordinance No. 01-19

AN ORDINANCE ACCEPTING THE DONATION OF REAL PROPERTY ALONG SOUTH CHILLICOTHE STREET.

WHEREAS, The Village of Plain City has the power, pursuant to Section 715.01 of the Ohio Revised Code to accept the donation of real property for municipal purposes; and

WHEREAS, The Village identified certain real property along South Chillicothe Street within the Village's corporate boundaries, as described and depicts on Exhibit A attached hereto, that should have previously been dedicated to the Village in accordance with its subdivision regulations at the time of approval of Section One of the Darby Fields residential development; and

WHEREAS, the property owner of said development has agreed to convey the additional real property at no cost to the Village.

NOW THEREFORE BE IT ORDAINED by the Council of the Village of Plain City, Ohio, a majority of the members elected or appointed thereto concurring, as follows:

- Section 1. The Village Administrator is hereby authorized and directed to accept the conveyance of the 0.044 acres of real property described and depicted on Exhibit A, attached hereto, and prepare a deed for the subject property and record the same with the Madison County Recorder's Office.
- Section 2. It is hereby found and determined that all formal actions of this Council concerning and relating to the passage of this Ordinance were adopted in an open meeting of Council, and that all deliberations of this Council and any of its committees that resulted in such formal action were in meetings open to the public, in compliance with all legal requirements of the laws of the State of Ohio.
- **Section 3.** This Ordinance shall take effect thirty (30) days after passage.

Passed: February //	_, 2019.			
Attest: Revel Sorpett		Davin	Lane	
Village Fiscal Officer	Mayo	or		
First reading: January 14	, 2019.	Vote:yea	nay	abstain
Second reading: January 28	, 2019.	Vote:yea	nay	<u>abst</u> ain
Third reading: February 11	, 2019.	Vote:yea_	nay	abstain
\emptyset				



SURVEY OF ACREAGE PARCEL

VIRGINIA MILITARY SURVEY NUMBER 5125 VILLAGE OF PLAIN CITY, COUNTY OF MADISON, STATE OF OHIO

Date: November 13, 2018 Job No: 2017-1383 Scale: 1" = 50' SURVEY NOTE: This survey was prepared using documents of record, prior plats of S88'34'06"E survey, and observed evidence located by an actual field survey 5.63 performed in February, 2017. BASIS OF BEARINGS: POB The bearing shown hereon are based S25°55'44"E on the Ohio State Plane Coordinate 26.42 System, South Zone, NAD 83 (2011). Said bearings orignated from a field traverse which was tied (referenced) to said coordinate system by positional solutions derived by the National Geodetic Survey's Online Positioning Users Service software using GPS observations and observations of selected CORS base stations in the National Spatial Reference System. A bearing of South 33° 53' 04" East was held for a portion of the westerly right on 11/13/2018 9:20:19 of way line of Plain City-Georgesville Road. RESERVE "A" DARBY FIELDS SECTION 1 P.B. B, P. 395 I.P. FND. I.P. SET MAG. NAIL FND. MAG. NAIL SET © = PERM. MRKR. SET
I.P. Set are 13/16" I.D. iron pipes 30" long
with cap stamped EMHT INC. Permanent 20161340-VS-PLAT-SEC1.DWG & 201613403-VS-BNDY-D2.DWG plotted by DIROMA, THERESA 20161340-VS-PLAT-SEC1.DWG & 20171383-VS-PLAT-SEC4.DWG Markers set are one—inch solid iron pins Δ=31'00'10 with aluminum cap stamped EMHT INC. R=35.00' Arc=18.94' ChB=S18'22'59"E DARBYFIELDS ChD=18.71 GRAPHIC SCALE (in feet) BOULEVARD MATTHEW A KIRK S-7865 ONAL 13 NOV 18 Matthew A. Kirk Date Professional Surveyor No. 7865

0.044 ACRE

Situated in the State of Ohio, County of Madison, Village of Plain City, in Virginia Military Survey Number 5125, being part of Reserve "A" (Parcel Number 04-00824.002) of the subdivision entitled "Darby Fields Section 1", of record in Plat Book B, Page 395 (all references refer to the records of the Recorder's Office, Madison County, Ohio), and more particularly bounded and described as follows:

Beginning at an iron pin set at the northeasterly corner of said Reserve "A", the southeasterly corner of that 7.622 acre tract conveyed to The Board of Education of The Jonathan Alder Local School District by deed of record in Official Record 251, Page 1555, in the westerly right of way line of Plain City-Georgesville Road;

Thence with said westerly right of way line the following courses and distances:

South 25° 55' 44" East, a distance of 26.42 feet to a permanent marker set;

South 33° 53' 04" East, a distance of 340.44 feet to a permanent marker set at a point of curvature to the right; and

With the arc of said curve, having a central angle of 31° 00' 10", a radius of 35.00 feet, an arc length of 18.94 feet, a chord bearing of South 18° 22' 59" East and chord distance of 18.71 feet to an iron pin set;

Thence North 33° 53' 04" West, crossing said Reserve "A", a distance of 358.82 feet to an iron pin set;

Thence North 25° 55' 44" West, crossing said Reserve "A", a distance of 29.35 feet to an iron pin set in the southerly line of said 7.622 acre tract;

Thence South 88° 34' 06" East, with said southerly line, a distance of 5.63 feet to the POINT OF BEGINNING, containing 0.44 acre of land, more or less.

Subject, however, to all legal rights-of-way and/or easements, if any, of previous record.

The bearings herein are based on the Ohio State Plane Coordinate System, South Zone, NAD83 (2011 adjustment). Said bearings originated from a field traverse which was tied (referenced) to said coordinate system by positional solutions derived by the National Geodetic Survey's Online Positioning Users Service software using GPS observations and observations of selected CORS base stations in the National Spatial Reference System. A bearing of South 33° 53' 04" East was held for a portion of the westerly right of way line of Plain City-Georgesville Road.

Iron pins set, where indicated, are iron pipes, thirteen sixteenths (13/16) inch inside diameter, thirty (30) inches long, with a plastic plug placed in the top bearing the initials EMHT INC.

Permanent markers set, where indicated, are solid iron pins, one (1) inch outside diameter, thirty (30) inches long, with an aluminum cap stamped EMHT INC.

This description was prepared using documents of record, prior plats of survey, and observed evidence located by an actual field survey performed in February of 2017.

Mather a glich

EVANS, MECHWART, HAMBLETON & TILTON, INC.

Matthew A. Kirk

Professional Surveyor No. 7865

MAK:mm 0_044 ac 20171383-VS-BNDY-02.docx 13 NOV 18

MATTHEW A KIRK S-7865